

MATERIAL SAFETY DATA SHEET

### **PPC757 VIOLET PC**

Version Number 1.0 Revision Date 04/29/2003 Page 1 of 6 Print Date 11/11/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PPC757 VIOLET PC
Product code	:	FO00008635
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Diatomaceous earth	61790-53-2	1 - 5

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

sion Date 04/29/2003	Print Date 11/11/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>No data available.</li> <li>No data available.</li> <li>Not applicable.</li> <li>Carbon dioxide blanket, dry powder, foam, Water spray.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
Hazards	
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.



### MATERIAL SAFETY DATA SHEET

ision Date 04/29/2003					Print D	ate 11/11/
Storage		eep containers dry and nd contamination. Sto			moisture	e absorption
8. F	EXPOSURE	<b>CONTROLS / PERS</b>	ONAL	PROTECTIO	N	
Respiratory protection	: U	nder normal handling	conditio	ons a respirator	may not ł	be required.
Eye/Face Protection	: S	Safety glasses with side-shields.				
Hand protection	: P	Protective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance w ash hands before brea				afety practic
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure time		Exposure	type	List:
Diatomaceous earth		Note:		Fume.		ACGIH
		Note:				ACGIH
	10 mg/m3	Time Weighted Av (TWA):		Inhalable of		ACGIH
	3 mg/m3	Time Weighted Average (TWA):		Respirable	dust.	ACGIH
Diatomaceous earth	20 mppcf	PEL:		Total du	ist.	Z3
	9. PHYSIC	CAL AND CHEMICA	AL PRC	PERTIES		
Form	: Liqu	id	Evano	ration rate	· Not	established
Appearance		id, Viscous liquid		ic Gravity		determined
		ersion	•	·		
Color	: PUR		Bulk d			applicable.
Odor	: Very			pressure		determined
Melting point/range Boiling Point:		applicable applicable	Vapor pH	density		vier than air determined
Water solubility	: Not a		рп		. INOL	ucici i i i i i i i i i i i i i i i i i
, ator boraonity						
		STABILITY AND RE	LACTIV	<b>ITY</b>		
	10.8					
Stability		table.				
Stability Hazardous Polymerization	: S					



### MATERIAL SAFETY DATA SHEET

sion Number 1.0 ision Date 04/29/2003			Page 4 Print Date 11/11/2			
Conditions to avoid			s and open flame. To avoid thermal			
	decompositio	decomposition, do not overheat.				
Incompatible Materials	: Incompatible	Incompatible with strong acids and oxidizing agents.				
Hazardous decomposition products		Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.				
	11. TOXICOLOG	GICAL INFORMA	TION			
This mixture has not been health data for the individ			posure effects listed are based on exi e.			
<u>Toxicity Overview</u> This product contains the	following components w	which in their pure f	orm have the following characteristic			
CAS-No.	Chemical Name	Effect	Target Organ			
61790-53-2 I	Diatomaceous earth	Irritant	Eyes, Respiratory system.			
Bioaccumulation Potentia Additional advice		<ul><li>No data available.</li><li>No data available.</li></ul>				
	13. DISPOSAL	CONSIDERATIO	DNS			
Product	generator of classification	waste material has t , transportation and	ferred to disposal or incineration. Th he responsibility for proper waste disposal in accordance with al and local regulations.			
Contaminated packaging	has the respo and disposal	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPO	RT INFORMATI	ON			
U.S. DOT Classification	: Refer to spec	ific regulation.				
ICAO/IATA	: Refer to spec	ific regulation.				



### MATERIAL SAFETY DATA SHEET

sion Number 1.0 /ision Date 04/29/2003		Page 5 of Print Date 11/11/201
IMO / IMDG	:	Refer to specific regulation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tor		_nemicals:
Not applicable Canadian Regulations:		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
		Listed.
Korea KECI	·	



MATERIAL SAFETY DATA SHEET

### PPC757 VIOLET PC

Version Number 1.0 Revision Date 04/29/2003 Page 6 of 6 Print Date 11/11/2011

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.