MATERIAL SAFETY DATA SHEET 10110PC EXTRA WHITE

Version Number 1.0 Revision Date 06/28/2005

Page 1 of 6 Print Date 11/18/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone : Emergency telephone : number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	10110PC EXTRA WHITE
Product code	:	FO00008830
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	60 - 100

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET 10110PC EXTRA WHITE

Version Number 1.0 Revision Date 06/28/2005 Page 2 of 6 Print Date 11/18/2011

	4. FIRST AID MEASURES		
Inhalation : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.			
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.		
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: No data available		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 No data available No data available Not applicable Carbon dioxide blanket, water spray, dry powder, foam. 		
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: The product should not be allowed to enter drains, water courses or th soil. Should not be released into the environment.		
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.		



MATERIAL SAFETY DATA SHEET 10110PC EXTRA WHITE

Version Number 1.0 Revision Date 06/28/2005 Page 3 of 6 Print Date 11/18/2011

Storage		eep containers dry and contamination. S				Ĩ
8. F	EXPOSURE	CONTROLS / PE	RSONAL	PROTECTIO	N	
Respiratory protection	: U	nder normal handlin	ng conditio	ons a respirator	may not	be required.
Eye/Face Protection	: S	afety glasses with si	de-shields			
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing	5.			
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance ash hands before b				afety practice
Engineering measures		leat only in areas wi ppropriate exhaust v			ntilation.	Provide
Exposure limit(s)						
Components	Value	Exposure tin		Exposure	type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):				ACGIH
	15 mg/m3	PEL:		Total du	ıst.	OSHA Z1
	9. PHYSIC	CAL AND CHEMI	CAL PRO	DPERTIES		
Form Appearance		d d, Viscous liquid ersion		ration rate ic Gravity:		established determined
Color	: WHI		Bulk density : Not applicable			
Odor Melting point/range	: Very : Not a	applicable		pressure r density		determined vier than air.
Boiling Point:	: Not a	applicable	рН	J		determined
Water solubility	: Imm	iscible				
	10. 5	STABILITY AND I	REACTIV	/ITY		
	: S	table.				
Stability						
Stability Hazardous Polymerization	n : W	Vill not occur.				

Pol	vOne.

MATERIAL SAFETY DATA SHEET 10110PC EXTRA WHITE

ion Number 1.0 sion Date 06/28/2005			Page / Print Date 11/18/2
Incompatible Materials	: Incompatible	with strong acids and o	oxidizing agents.
Hazardous decomposition products			oxide (CO), oxides of nitrogen nd smoke are all possible.
	11. TOXICOLOG	ICAL INFORMATIO	ON
This mixture has not beer health data for the individ			ure effects listed are based on ex-
<u>Toxicity Overview</u> This product contains the	following components wh	hich in their pure form	have the following characteristic
CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7 7	itanium dioxide	Systemic effects	Respiratory system.
	12. ECOLOGIC	AL INFORMATION	1
Demister of an data			·
Persistence and degradable	lity : Not readily bio	odegradable.	
Environmental Toxicity : Environmental toxicity has not been established for this mixture a whole.			established for this mixture as a
Bioaccumulation Potentia	l : No data availa	ıble	
Additional advice	: No data availa	ıble	
	13. DISPOSAL	CONSIDERATIONS	
Product	generator of w classification,	vaste material has the r	d to disposal or incineration. Th esponsibility for proper waste posal in accordance with nd local regulations.
Contaminated packaging	has the respon	sibility for proper was n accordance with app	e. The generator of waste materia te classification, transportation licable federal, state/provincial
	14. TRANSPOR	RT INFORMATION	
U.S. DOT Classification	: Refer to specif	fic regulation.	
ICAO/IATA (air)	: Refer to specif	fic regulation.	
IMO / IMDG (maritime)	: Refer to specif	fic regulation.	
	15. REGULATO		

PolyOne.

MATERIAL SAFETY DATA SHEET 10110PC EXTRA WHITE

sion Number 1.0 ision Date 06/28/2005			Print Date	Page 5 11/18/2
US Regulations:				
OSHA Status	:	Classified as hazardous based on components.		
TSCA Status	:	All components of this product are listed on or of Inventory.	exempt from	the TSC.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)		
Not applicable				
California Proposition 65	:	Not applicable		
SARA Title III Section 302 Ext Not applicable	rem	ely Hazardous Substance		
SARA Title III Section 313 Tox	cic C	Chemicals:		
Not applicable Canadian Regulations:				
National Pollutant Relea	se Iı	nventory (NPRI)		
Not applicable				
WHMIS Classification	:	Not controlled.		
DSL	:	All components of this product are on the Cana Substances List (DSL) or are exempt.	adian Domest	tic
National Inventories:				
Australia AICS	:	Not determined		
China IECS	:	Not determined		
Europe EINECS	:	Listed		
Japan ENCS	:	Not determined		
Korea KECI	:	Not determined		
Philippines PICCS	:	Not determined		
		16. OTHER INFORMATION		
		16. OTHER INFORMATION		



MATERIAL SAFETY DATA SHEET 10110PC EXTRA WHITE

Version Number 1.0 Revision Date 06/28/2005

Page 6 of 6 Print Date 11/18/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.