

# MATERIAL SAFETY DATA SHEET 2200018 VBX3340 MED. GRAY 9779 PWD

Version Number 1.0 Revision Date 10/10/2003

Page 1 of 6 Print Date 11/12/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship (314) 771-1800
Emergency telephone	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	2200018 VBX3340 MED. GRAY 9779 PWD
Product code	:	FO00011083
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET 2200018 VBX3340 MED. GRAY 9779 PWD

Version Number 1.0 Revision Date 10/10/2003 Page 2 of 6 Print Date 11/12/2011

		4. FIRST AID MEASURES		
Inhalation		Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion	:	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
		5. FIRE-FIGHTING MEASURES		
Flash point	:	Not applicable		
Flammable Limits				
Upper explosion limit	:	Not applicable		
Lower explosion limit	:	Not applicable		
Autoignition temperature	:	Not relevant		
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foam.		
Special Fire Fighting Procedures	:	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.		
Unusual Fire/Explosion Hazards	:	May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.		
	6. A	CCIDENTAL RELEASE MEASURES		
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
		7. HANDLING AND STORAGE		
Handling	:	Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of		

2/6



# MATERIAL SAFETY DATA SHEET 2200018 VBX3340 MED. GRAY 9779 PWD

Version Number 1.0 Revision Date 10/10/2003 Page 3 of 6 Print Date 11/12/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

these materials.

Respiratory protection	:	No personal respiratory protective equipment normally required. If dusty conditions occur wear appropriate respiratory protection.
Eye/Face Protection	:	safety glasses with side-shields
Hand protection	:	protective gloves
Skin and body protection	:	long sleeved clothing
Additional Protective Measures	:	safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

:	Solid
:	powder, granular
:	GREY
:	Very faint
:	Not determined
:	Not applicable
:	Insoluble

Evaporation rate Specific Gravity Bulk density Vapor pressure Vapour density pH

To avoid thermal decomposition, do not overheat. Keep away from

- : Not applicable
- : Not determined
- : Not determined
- : Not applicable
- Not applicableNot applicable
  - not applicable

## **10. STABILITY AND REACTIVITY**

- Stability : Stable.
- Hazardous Polymerization : Will not occur.

:

Conditions to avoid

3/6



# MATERIAL SAFETY DATA SHEET 2200018 VBX3340 MED. GRAY 9779 PWD

Version Number 1.0 Revision Date 10/10/2003 Page 4 of 6 Print Date *11/12/2011* 

		oxidizing agents and open flame.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.

## **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
		CAL INFORMATION	J			
	12. ECOLOGIC		1			
Persistence and degradab	ility : Not readily b	iodegradable.				
Environmental Toxicity	: Adverse ecol	: Adverse ecological impact is not known or expected under normal use.				
Bioaccumulation Potenti	al : No data avail	able				
Additional advice	: No data avail	able				
	13. DISPOSAL	CONSIDERATIONS	6			
Product	generator of classification	waste material has the r	d to disposal or incineration. The responsibility for proper waste posal in accordance with nd local regulations.			
Contaminated packaging	has the respo and disposal	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPO	<b>RT INFORMATION</b>				
U.S. DOT Classification	: Not regulated	for transportation.				



## MATERIAL SAFETY DATA SHEET 2200018 VBX3340 MED. GRAY 9779 PWD

### Version Number 1.0 Revision Date 10/10/2003

Page 5 of 6 Print Date 11/12/2011

ICAO/IATA (air)	: N	Not regulated for transportation.
IMO / IMDG (maritime)	: N	Not regulated for transportation.
	15. I	REGULATORY INFORMATION
US Regulations:		
OSHA Status	: (	Classified as hazardous based on components.
TSCA Status		All components of this product are listed on or exempt from the TSCA nventory.
US. EPA CERCLA Hazardous	Substa	nces (40 CFR 302)
Not applicable		
California Proposition 65		WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Ex	tremely	y Hazardous Substance
Not applicable		
SARA Title III Section 313 To	xic Che	emicals:
Not applicable Canadian Regulations:		
National Pollutant Rele	ase Invo	entory (NPRI)
Not applicable		
WHMIS Classification	: I	D2B
DSL		All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	: ]	Listed
China IECS	: ]	Listed
Europe EINECS	: 1	Not determined
Japan ENCS		Not determined

OLYONE CORPORA	TION	]	PolyOne
ATERIAL SAFETY DATA SHI			
200018 VBX3340 ME	D. GRA 1 9/19 P	WD	Page 6 of 6
evision Date 10/10/2003			Print Date 11/12/2011
Korea KECI	: Not determined		
Philippines PICCS	: Not determined		
	16. OTHER INFO	RMATION	
conditions.			