

MATERIAL SAFETY DATA SHEET

12129CC CLASSIC CLEAR

Version Number 1.0 Revision Date 07/29/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	12129CC CLASSIC CLEAR
Product code	:	FO00011880
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Diatomaceous earth	61790-53-2	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

12129CC CLASSIC CLEAR

Version Number 1.0 Revision Date 07/29/2002 Page 2 of 6 Print Date 11/5/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases doubt, seek medical advice.	of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.	
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If e irritation persists, seek medical attention.	ye
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.	ek
	5. FIRE-FIGHTING MEASURES	
Flash point	: No data available.	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	 No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, Water spray. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. 	
Unusual Fire/Explosion Hazards	: May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) und fire conditions.	er
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	ot
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid bind universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize	



MATERIAL SAFETY DATA SHEET

12129CC CLASSIC CLEAR

sion Number 1.0 ision Date 07/29/2002					Print	Page 3 Date 11/5/2
	a	ccumulation of these m	aterials.			
Storage		eep containers dry and nd contamination. Stor				e absorption
8. H	EXPOSURE	CONTROLS / PERS	ONAL P	ROTECTI	ON	
Respiratory protection	: U	Inder normal handling of	condition	s a respirato	or may not	be required.
Eye/Face Protection	: S	afety glasses with side-	shields.			
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance wi Vash hands before brea				afety practice
Engineering measures		leat only in areas with a ppropriate exhaust vent				Provide
Exposure limit(s)						
Components	Value	Exposure time		Exposu		List:
Diatomaceous earth	10 mg/m3	Time Weighted Ave (TWA):	-	Inhalabl		ACGIH
	3 mg/m3	Time Weighted Ave (TWA):	erage	Respirab		ACGIH
Diatomaceous earth	20 mppcf	PEL:		Total	dust.	Z3
	9. PHYSIC	CAL AND CHEMICA	L PRO	PERTIES		
Form	: Liqu	id	Evapora	tion rate	: Not	established
Appearance		ous, Liquid		Gravity	: Not	determined
Color		PIGMENT	Bulk de			applicable.
Odor		faint	Vapor p			determined
Melting point/range		applicable	Vapor d	ensity		determined
Boiling Point:		applicable	pН		: Not	applicable.
Water solubility	: Imm	Iscible				
	10. 8	STABILITY AND RE	ACTIVI	TY		
Stability	: S	table.				
Hazardous Polymerization	n : W	Vill not occur.				



MATERIAL SAFETY DATA SHEET

12129CC CLASSIC CLEAR

sion Date 07/29/2002			Page / Print Date 11/5/
Conditions to avoid		way from oxidizing agents position, do not overheat.	and open flame. To avoid thermal
Incompatible Materials			nd oxidizing agents. Avoid contact etal copolymers during processing.
Hazardous decomposition products	(NOx), smoke a degrada after on	hydrogen chloride (HCl), are all possible. Prolonged ation. As a general rule of	onoxide (CO), oxides of nitrogen other hazardous materials, and d heating may result in product thumb, degradation begins to occu after 10 minutes at 204 °C (400 °F 50 °F).
	11 TOXICO	DLOGICAL INFORMA	ΓΙΟΝ
Toxicity Overview This product contains the CAS-No.	e following compon		rm have the following characteristi
UAS-NO	Unennicai Ivan	ne Effect	Target Organ
	Diatomaceous earth		Target OrganEyes, Respiratory system.
	Diatomaceous earth	Irritant	Eyes, Respiratory system.
	Diatomaceous earth		Eyes, Respiratory system.
	Diatomaceous earth 12. ECOL	Irritant	Eyes, Respiratory system.
61790-53-2	Diatomaceous earth 12. ECOL ility : Not rea	Irritant OGICAL INFORMATIC dily biodegradable.	Eyes, Respiratory system.
61790-53-2	Diatomaceous earth 12. ECOL ility : Not rea : Enviror whole.	Irritant OGICAL INFORMATIC dily biodegradable.	Eyes, Respiratory system.
61790-53-2 1 Persistence and degradab Environmental Toxicity	Diatomaceous earth 12. ECOL wility : Not rea : Environ whole. al : No data	Irritant OGICAL INFORMATION dily biodegradable. nmental toxicity has not be	Eyes, Respiratory system.
61790-53-2 1 Persistence and degradab Environmental Toxicity Bioaccumulation Potentia	Diatomaceous earth 12. ECOL ility : Not rea : Enviror whole. al : No data : No data	Irritant OGICAL INFORMATION dily biodegradable. umental toxicity has not be a available.	Eyes, Respiratory system.
61790-53-2 1 Persistence and degradab Environmental Toxicity Bioaccumulation Potentia	Diatomaceous earth 12. ECOL ility : Not rea : Enviror whole. al : No data : No data 13. DISPC : Where generat classifie	Irritant OGICAL INFORMATION dily biodegradable. umental toxicity has not be available. available. DSAL CONSIDERATION possible, recycling is preference or of waste material has th	Eyes, Respiratory system. ON een established for this mixture as a NS erred to disposal or incineration. The responsibility for proper waste disposal in accordance with
61790-53-2 1 Persistence and degradab Environmental Toxicity Bioaccumulation Potentia Additional advice	Diatomaceous earth 12. ECOL ility : Not rea : Enviror whole. al : No data : No data 13. DISP(: Where generat classific applica : Recycli has the and disp	Irritant OGICAL INFORMATION dily biodegradable. umental toxicity has not be available. available. DSAL CONSIDERATIO possible, recycling is preferred has the cation, transportation and oble federal, state/provincia ng is preferred when possi responsibility for proper v	Eyes, Respiratory system. ON een established for this mixture as a NS erred to disposal or incineration. The responsibility for proper waste disposal in accordance with



MATERIAL SAFETY DATA SHEET

12129CC CLASSIC CLEAR

sion Number 1.0 ision Date 07/29/2002			Print	Page 5 Date 11/5/2
U.S. DOT / CA TDG Classification	: Not regulated	d for transportation.		
ICAO/IATA	: Not regulated	d for transportation.		
IMO / IMDG	: Not regulated	d for transportation.		
	15. REGULAT	ORY INFORMATIO	Ν	
US Regulations:				
OSHA Status	: Classified as	hazardous based on co	omponents.	
TSCA Status	: All compone exempt.	nts of this product are l	isted on the TSCA i	nventory or are
US. EPA CERCLA Hazardo	us Substances (40 CF	FR 302)		
Not applicable				
California Propositio 65	n : WARNING! California to	This product contains cause cancer.	a chemical known	in the State of
-	California to	This product contains cause cancer.	a chemical known	in the State of
65 SARA Title III Section 313	California to Foxic Chemicals:	cause cancer.		in the State of
65 SARA Title III Section 313	California to Foxic Chemicals: ne RINATED ALKANE	cause cancer.	a chemical known Weight % 19.53	in the State of
65 SARA Title III Section 313 Chemical Nar POLYCHLO	California to Foxic Chemicals: ne RINATED ALKANE	cause cancer.	Weight %	in the State of
65 SARA Title III Section 313 T Chemical Nar POLYCHLOI (C10 TO C13	California to Foxic Chemicals: ne RINATED ALKANE)	CAS-No. CS 61788-76-9	Weight %	in the State of
65 SARA Title III Section 313 Chemical Nar POLYCHLOI (C10 TO C13 Canadian Regulations:	California to Foxic Chemicals: ne RINATED ALKANE)	CAS-No. CS 61788-76-9	Weight %	in the State of
65 SARA Title III Section 313 Chemical Nar POLYCHLOD (C10 TO C13 Canadian Regulations: WHMIS Classification	California to Foxic Chemicals: ne RINATED ALKANE) on : Not controlle	CAS-No. CS 61788-76-9	Weight %	in the State of
65 SARA Title III Section 313 T Chemical Nar POLYCHLOI (C10 TO C13) Canadian Regulations: WHMIS Classification DSL	California to Foxic Chemicals: ne RINATED ALKANE) on : Not controlle	CAS-No. CS 61788-76-9	Weight %	in the State of
65 SARA Title III Section 313 T Chemical Nat POLYCHLOI (C10 TO C13 Canadian Regulations: WHMIS Classification DSL National Inventories:	California to Foxic Chemicals: ne RINATED ALKANE) on : Not controlle : Listed.	CAS-No. CS 61788-76-9	Weight %	in the State of
65 SARA Title III Section 313 T Chemical Nar POLYCHLOI (C10 TO C13 Canadian Regulations: WHMIS Classificatio DSL National Inventories: Australia AICS	California to Foxic Chemicals: ne RINATED ALKANE) on : Not controlle : Listed. : Listed.	cause cancer. <u>CAS-No.</u> <u>CAS-No.</u> <u>CAS-No.</u> ed.	Weight %	in the State of



MATERIAL SAFETY DATA SHEET

12129CC CLASSIC CLEAR

Version Number 1.0 Revision Date 07/29/2002

Page 6 of 6 Print Date 11/5/2011

Korea KECI : Listed.

Philippines PICCS

: Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.