

MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-26980 BERMUDA GREEN

Version Number 1.0 Revision Date 10/04/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HCC-26980 BERMUDA GREEN
Product code	:	FO00012013
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Skin contact, Ingestion			
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: May cause eye/skin irritation.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-26980 BERMUDA GREEN

Version Number 1.0 Revision Date 10/04/2002 Page 2 of 6 Print Date 11/6/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases doubt, seek medical advice.	of
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.	
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If e irritation persists, seek medical attention.	ye
Skin	: Wash off with soap and plenty of water. If skin irritation persists so medical attention.	ek
	5. FIRE-FIGHTING MEASURES	
Flash point	: No data available.	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, Water spray. 	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants.	e
Unusual Fire/Explosion Hazards	: None	
	5. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.	ot
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid bind universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for prope disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.	



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-26980 BERMUDA GREEN

sion Date 10/04/2002					Print	Date 11/6/2	
Storage		eep containers dry an ad contamination. Sto			d moistur	e absorption	
8. E	XPOSURE	CONTROLS / PER	SONAL PI	ROTECTIC	DN		
Respiratory protection	: U	nder normal handling	conditions	a respirator	may not	be required.	
Eye/Face Protection	: S	afety glasses with side	e-shields.				
Hand protection	: P:	Protective gloves.					
Skin and body protection	: L	ong sleeved clothing.					
Additional Protective Measures	: Sa	afety shoes.					
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety pract Wash hands before breaks and at the end of workday.				safety practice	
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)							
Components	Value	Exposure time	e	Exposure	e type	List:	
Titanium dioxide	10 mg/m3	Time Weighted Av (TWA):	verage	Dust	•	ACGIH	
Titanium dioxide	15 mg/m3	PEL:		Total d	ust.	OSHA Z1	
	9. PHYSI(CAL AND CHEMIC	AL PROP	ERTIES			
E			E	·	. N.	• • • • • • • • • • • • •	
Form Appearance	: Liqui	id, Viscous liquid	Evaporat Specific			t established t determined	
- ppoulaite		ersion	Speeme	oravity			
Color	: GRE		Bulk den	sity		t applicable.	
Odor	: Very		Vapor pressure			: Not determined	
		applicable	1 5			avier than air.	
Melting point/range		applicable	pН		: Not	t determined	
Melting point/range Boiling Point:			r				
Melting point/range	: Not a : Immi		r				
Melting point/range Boiling Point:	: Immi			ГҮ			



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-26980 BERMUDA GREEN

Incompatible Materials	: Incompatib	ole with strong acids and o	oxidizing agents.	
Hazardous decomposition products	on : Carbon die	-	oxide (CO), oxides of nitrogen	
	11. TOXICOLO	OGICAL INFORMATIO	DN	
health data for the indivi Toxicity Overview	dual components which	a comprise the mixture.	are effects listed are based on exi	
CAS-No.		-	have the following characteristic	
	Chemical Name Titanium dioxide	Effect Systemic effects	Target Organ Respiratory system.	
10100 07 7		Systemic effects	respiratory system.	
	12. ECOLOG	GICAL INFORMATION	I	
Persistence and degradal	oility : Not readily	y biodegradable.		
Environmental Toxicity	: Environme whole.	Environmental toxicity has not been established for this mixture as a whole.		
Bioaccumulation Potenti	al : No data av	ailable.		
Additional advice	: No data av	ailable.		
	13. DISPOSA	AL CONSIDERATIONS		
Product	generator o classification			
Contaminated packaging	has the resp	ponsibility for proper was al in accordance with appl	e. The generator of waste materia te classification, transportation licable federal, state/provincial	
	14. TRANSF	PORT INFORMATION		
U.S. DOT Classification	: Refer to sp	pecific regulation.		
ICAO/IATA	: Refer to sp	pecific regulation.		
IMO / IMDG	: Refer to sp	ecific regulation.		
	15. REGULA	TORY INFORMATION	Ň	



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-26980 BERMUDA GREEN Version Number 1.0 Revision Date 10/04/2002

Page 5 of 6 Print Date 11/6/2011

US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Listed.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-26980 BERMUDA GREEN

Version Number 1.0 Revision Date 10/04/2002 Page 6 of 6 Print Date 11/6/2011