MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27513 YELLOW

Version Number 1.1 Revision Date 04/06/2004 Page 1 of 7 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone:Product Stewardship (770) 590-3500 x.3563Emergency telephone:CHEMTREC 1-800-424-9300 (24hrs for spill, leak or accident).		CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure
Product name	:	STAN-TONE HCC-27513 YELLOW
Product code	:	FO00012026
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Chrome yellow (Lead chromate pigment)	1344-37-2	60 - 100

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27513 YELLOW

Version Number 1.1 Revision Date 04/06/2004 Page 2 of 7 Print Date 11/14/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 No data available No data available Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.



MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27513 YELLOW

Version Number 1.1 Revision Date 04/06/2004 Page 3 of 7 Print Date 11/14/2011

		: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.			
8. E	XPOSURI	E CONTROLS / PERSONAL F	PROTECTION		
Respiratory protection	: Under normal handling conditions a respirator may not be required.				
Eye/Face Protection	: :	Safety glasses with side-shields.			
Hand protection	: 1	Protective gloves.			
Skin and body protection	:]	Long sleeved clothing.			
Additional Protective Measures	: :	Safety shoes.			
General Hygiene Considerations					
Engineering measures	ering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Engineering measules				. Provide	
Exposure limit(s)				. Provide	
Exposure limit(s)				. Provide	
	;	appropriate exhaust ventilation at	t machinery.		
Exposure limit(s) Components Chrome yellow (Lead	Value	appropriate exhaust ventilation at Exposure time	t machinery.	List:	
Exposure limit(s) Components Chrome yellow (Lead	Value 1 mg/m3 0.05	Exposure time PEL: Time Weighted Average	t machinery.	List: OSHA Z1	
Exposure limit(s) Components Chrome yellow (Lead	Value 1 mg/m3 0.05 mg/m3 0.03	Exposure time PEL: Time Weighted Average (TWA):	t machinery.	List: OSHA Z1 OSHA	

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance	 liquid liquid, Viscous liquid dispersion 	Evaporation rate Specific Gravity:	Not establishedNot determined
Color Odor Melting point/range Boiling Point: Water solubility	 YELLOW Very faint Not applicable Not applicable Immiscible 	Bulk density Vapor pressure Vapour density pH	Not applicableNot determinedHeavier than air.Not determined

10. STABILITY AND REACTIVITY

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27513 YELLOW

Version Number 1.1 Revision Date 04/06/2004 Page 4 of 7 Print Date 11/14/2011

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ	
1344-37-2	Chrome yellow (Lead	Systemic effects	central nervous system (CNS),	
	chromate pigment)		reproductive system.	

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1344-37-2	Chrome yellow (Lead	no	1	no
	chromate pigment)			

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

- 2A The component is probably carcinogenic to humans.
- 2B The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

- 1 The component is known to be a human carcinogen.
- 2 The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Chrome yellow (Lead chromate pigment) 1344-37-2 Systemic effects include neurotoxic, teratogenic, fetotoxic and reproductive with abdominal pain, anemia, pallor, decreased hand grip strength with characteristic "wrist drop".

12. ECOLOGICAL INFORMATION

Persistence and degradability

: Not readily biodegradable.

PolyOne

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27513 YELLOW

Version Number 1.1 Revision Date 04/06/2004 Page 5 of 7 Print Date 11/14/2011

Environmental Toxicity	:	Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	:	No data available
Additional advice	:	No data available
	1.	3. DISPOSAL CONSIDERATIONS
Product	:	Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Refer to specific regulation.
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer., WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.
SARA Title III Section 302 Ex	trem	ely Hazardous Substance

PolvOne

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27513 YELLOW

Version Number 1.1 Revision Date 04/06/2004 Page 6 of 7 Print Date 11/14/2011

Not applicable

SARA Title III Section 313 Toxic Chemicals:

Chemical Name	CAS-No.	Weight %
CHROMIUM VI COMPOUNDSLEAD	1344-37-2	70.00
COMPOUNDS, INORGANICLEAD		
COMPOUNDS		

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight %	NPRI ID#
Chrome yellow (Lead chromate pigment)	1344-37-2	70.00	245
Chrome yellow (Lead chromate pigment)	1344-37-2	70.00	246

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.	
1344-37-2	

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Listed
China IECS	: Listed
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Listed
Philippines PICCS	: Not determined

:

16. OTHER INFORMATION



MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-27513 YELLOW**

Version Number 1.1 Revision Date 04/06/2004 Page 7 of 7 Print Date 11/14/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.