## MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27553 RED

Version Number 1.1 Revision Date 12/17/2007

Page 1 of 5 Print Date 12/3/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone : Emergency telephone :	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HCC-27553 RED
Product code	:	FO00012028
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	Inhalation, Skin contact, Ingestion	
Acute exposure		
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.	
Ingestion	: May be harmful if swallowed.	
Eyes	: May cause eye/skin irritation.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	
	4. FIRST AID MEASURES	

**POLYONE CORPORATION** 

PolyOne.

## MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27553 RED

overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.         Ingestion       : Do not induce vomiting without medical advice. Seek medical attention if necessary.         Eyes       : Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.         Skin       : Wash off with soap and plenty of water. If skin irritation persists seek medical attention.         Skin       : Wash off with soap and plenty of water. If skin irritation persists seek medical attention.         Skin       : No data available         Flash point       : No data available         Flammable Limits       : No data available         Lower explosion limit       : No data available         Suitable extinguishing media       : Carbon dioxide blanket, Water spray, Dry powder, Foam.         Special Fire Fighting       : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.         Unusual Fire/Explosion       : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOX), other hazardous materials, and smoke are all possible.         Environmental precautions       : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.         Environmental precautions       : The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.         Methods for	sion Number 1.1 ision Date 12/17/2007	Page 2 Print Date 12/3/2
attention if necessary.         Eyes       : Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.         Skin       : Wash off with soap and plenty of water. If skin irritation persists seek medical attention.         Skin       : Wash off with soap and plenty of water. If skin irritation persists seek medical attention.         Skin       : Wash off with soap and plenty of water. If skin irritation persists seek medical attention.         Skin       : No data available         Flash point       : No data available         Flash point       : No data available         Yepper explosion limit       : No data available         Autoignition temperature       : No tata available         Suitable extinguishing media       : Carbon dioxide blanket, Water spray, Dry powder, Foam.         Special Fire Fighting       : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.         Unusual Fire/Explosion       : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOX), other hazardous materials, and smoke are all possible. <b>6</b> ACCIDENTAL RELEASE MEASURES         Personal precautions       : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.         Environmental precautions       : The product should not be released into the environment.	Inhalation	overheating or combustion. When symptoms persist or in all cases of
irritation persists, seek medical attention.         Skin       : Wash off with soap and plenty of water. If skin irritation persists seek medical attention.         Skin       : Wash off with soap and plenty of water. If skin irritation persists seek medical attention.         Flash point       : No data available         Flammable Limits       Upper explosion limit       : No data available         Lower explosion limit       : No data available       Autoignition temperature         Suitable extinguishing media       : Carbon dioxide blanket, Water spray, Dry powder, Foam.         Special Fire Fighting       : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne containants.         Unusual Fire/Explosion       : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOX), other hazardous materials, and smoke are all possible. <b>6. ACCIDENTAL RELEASE MEASURES</b> Personal precautions       : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.         Environmental precautions       : The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.         Methods for cleaning up       : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSD2 for proper disposal methods. <b>7. HANDLING A</b>	Ingestion	
seek medical attention.         5. FIRE-FIGHTING MEASURES         Flash point       : No data available         Flammable Limits       Upper explosion limit       : No data available         Autoignition temperature       : No tapplicable       Suitable extinguishing media         Special Fire Fighting       : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.         Unusual Fire/Explosion       : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOX), other hazardous materials, and smoke are all possible.         6. ACCIDENTAL RELEASE MEASURES         Personal precautions       : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.         Environmental precautions       : The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.         Methods for cleaning up       : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.         7. HANDLING AND STORAGE       *         Handling       : Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.	Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Flash point       : No data available         Flammable Limits       Upper explosion limit       : No data available         Lower explosion limit       : No data available         Autoignition temperature       : Not applicable         Suitable extinguishing media       : Carbon dioxide blanket, Water spray, Dry powder, Foam.         Special Fire Fighting       : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.         Unusual Fire/Explosion       : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. <b>6. ACCIDENTAL RELEASE MEASURES</b> Personal precautions       : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.         Environmental precautions       : The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.         Methods for cleaning up       : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. <b>7. HANDLING AND STORAGE</b> Handling       : Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.         Storage       : Keep containers dry and tightly closed to avoid moisture absorption	Skin	
Flammable Limits         Upper explosion limit       : No data available         Lower explosion limit       : No data available         Autoignition temperature       : Not applicable         Suitable extinguishing media       : Carbon dioxide blanket, Water spray, Dry powder, Foam.         Special Fire Fighting       : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.         Unusual Fire/Explosion       : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOX), other hazardous materials, and smoke are all possible. <b>6. ACCIDENTAL RELEASE MEASURES</b> Personal precautions       : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.         Environmental precautions       : The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.         Methods for cleaning up       : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods. <b>7. HANDLING AND STORAGE</b> Handling         Keep containers dry and tightly closed to avoid moisture absorption		5. FIRE-FIGHTING MEASURES
Upper explosion limit Lower explosion limit: No data availableAutoignition temperature Suitable extinguishing media: Not applicableSpecial Fire Fighting Procedures: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.Unusual Fire/Explosion Hazards: Fullface self-contained breathing apparatus (CO), oxides of nitrogen 	Flash point	: No data available
Personal precautions       : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.         Environmental precautions       : The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.         Methods for cleaning up       : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods. <b>Handling</b> : Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.         Storage       : Keep containers dry and tightly closed to avoid moisture absorption	Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	<ul> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen</li> </ul>
impervious gloves, boots and coveralls.         Environmental precautions       : The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.         Methods for cleaning up       : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods. <b>7. HANDLING AND STORAGE</b> Handling       : Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.         Storage       : Keep containers dry and tightly closed to avoid moisture absorption		6. ACCIDENTAL RELEASE MEASURES
Methods for cleaning up       : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.         7. HANDLING AND STORAGE         Handling       : Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.         Storage       : Keep containers dry and tightly closed to avoid moisture absorption	Personal precautions	
binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.         7. HANDLING AND STORAGE         Handling       : Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.         Storage       : Keep containers dry and tightly closed to avoid moisture absorption	Environmental precautions	
Handling       : Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.         Storage       : Keep containers dry and tightly closed to avoid moisture absorption	Methods for cleaning up	binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS
heating may result in product degradation.         Storage       : Keep containers dry and tightly closed to avoid moisture absorption		7. HANDLING AND STORAGE
	Handling	
	Storage	

PolyOne.

# MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-27553 RED**

Version Number 1.1 Revision Date 12/17/2007 Page 3 of 5 Print Date 12/3/2011

<b>0.</b> EAI	OSURE CONTROLS / PE	ERSONAL PROTECTION
Respiratory protection	: Under normal handl	ing conditions a respirator may not be required.
Eye/Face Protection	: Safety glasses with s	side-shields
Hand protection	: Protective gloves	
Skin and body protection	: Long sleeved clothin	ng
Additional Protective Measures	: Safety shoes	
General Hygiene Considerations		e with good industrial hygiene and safety Is before breaks and at the end of workday.
Engineering measures		ith appropriate exhaust ventilation. Provide ventilation at machinery.
Exposure limit(s)		
There are no known hazardou	is components above regulat	tory thresholds in this product.
9.	PHYSICAL AND CHEM	ICAL PROPERTIES
Form	· liquid	
	: liquid : liquid, Viscous liquid	Evaporation rate : Not established
	: liquid, Viscous liquid	
Appearance		Evaporation rate : Not established Specific Gravity : Not determined
Appearance Color	<ul><li>: liquid, Viscous liquid dispersion</li><li>: RED</li></ul>	Evaporation rate: Not establishedSpecific Gravity: Not determinedBulk density: Not applicable
Appearance Color Odour	<ul> <li>liquid, Viscous liquid dispersion</li> <li>RED</li> <li>Very faint</li> </ul>	Evaporation rate: Not establishedSpecific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determined
Appearance Color Odour Melting point/range	<ul> <li>liquid, Viscous liquid dispersion</li> <li>RED</li> <li>Very faint</li> <li>Not applicable</li> </ul>	Evaporation rate: Not establishedSpecific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determinedVapour density: Heavier than air.
Appearance Color Odour Melting point/range Boiling Point:	<ul> <li>liquid, Viscous liquid dispersion</li> <li>RED</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> </ul>	Evaporation rate: Not establishedSpecific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determined
Appearance Color Odour Melting point/range Boiling Point:	<ul> <li>liquid, Viscous liquid dispersion</li> <li>RED</li> <li>Very faint</li> <li>Not applicable</li> </ul>	Evaporation rate: Not establishedSpecific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determinedVapour density: Heavier than air.
Appearance Color Odour Melting point/range Boiling Point:	<ul> <li>liquid, Viscous liquid dispersion</li> <li>RED</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> </ul>	Evaporation rate: Not establishedSpecific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determinedVapour density: Heavier than air.pH: Not determined
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>liquid, Viscous liquid dispersion</li> <li>RED</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul>	Evaporation rate: Not establishedSpecific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determinedVapour density: Heavier than air.pH: Not determined
Appearance Color Odour Melting point/range Boiling Point: Water solubility	<ul> <li>liquid, Viscous liquid dispersion</li> <li>RED</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul> 10. STABILITY AND	Evaporation rate: Not establishedSpecific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determinedVapour density: Heavier than air.pH: Not determined
Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>liquid, Viscous liquid dispersion</li> <li>RED</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> </ul>	Evaporation rate       : Not established         Specific Gravity       : Not determined         Bulk density       : Not applicable         Vapour pressure       : Not determined         Vapour density       : Heavier than air.         pH       : Not determined         REACTIVITY         dizing agents and open flame. To avoid thermal
Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	<ul> <li>liquid, Viscous liquid dispersion</li> <li>RED</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from oxidecomposition, do not stable.</li> </ul>	Evaporation rate       : Not established         Specific Gravity       : Not determined         Bulk density       : Not applicable         Vapour pressure       : Not determined         Vapour density       : Heavier than air.         pH       : Not determined         REACTIVITY         dizing agents and open flame. To avoid thermal
Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>liquid, Viscous liquid dispersion</li> <li>RED</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from oxid decomposition, do n</li> <li>Incompatible with static carbon dioxide (CO)</li> </ul>	Evaporation rate       : Not established         Specific Gravity       : Not determined         Bulk density       : Not applicable         Vapour pressure       : Not determined         Vapour density       : Heavier than air.         pH       : Not determined         REACTIVITY         dizing agents and open flame. To avoid thermal ot overheat.

PolyOne

# MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-27553 RED**

Version Number 1.1 Revision Date 12/17/2007 Page 4 of 5 Print Date 12/3/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: No data available
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	

## MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27553 RED

Version Number 1.1 Revision Date 12/17/2007 Page 5 of 5 Print Date 12/3/2011

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Not applicable

WHMIS Classification	:	Not controlled.
DSL	:	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.