MATERIAL SAFETY DATA SHEET AQUAMIX 1133

Version Number 1.5 Revision Date 06/27/2007 Page 1 of 7 Print Date 11/29/2011

1. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152 Product Stewardship (770) 590-3500 x.3563 Telephone : CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure **Emergency telephone** : or accident). Product name AOUAMIX 1133 : FO00012399 Product code : Chemical Name Mixture : CAS-No. Mixture : Product Use : Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Ethyl alcohol	64-17-5	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This product is a water based mixture with an ammonia odor. The mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. The product is not combustible, but it will burn if involved in a fire, releasing hydrocarbon products of combustion. Inhalation of the ammonia from this product may cause respiratory irritation, coughing, sore throat, and labored breathing.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Skin contact, Inhalation, Ingestion
Acute exposure	
Inhalation	: Symptoms of breathing ammonia vapor concentrated from this product may include laryngitis, tracheitis, pulmonary edema, dyspnea, bronchospasms, and chest pains or pneumonitis. Symptoms are typically reversible.
Ingestion	: May be harmful if swallowed.
Eyes	: Liquid, aerosol, or vapors of this product are irritating and may cause tearing, reddening, and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes.
Skin	: Skin contact may cause redness, irritation, and burns.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET **AQUAMIX 1133**

Version Number 1.5 Revision Date 06/27/2007 Page 2 of 7 Print Date 11/29/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of vapors or fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 No data available No data available No data available No data available Carbon dioxide (CO2), Water, Foam, Dry chemical.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Cool closed containers exposed to fire with water spray Do not allow run-off from fire fighting to enter drains or water courses
Unusual Fire/Explosion Hazards	: Burning dry latex produces dense black smoke with the possibility of toxic vapors. Residual latex material contained in empty drums may decompose when burned producing toxic or irritating fumes. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Ensure response personnel are properly protected (see section 8 for respiratory or other protection guidelines.) Use caution as floors may be slippery.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder



MATERIAL SAFETY DATA SHEET **AQUAMIX 1133**

		universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.
		7. HANDLING AND STORAGE
Handling	:	Use only in area provided with appropriate exhaust ventilation. Prolonged heating may result in product degradation. Material may settle during storage. Careful mixing without introduction of air may be necessary before use.
Storage	:	Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool place. Keep from freezing and temperature extremes.
8. EXF	POSUI	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection	:	A respirator is normally not required for routine handling of product i areas of good general ventilation and adequate local exhaust at processing equipment during routine operation. If using a cartridge respirator, an ammonia cartridge is required to filter out potential excess ammonia vapors.
Eye/Face Protection	:	Safety glasses with side-shields Wear goggles or face shield during operations that present a splash potential.
Hand protection	:	Impervious gloves such as rubber or PVC
Skin and body protection	:	Long sleeved shirts and long pants are adequate for normal handling. Where operations present a splash or spill potential, employees shoul wear chemically resistant clothing, boots, apron, gloves, and eye/face protection.
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Wash hands before breaks and immediately after handling the produc Handle in accordance with good industrial hygiene and safety practices.
Engineering measures	:	Adequate ventilation and/or appropriate respiratory protection may also be necessary to minimize employee exposure to processing vapors.
Exposure limit(s)		

PolyOne

MATERIAL SAFETY DATA SHEET AQUAMIX 1133

Version Number 1.5 Revision Date 06/27/2007

Page 4 of 7 Print Date *11/29/2011*

Components	Value	Exposure time	Exposure	type	List:
Ethyl alcohol	1,000 ppm	Time Weighted Aver (TWA):	age		ACGIH
	1,000 ppm 1,900 mg/m3	PEL:			OSHA Z1
	1,000 ppm 1,900 mg/m3	Time Weighted Aver (TWA):	age		MX OEL
	9. PHYSIC	CAL AND CHEMICAI	L PROPERTIES		
Form	: liquio	1	Evaporation rate	: Slov Acet	ver than Buty tate
Appearance Color	: liquid : NO PIGMENT		Specific Gravity Bulk density		determined applicable
Odour Melting point/range	Slight ammoniaNot applicable		Vapour pressure Vapour density		established vier than air.
Boiling Point: Water solubility		: Not established pH : completely miscible		: Not	determined
	10. S	TABILITY AND REA	CTIVITY		
Stability	: S1	able.			
Hazardous Polymerizatio	n : W	: Will not occur.			
Conditions to avoid	: E	: Extremes of temperature and direct sunlight. Keep from freezing.			
Incompatible Materials	: A	: Acids, metal salts, and solvents			
Hazardous decomposition products		Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.			

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
64-17-5	Ethyl alcohol	Systemic effects	Liver, heart or circulatory
			system, central nervous system
			(CNS), reproductive system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

PolyOne.

MATERIAL SAFETY DATA SHEET **AQUAMIX 1133**

Version Number 1.5 Revision Date 06/27/2007

Page 5 of 7 Print Date 11/29/2011

CAS-No.	Chemical Name	Route	Value	Species	
64-17-5 Ethyl alcohol		LC50 Oral LD50	20000 ppm 3,450 mg/kg	rat mouse	
	12. ECOLOG	ICAL INFORMAT	TON		
Persistence and degr	radability : No data ava	ilable			
Environmental Toxi	city : No data ava	ilable			
Bioaccumulation Po	tential : No data ava	ilable			
Additional advice	: No data ava	ilable			
	13. DISPOSA	L CONSIDERATIO	ONS		
Product	generator of classificatio	ible recycling is pref f waste material has n, transportation and rederal, state/provinc	the responsibility for I disposal in accord	or proper waste ance with	
Contaminated packa	has the resp and disposa	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANSPO	ORT INFORMATI	ON		
U.S. DOT Classifica	ation : Refer to spe	to specific regulation.			
ICAO/IATA (air)	: Refer to spe	Refer to specific regulation.			
IMO / IMDG (marit	ime) : Refer to spe	Refer to specific regulation.			
	15. REGULAT	TORY INFORMAT	TION		
US Regulations:					
OSHA Statu	s : Classified a	Classified as hazardous based on components.			
TSCA Status	s : All compor Inventory.	nents of this product	are listed on or exer	npt from the TSC.	
US. EPA CERCLA	Hazardous Substances (40 C	FR 302)			
Not app	licable				

olvOn<u>e</u>

MATERIAL SAFETY DATA SHEET AQUAMIX 1133

Version Number 1.5 Revision Date 06/27/2007 Page 6 of 7 Print Date 11/29/2011

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Not applicable

WHMIS Classification : D2B

WHMIS Ingredient Disclosure List

CAS-No.	
64-17-5	

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

:

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET AQUAMIX 1133

Version Number 1.5 Revision Date 06/27/2007 Page 7 of 7 Print Date 11/29/2011

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.