

# MATERIAL SAFETY DATA SHEET

# DB702 BLACK

Version Number 1.1 Revision Date 01/02/2004 Page 1 of 6 Print Date 11/13/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DB702 BLACK
Product code	:	FO00012463
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Sodium hydroxide (Na(OH))	1310-73-2	1 - 5
Calcium carbonate	1317-65-3	5 - 10

## 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



## MATERIAL SAFETY DATA SHEET **DB702 BLACK**

Version Number 1.1 Revision Date 01/02/2004 Page 2 of 6 Print Date 11/13/2011

Medical Conditions Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE



## MATERIAL SAFETY DATA SHEET DB702 BLACK

ion Number 1.1 sion Date 01/02/2004				Print [	Page 3 Date 11/13/
Handling	fu Pe	me condensates	may contain hoods, ducts	riate exhaust ventilation. combustible or toxic res , and other surfaces to m s.	idue.
Storage		eep containers d		v closed to avoid moistur cool dry place.	e absorption
8. E	XPOSURE	CONTROLS /	PERSONAL	PROTECTION	
Respiratory protection	: U	nder normal har	dling conditi	ons a respirator may not	be required.
Eye/Face Protection	: Sa	afety glasses wit	h side-shield	S.	
Hand protection	: Pi	cotective gloves.			
Skin and body protection	: Lo	ong sleeved clot	hing.		
Additional Protective Measures	: Sa	afety shoes.			
General Hygiene Considerations				d industrial hygiene and a at the end of workday.	safety practic
Engineering measures Exposure limit(s)		eat only in areas ppropriate exhau		riate exhaust ventilation. at machinery.	Provide
Components	Value	Exposur		Exposure type	List:
Calcium carbonate	5 mg/m3	PEI		Respirable fraction.	OSHA Z
	15 mg/m3	PEI		Total dust.	OSHA Z
Sodium hydroxide (Na(OH))	2 mg/m3	Ceiling Lin		Total dust.	ACGIH
	2 mg/m3	PEI	_:	Total dust.	OSHA Z
	9. PHYSIC	CAL AND CHE	MICAL PR	OPERTIES	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: BLA : Very : Not a	ous, liquid CK faint pplicable pplicable	Specia Bulk Vapor	fic Gravity::Nodensity:Nor pressure:Nour density:No	t established t determined t applicable t determined t determined t applicable
		TABILITY AN	D REACTI	VITY	



## MATERIAL SAFETY DATA SHEET **DB702 BLACK**

Version Number 1.1 Revision Date 01/02/2004

Page 4 of 6 Print Date 11/13/2011

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).

## 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1310-73-2	Sodium hydroxide (Na(OH))	Irritant	Respiratory system.
		Systemic effects	Respiratory system.
		Corrosive	Skin.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: No data available
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.



MATERIAL SAFETY DATA SHEET
DB702 BLACK

Version Number 1.1 Page 5 of 6 Revision Date 01/02/2004 Print Date 11/13/2011 Contaminated packaging Recycling is preferred when possible. The generator of waste material : has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. **14. TRANSPORT INFORMATION** U.S. DOT Classification : Refer to specific regulation. ICAO/IATA (air) Refer to specific regulation. : IMO / IMDG (maritime) Refer to specific regulation. : **15. REGULATORY INFORMATION US Regulations: OSHA Status** Classified as hazardous based on components. ÷ **TSCA Status** All components of this product are listed on or exempt from the TSCA : Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Chemical Name CAS-No. % in Product RQ for component RQ for Mixture/Product 1310-73-2 1.000 lbs Sodium hydroxide 0.8415 118.835 LB (Na(OH)) California Proposition : WARNING! This product contains a chemical known to the State of 65 California to cause cancer. SARA Title III Section 302 Extremely Hazardous Substance Not applicable SARA Title III Section 313 Toxic Chemicals: Not applicable

Canadian Regulations:

National Pollutant Release Inventory (NPRI)			
Chemical Name	CAS-No.	Weight %	NPRI ID#
		0	



# MATERIAL SAFETY DATA SHEET **DB702 BLACK**

Version Number 1.1 Revision Date 01/02/2004 Page 6 of 6 Print Date 11/13/2011

Chemical Name			CAS-No.	Weight %	NPRI ID#
Misc00005- Misc Zinc Cp	d's		Not Available	0.27	241
WHMIS Classification WHMIS Ingredient Disc CAS-No.	-				
1310-73-2					
DSL	:	All components of th Substances List (DSL		he Canadian	Domestic
tional Inventories:					
Australia AICS	:	Listed			
China IECS	:	Not determined			
Europe EINECS	:	Not determined			
Japan ENCS	:	Not determined			
Japan ENCS Korea KECI	:	Not determined			

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.