Version Number 1.8 Revision Date 05/04/2015

Page 1 of 17 Print Date 05/05/2015

SAFETY DATA SHEET

STAN-TONE HCC-26961 ORANGE

| Section 1. Identificatio | n | |
|--|------|--|
| | | |
| GHS product identifier | : | STAN-TONE HCC-26961 ORANGE |
| Chemical name | : | Mixture |
| CAS number | : | Mixture |
| Other means of identification | : | FO00013108 |
| Product type | : | liquid |
| | | - |
| Relevant identified uses of the subst | ance | or mixture and uses advised against |
| Product use | : | Industrial applications. Plastics. |
| | | |
| Supplier's details | : | POLYONE CORPORATION |
| | | 33587 Walker Road, Avon Lake, OH 44012 |
| | | |
| | | 1 (440) 930-1000 or 1 (866) POLYONE |
| | | |
| Emergency telephone number (with hours of operation) | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

| OSHA/HCS status | : | This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). |
|--|---|---|
| Classification of the substance or mixture | : | SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2B CARCINOGENICITY - Category 1A |

GHS label elements

<u>PolyOne</u>

Version Number 1.8 Revision Date 05/04/2015 Page 2 of 17 Print Date 05/05/2015

| Hazard pictograms | : | |
|----------------------------------|---|---|
| Signal word Hazard statements | : | Danger Causes eye irritation. May cause cancer. |
| Precautionary statements | | |
| General Prevention | : | Not applicable. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wear eye or face protection. Wash hands thoroughly after handling. |
| Response | : | IF exposed or concerned: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. |
| Storage | : | Store in a well-ventilated place. |
| Disposal | : | Dispose of contents and container in accordance with all local, regional, national and international regulations. |
| Supplemental label elements | : | None known. |
| Hazards not otherwise classified | : | None known. |

Section 3. Composition/information on ingredients

| Substance/mixture | : | Mixture |
|-------------------------------|---|------------|
| Chemical name | : | Mixture |
| Other means of identification | : | FO00013108 |

CAS number/other identifiers

| Ingredient name | % | CAS number |
|--|---------|------------|
| Molybdate orange (Lead chromate pigment) | 30 - 60 | 12656-85-8 |
| 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich | 10 - 30 | 68515-48-0 |
| Antimony trioxide | 1 - 5 | 1309-64-4 |



Version Number 1.8 Revision Date 05/04/2015 Page 3 of 17 Print Date 05/05/2015

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

| Eye contact | : | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. |
|--------------|---|---|
| Inhalation | : | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Skin contact | : | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | : | Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |

Most important symptoms/effects, acute and delayed

Potential acute health effects

ne

Version Number 1.8 Revision Date 05/04/2015

Page 4 of 17 Print Date 05/05/2015

| Eye contact Inhalation Skin contact Ingestion | :: | Causes eye irritation. No known significant effects or critical hazards. No known significant effects or critical hazards. May be irritating to mouth, throat and stomach. |
|--|------|---|
| Over-exposure signs/symptoms | | |
| Eye contact | : | Adverse symptoms may include the following: irritation watering redness |
| Inhalation | : | No specific data. |
| Skin contact | : | No specific data. |
| Ingestion | : | No specific data. |
| Indication of immediate medical atten | ntio | n and special treatment needed, if necessary |
| Notes to physician | : | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Specific treatments | : | No specific treatment. |
| Protection of first-aiders | : | No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

| Suitable extinguishing media Unsuitable extinguishing media | : | In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known. |
|--|---|---|
| Specific hazards arising from the chemical Hazardous thermal decomposition products | : | In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides |

apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.



Version Number 1.8 Revision Date 05/04/2015

Page 5 of 17 Print Date 05/05/2015

metal oxide/oxides

| Special protective actions for fire- fighters | : | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
|--|---|---|
| Special protective equipment for fire-fighters | : | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel For emergency responders | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
|---|-------|---|
| Environmental precautions | : | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods and materials for containme | ent a | nd cleaning up |
| Small spill | : | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : | Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |
| | | 5/17 |

)ne

Version Number 1.8 Revision Date 05/04/2015

Page 6 of 17 Print Date 05/05/2015

Section 7. Handling and storage

Precautions for safe handling

| Protective measures | : | Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
|---|---|--|
| Advice on general occupational hygiene | : | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | : | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|---------------------------------|---|
| Molybdate orange (Lead chromate | OSHA PEL (1993-06-30) Calculated as Mo |
| pigment) | PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust |
| | OSHA PEL (2006-11-27) Calculated as Cr |
| | PEL: Permissible Exposure Level 0.005 mg/m3 |
| | OSHA PEL Z2 (2006-11-27) |
| | Ceiling 0.001 mg/m3 |
| | 6/17 |

<u>PolyOne</u>

Version Number 1.8 Revision Date 05/04/2015

| | | NIOSH REL (2010-09-01) Calculated as Cr |
|----------------------------------|---|--|
| | | Time Weighted Average (TWA) 0.0002 mg/m3 |
| | | Time Weighted Average (TWA) 0.0002 hg/m3 |
| | | OSHA PEL 1989 (1989-03-01) Calculated as CrO3 |
| | | Ceiling 0.1 mg/m3 |
| | | OSHA PEL 1989 (1989-03-01) Calculated as Pb |
| | | PEL: Permissible Exposure Level 0.075 mg/m3 |
| | | OSHA PEL 1989 (1989-03-01) Calculated as Mo |
| | | PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust |
| | | OSHA PEL 1989 (1989-03-01) Calculated as Cr |
| | | PEL: Permissible Exposure Level 0.5 mg/m3 |
| | | ACGIH TLV (1995-05-23) Calculated as Pb |
| | | |
| | | TLV-TWA: Threshold Limit Value - Time weighted average PEL: |
| | | Permissible Exposure Level 0.05 mg/m3 |
| | | ACGIH TLV (2001-02-22) Calculated as Mo |
| | | TLV-TWA: Threshold Limit Value - Time weighted average PEL: |
| | | Permissible Exposure Level 10 mg/m3 Form: Inhalable fraction |
| | | TLV-TWA: Threshold Limit Value - Time weighted average PEL: |
| | | Permissible Exposure Level 3 mg/m3 Form: Respirable fraction |
| Antimony trioxide | | OSHA PEL (1993-06-30) Calculated as Sb |
| Antimony thoxide | | PEL: Permissible Exposure Level 0.5 mg/m3 |
| | | NIOSH REL (1994-06-01) Calculated as Sb |
| | | |
| | | Time Weighted Average (TWA) 0.5 mg/m3 OSHA PEL 1989 (1989-03-01) Calculated as Sb |
| | | |
| | | PEL: Permissible Exposure Level 0.5 mg/m3 |
| Appropriate engineering controls | : | If user operations generate dust, fumes, gas, vapor or mist, use process |
| Appropriate engineering controls | • | enclosures, local exhaust ventilation or other engineering controls to |
| | | keep worker exposure to airborne contaminants below any |
| | | recommended or statutory limits. |
| Environmental exposure controls | : | Emissions from ventilation or work process equipment should be |
| La va onnenua esposar e controis | • | checked to ensure they comply with the requirements of |
| | | environmental protection legislation. In some cases, fume scrubbers, |
| | | filters or engineering modifications to the process equipment will be |
| | | necessary to reduce emissions to acceptable levels. |
| | | • 1 |
| Individual protection measures | | |
| Hygiene measures | : | Wash hands, forearms and face thoroughly after handling chemical |
| | | products, before eating, smoking and using the lavatory and at the end |
| | | of the working period. Appropriate techniques should be used to |
| | | remove potentially contaminated clothing. Wash contaminated |
| | | clothing before reusing. Ensure that eyewash stations and safety |
| | | |

PolyOne.

| Version Number 1.8 | Page 8 of 17 |
|--------------------------|-----------------------|
| Revision Date 05/04/2015 | Print Date 05/05/2015 |

| Eye/face protection | : | showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. |
|------------------------|---|--|
| Skin protection | | |
| Hand protection | : | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
| Body protection | : | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : | Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. |

Section 9. Physical and chemical properties

Appearance

| Physical state | : liquid [Paste.] |
|----------------|-------------------|
| Color | : ORANGE |
| Odor | : Not available. |
| Odor threshold | : Not available. |
| рН | : Not available. |
| Melting point | : Not available. |
| Boiling point | : Not available. |
| Flash point | : Not available. |
| Burning time | : Not available. |
| Burning rate | : Not available. |
| | |

lyOne.

Version Number 1.8 Revision Date 05/04/2015 Page 9 of 17 Print Date 05/05/2015

| Evaporation rate | : | Not available. |
|---------------------------|---|---------------------------|
| Flammability (solid, gas) | : | Not available. |
| Lower and upper explosive | : | Lower: Not available. |
| (flammable) limits | | Upper: Not available. |
| Vapor pressure | : | Not available. |
| Vapor density | : | Not available. |
| Relative density | : | Not available. |
| Solubility | : | Not available. |
| Solubility in water | : | Not available. |
| Partition coefficient: n- | : | Not available. |
| octanol/water | | |
| Auto-ignition temperature | : | Not available. |
| Decomposition temperature | : | Not available. |
| SADT | : | Not available. |
| Viscosity | : | Dynamic: Not available. |
| - | | Kinematic: Not available. |

Section 10. Stability and reactivity

| Reactivity | : | No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|---|--|
| Chemical stability | : | Stable under recommended storage and handling conditions (see Section 7). |
| Possibility of hazardous reactions | : | Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : | Keep away from extreme heat and oxidizing agents. |
| Incompatible materials | : | Keep away from strong acids. Oxidizer. |
| Hazardous decomposition products | : | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure | |
|---|-----------|---------|--------------|----------|--|
| 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich | | | | | |
| | LD50 Oral | Rat | 10,000 mg/kg | - | |



Version Number 1.8 Revision Date 05/04/2015

Page 10 of 17 Print Date 05/05/2015

| Antimony trioxide | | | | |
|--------------------|-----------|----------------------|--------------|---|
| | LD50 Oral | Rat | 34,000 mg/kg | - |
| Conclusion/Summary | : Mixtu | re.Not fully tested. | | |

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|------------------------------|-------------------------|----------------------------------|-------------|--------------------|--------------------|
| 1,2-Benzenedicarboxylic | Eyes - Mild | Rabbit | | | - |
| acid, di-C8-10-branched | irritant | | | | |
| alkyl esters, C9-rich | | | | | |
| Antimony trioxide | Eyes - Mild irritant | Rabbit | | | - |
| Conclusion/Summary | IIIItalli | | | | |
| Conclusion/Summary Skin | • N | livtura Not fu | lly tostad | | |
| | | lixture.Not fu lixture.Not fu | | | |
| Eyes Decrimentary | | | | | |
| Respiratory | : M | lixture.Not fu | iny tested. | | |
| <u>Sensitization</u> | | | | | |
| Conclusion/Summary | | | | | |
| Skin | : M | lixture.Not fu | lly tested. | | |
| Respiratory | : M | lixture.Not fu | lly tested. | | |
| Mutagenicity | | | | | |
| Conclusion/Summary | : M | lixture.Not fu | lly tested. | | |
| <u>Carcinogenicity</u> | | | | | |
| Conclusion/Summary | : M | lixture.Not fu | llv tested. | | |
| <u>Classification</u> | | | 5 | | |
| Product/ingredient | OSHA | IARC | NTP | | |
| name | | | | | |
| Molybdate orange (Lead | + | 1 | Known | to be a human card | cinogen.Reasonably |
| chromate pigment) | | | | ted to be a human | |
| Antimony trioxide | | 2B | 1 | | 0 |
| Reproductive toxicity | · | | | | |
| Kepi ouucuve toaletty | | | | | |
| Conclusion/Summary | : M | lixture.Not fu | lly tested. | | |
| U U | | | - | | |
| <u>Teratogenicity</u> | | | | | |
| Conclusion/Summary | : M | lixture.Not fu | lly tested. | | |
| Conclusion/Summary | : M | lixture.Not fu | • | | |

<u>PolyOne</u>.

Version Number 1.8 Revision Date 05/04/2015

Page 11 of 17 Print Date 05/05/2015

| Specific target organ toxicity (single Not available. | e exp | <u>osure)</u> |
|--|--------|---|
| Specific target organ toxicity (repeation Not available. | ted e | exposure) |
| Aspiration hazard Not available. | | |
| Information on the likely routes of exposure | : | Not available. |
| Potential acute health effects | | |
| Eye contact Inhalation Skin contact Ingestion | :: | Causes eye irritation. No known significant effects or critical hazards. No known significant effects or critical hazards. May be irritating to mouth, throat and stomach. |
| Symptoms related to the physical, ch | nemi | cal and toxicological characteristics |
| Eye contact | : | Adverse symptoms may include the following: irritation watering redness |
| Inhalation | : | No specific data. |
| Skin contact Ingestion | : | No specific data. No specific data. |
| Delayed and immediate effects and a | ulso c | chronic effects from short and long term exposure |
| Short term exposure | | |
| Potential immediate effects Potential delayed effects | : | Not available. Not available. |
| Long term exposure | | |
| Potential immediate effects Potential delayed effects | : | Not available. Not available. |
| Potential chronic health effects | | |
| Conclusion/Summary | : | Mixture.Not fully tested. |

<u>'One</u>

Version Number 1.8 Revision Date 05/04/2015 Page 12 of 17 Print Date 05/05/2015

| General | : No known significant effects or critical hazards. |
|-----------------------|---|
| Carcinogenicity | : May cause cancer. Risk of cancer depends on duration and level of |
| | exposure. |
| Mutagenicity | : No known significant effects or critical hazards. |
| Teratogenicity | : No known significant effects or critical hazards. |
| Developmental effects | : No known significant effects or critical hazards. |
| Fertility effects | : No known significant effects or critical hazards. |
| - | |

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|---|--------------------------------------|----------|
| Antimony trioxide | | | · - |
| | Acute LC50 > 530 mg/l Fresh water | Fish - Bluegill | 96 h |
| | Acute LC50 > 1,000,000 µg/l Marine water | Fish - Mummichog | 96 h |
| | Acute EC50 423,450 µg/l Fresh water | Aquatic invertebrates. Water flea | 48 h |
| | Acute EC50 730 µg/l Fresh water | Aquatic plants - Green algae | 72 h |
| | Acute EC50 760 µg/l Fresh water | Aquatic plants - Green algae | 96 h |
| | Acute EC50 740 µg/l Fresh water | Aquatic plants - Green algae | 96 h |

Conclusion/Summary

Not available.

Persistence and degradability

Conclusion/Summary

Not available.

:

Bioaccumulative potential

| Product/ingredient name LogPow BCF Potential |
|--|
|--|



Version Number 1.8 Revision Date 05/04/2015

Page 13 of 17 Print Date 05/05/2015

| Molybdate orange (Lead chromate pigment) | | 3,600.00 | high |
|---|-----|----------|------|
| 1,2-Benzenedicarboxylic | 8.8 | 3.00 | low |
| acid, di-C8-10-branched | | | |
| alkyl esters, C9-rich | | | |

Mobility in soil

| Soil/water partition coefficient | : | Not available. |
|----------------------------------|---|---|
| (KOC) | | |
| Other adverse effects | : | No known significant effects or critical hazards. |

:

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

| U.S. DOT Classification | : | Not regulated for transportation. |
|-------------------------|---|---------------------------------------|
| ICAO/IATA | : | Consult mode specific transport rules |
| IMO/IMDG (maritime) | : | Consult mode specific transport rules |

Section 15. Regulatory information

13/17

<u>PolyOne</u>.

Version Number 1.8 Revision Date 05/04/2015

Page 14 of 17 Print Date 05/05/2015

| U.S. Federal regulations | : | United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Listed Molybdate orange (Lead chromate pigment) United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Listed Molybdate orange (Lead chromate pigment) |
|--|---|---|
| | | United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - TSCA 4(a) - Final Test Rules: Listed 1,2- Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich |
| | | United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Molybdate orange (Lead chromate pigment) Antimony trioxide |
| | | United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed |
| Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I | : | Listed Not listed |
| Substances | | |

<u>olyOne</u>

Version Number 1.8 Revision Date 05/04/2015 Page 15 of 17 Print Date 05/05/2015

| Clean Air Act Section 602 Class II | : | Not listed |
|--|---|------------|
| Substances | | |
| DEA List I Chemicals (Precursor | : | Not listed |
| Chemicals) | | |
| (| : | Not listed |
| Chemicals) | | |

US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

| Chemical Name | CAS-No. | RQ for component |
|-------------------|-----------|------------------|
| Antimony trioxide | 1309-64-4 | 1,000 lb(s) |
| | | 454 kg |
| | | |

SARA 311/312

Classification

Immediate (acute) health hazard Delayed (chronic) health hazard

Composition/information on ingredients

| Name | % | Classification |
|---|---------|----------------|
| Molybdate orange (Lead chromate pigment) | 30 - 60 | СН |
| 1,2-Benzenedicarboxylic acid, di- C8-10-branched alkyl esters, C9- rich | 10 - 30 | АН |
| Antimony trioxide | 1 - 5 | АН, СН |

SARA 313

| | Product name | CAS number | % | | |
|-----------------------|--|------------|---------|--|--|
| Form R - Reporting | Molybdate orange (Lead | 12656-85-8 | 30 - 60 | | |
| requirements | chromate pigment) | | | | |
| | Barium | 7440-39-3 | 1 - 5 | | |
| | | | | | |
| | Antimony trioxide | 1309-64-4 | 1 - 5 | | |
| | | | | | |
| | Aluminum oxide | 1344-28-1 | 1 - 5 | | |
| | | | | | |
| Supplier notification | Molybdate orange (Lead chromate pigment) | 12656-85-8 | 30 - 60 | | |
| | Barium | 7440-39-3 | 1 - 5 | | |
| | Antimony trioxide | 1309-64-4 | 1 - 5 | | |
| | | | | | |



Version Number 1.8 Revision Date 05/04/2015

Page 16 of 17 Print Date 05/05/2015

| Aluminum oxide | 1344-28-1 | 1 - 5 |
|----------------|-----------|-------|
| | | |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

| <u>State regulations</u> Massachusetts | : | The following components are listed: Barium Antimony trioxide Aluminum oxide |
|---|------|--|
| New York | : | The following components are listed: Antimony trioxide |
| New Jersey | : | The following components are listed: Molybdate orange (Lead chromate pigment) Barium Antimony trioxide Aluminum oxide |
| Pennsylvania | : | The following components are listed: Molybdate orange (Lead chromate pigment) |
| | | Barium |
| | | Antimony trioxide |
| | | Aluminum oxide |
| <u>California Prop. 65</u> WARNING: This product contains a cl other reproductive harm. | hemi | cal known to the State of California to cause cancer and birth defects or |
| United States inventory (TSCA 8b) | : | All components are listed or exempted. |
| Canada inventory | : | All components are listed or exempted. |
| International regulations | | |
| International lists | : | Australia inventory (AICS): All components are listed or exempted. Taiwan inventory (CSNN): All components are listed or exempted. Malaysia Inventory (EHS Register): Not determined. EINECS: All components are listed or exempted. Japan inventory: Not determined. China inventory (IECSC): All components are listed or exempted. |

Version Number 1.8 Revision Date 05/04/2015 Page 17 of 17 Print Date 05/05/2015

Korea inventory: All components are listed or exempted.
New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.
Philippines inventory (PICCS): All components are listed or exempted.
Not listed

Chemical Weapons Convention List Schedule I Chemicals Chemical Weapons Convention List Schedule II Chemicals Chemical Weapons Convention List Schedule III Chemicals

- Not listed
- : Not listed

:

Section 16. Other information

| <u>History</u> | | |
|--------------------------------|---|---|
| Date of printing | : | 05/05/2015 |
| Date of issue/Date of revision | : | 05/04/2015 |
| Date of previous issue | : | 02/27/2015 |
| Version | : | 1.8 |
| Key to abbreviations | : | ATE = Acute Toxicity Estimate |
| · | | BCF = Bioconcentration Factor |
| | | GHS = Globally Harmonized System of Classification and Labelling of |
| | | Chemicals |
| | | IATA = International Air Transport Association |
| | | IBC = Intermediate Bulk Container |
| | | IMDG = International Maritime Dangerous Goods |
| | | LogPow = logarithm of the octanol/water partition coefficient |
| | | MARPOL $73/78$ = International Convention for the Prevention of Pollution |
| | | From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine |
| | | pollution) |
| | | UN = United Nations |
| References | : | Not available. |

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.