

MATERIAL SAFETY DATA SHEET

WPC305 ORANGE CONC

Version Number 1.0 Revision Date 06/25/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WPC305 ORANGE CONC
Product code	:	FO00013227
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Ammonium hydroxide ((NH4)(OH))	1336-21-6	1 - 5
Stoddard solvent	8052-41-3	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This product is a water based mixture with an ammonia odor. The mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. The product is not combustible, but it will burn if involved in a fire, releasing hydrocarbon products of combustion. Inhalation of the ammonia from this product may cause respiratory irritation, coughing, sore throat, and labored breathing

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Skin contact, Inhalation, Ingestion
Acute exposure	
Inhalation	: Symptoms of breathing ammonia vapor concentrated from this product may include laryngitis, tracheitis, pulmonary edema, dyspnea, bronchospasms, and chest pains or pneumonitis. Symptoms are typically reversible.
Ingestion	: No known effects.
Eyes	: Liquid, aerosol, or vapors of this product are irritating and may cause tearing, reddening, and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes.
Skin	: Skin contact may cause redness, irritation, and burns.



MATERIAL SAFETY DATA SHEET

WPC305 ORANGE CONC

Version Number 1.0 Revision Date 06/25/2002 Page 2 of 6 Print Date 11/5/2011

Medical Conditions: None known.Aggravated by Exposure:				
	4. FIRST AID MEASURES			
Inhalation	: Move to fresh air in case of accidental inhalation of vapors or fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.			
Ingestion	: Obtain medical attention. Never give anything by mouth to an unconscious person.			
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If entritation persists, seek medical attention.			
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.			
	5. FIRE-FIGHTING MEASURES			
Flash point	: Greater than 400 °F			
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 No data available. No data available. No data available. carbon dioxide (CO2), water, foam, dry chemical. 			
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Cool closed containers exposed to fire with water spra Do not allow run-off from fire fighting to enter drains or water course			
Unusual Fire/Explosion Hazards	 Burning dry latex produces dense black smoke with the possibility o toxic vapors. Empty drums containing residual latex material may decompose when burned producing toxic or irritating fumes. 			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Ensure response personnel are properly protected (see section 8 for respiratory or other protection guidelines.) Use caution as floors ma be slippery.			
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binde universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.			



MATERIAL SAFETY DATA SHEET

WPC305 ORANGE CONC

		7. HANDLING AND STORAGE
Handling	:	Use only in area provided with appropriate exhaust ventilation. Prolonged heating may result in product degradation. Material may settle during storage. Careful mixing without introduction of air may be necessary before use.
Storage	:	Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool place. Keep from freezing and temperature extremes.
8. EXP	OSUF	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection	:	A respirator is normally not required for routine handling of product in areas of good general ventilation and adequate local exhaust at processing equipment during routine operation. If using a cartridge respirator, an ammonia cartridge is required to filter out potential excess ammonia vapors.
Eye/Face Protection	:	Safety glasses with side-shields. Wear goggles or face shield during operations that present a splash potential.
Hand protection	:	Impervious gloves such as rubber or PVC
Skin and body protection	:	Long sleeved shirts and long pants are adequate for normal handling. Where operations present a splash or spill potential, employees should wear chemically resistant clothing, boots, gloves, and eye/face protection.
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Wash hands before breaks and immediately after handling the product Handle in accordance with good industrial hygiene and safety practices.
Engineering measures	:	Adequate ventilation and/or appropriate respiratory protection may also be necessary to minimize employee exposure to processing vapors.



MATERIAL SAFETY DATA SHEET

WPC305 ORANGE CONC

Version Number 1.0 Revision Date 06/25/2002

Page 4 of 6 Print Date 11/5/2011

	Components	Value	Exposure tim	ne	Exposure t	ype	List:
	Stoddard solvent	100 ppm 525 mg/m3	Time Weighted Average (TWA):		Vapor and mist.		ACGIH
	Stoddard solvent	500 ppm 2,900 mg/m3	PEL:		Vapor and mist.		OSHA Z1
		0 DIIVSI	CAL AND CHEMIC	TAL DDO	DEDTIES		
L		9. PH 151	AL AND CHEMIC	AL PKU	PERTIES		
	Form	: Liqu	id	Evapor	ation rate	: Slow Acet	ver than Butyl ate
	Appearance	: Liqu	id	Specifi	c Gravity	: Not	determined
	Color	: NOT	APPLICABLE	Bulk de	ensity	: Not a	applicable.
	Odor	0	nt ammonia		pressure	: Not	established
	Melting point/range		applicable	Vapor	density	: Heav	vier than air.
	Boiling Point:		applicable	pН		: Not	determined
	Water solubility	: Com	pletely miscible				
		10. 8	STABILITY AND R	EACTIV	ITY		
-	Stability	: S	table.				
	Hazardous Polymerizatio	n : W	Vill not occur.				
	Conditions to avoid	: E	xtremes of temperatu	re and dir	ect sunlight. K	eep from	freezing.
	Incompatible Materials	: A	cids, metal salts, and	l solvents			
	Hazardous decomposition products		arbon dioxide (CO2) NOx), other hazardou				

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ	
1336-21-6 Ammonium hydrox ((NH4)(OH))		Corrosive	Skin.	
		toxic	Refer to LC50 / LD50 Data on MSDS	
8052-41-3	Stoddard solvent	Systemic effects	Eyes, Skin, Respiratory system, Kidney, central nervous system.	

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:



MATERIAL SAFETY DATA SHEET

WPC305 ORANGE CONC

Version Number 1.0 Revision Date 06/25/2002 Page 5 of 6 Print Date 11/5/2011

CAS-No.	Chemical N		Route	Value	Species
1336-21-6	Ammonium hydr ((NH4)(OH))	oxide Oral	LD50	350 mg/kg	rat
	12. ECO	DLOGICAL INF	ORMAT	ION	
Persistence and degr	adability : No d	ata available.			
Environmental Toxi	city : No d	ata available.			
Bioaccumulation Po	tential : No d	ata available.			
Additional advice	: No d	ata available.			
	13. DIS	POSAL CONSIE	ERATI(DNS	
Product	gene		erial has t ation and	he responsibilit disposal in acc	
Contaminated packaging : Recycling is preferred when possible. The generator of waste mathas the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provinci and local regulations.					tion, transportation
	14. TR	ANSPORT INFO	RMATI	ON	
U.S. DOT / CA TDO Classification	G : Not 1	egulated for trans	portation.		
ICAO/IATA : Not regulated for transportation.					
IMO / IMDG	: Not 1	regulated for trans	portation.		
	15. REG	ULATORY INF	ORMAT	ION	
US Regulations:					
OSHA Statu	s : Class	sified as hazardous	based or	a components.	
TSCA Status	s : All c exem	-	product a	re listed on the 7	ΓSCA inventory or ar
US. EPA CERCLA	Hazardous Substance	s (40 CFR 302)			
Chemical Nat	me CAS-No.	% in Product	RQ for	r component	RQ for



MATERIAL SAFETY DATA SHEET

WPC305 ORANGE CONC

Page 6 of 6 Version Number 1.0 Print Date 11/5/2011 Revision Date 06/25/2002 Ammonium 1336-21-6 1.30 1,000 lbs 76,923 LB hydroxide ((NH4)(OH)) : This product does not contain a substance listed by California Prop 65. California Proposition 65 Canadian Regulations: WHMIS Classification : D1B WHMIS Ingredient Disclosure List CAS-No. 8052-41-3 1336-21-6 DSL : Listed. National Inventories: Australia AICS • Listed. China IECS Listed. : Europe EINECS : Listed. Japan ENCS Not determined. : Korea KECI : Listed. **Philippines PICCS** : Listed. **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.