S-BLUE 4019

Version Number 1.1 Revision Date 04/15/2021 AVIENT

> Page 1 of 17 Print Date 04/16/2021

SAFETY DATA SHEET

S-BLUE 4019

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	: : : : : : : : : : : : : : : : : : : :	S-BLUE 4019 Mixture Mixture FO01068040 solid
<u>Relevant identified uses of the subs</u> Product use	tance :	or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	AVIENT CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.

S-BLUE 4019

Version Number 1.1 Revision Date 04/15/2021

AVIENT

Page 2 of 17
Print Date 04/16/2021

Precautionary statements

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO01068040

CAS number/other identifiers

Ingredient name	%	CAS number
C.I. Pigment Blue 72 An inorganic pigment that is the reaction	>= 50 - <= 75	Not available.
product of high temperature calcination in which cobalt (II) oxide,		
zinc oxide, and aluminum oxide in varying amounts are		
homogeneously and ionically interdiffused to form a crystalline		
matrix of spinel. Its composition may include any one or a		
combination of the modifiers MgO, Li2O, TiO2. This substance		
is identified in the COLOUR INDEX by Colour Index		
Constitution Number, C.I. 77347.		
Cobalt titanate green spinel (C.I. Pigment Green 50)	>= 0.3 - <= 1	68186-85-6
Octamethylcyclotetrasiloxane	>= 0.3 - <= 1	556-67-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

S-BLUE 4019

Version Number 1.1 Revision Date 04/15/2021

ÀVIENT

Page 3 of 17 Print Date 04/16/2021

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact Inhalation Skin contact Ingestion <u>Over-exposure signs/symptoms</u>	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical atter	ntior	n and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

S-BLUE 4019

Version Number 1.1 Revision Date 04/15/2021



Page 4 of 17 Print Date 04/16/2021

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	No specific data.
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions Methods and materials for containme	: ntai	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Wiethous and materials for containine	ni a	
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

S-BLUE 4019

Version Number 1.1 Revision Date 04/15/2021

ÀVIENT

Page 5 of 17 Print Date 04/16/2021

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
C.I. Pigment Blue 72 An inorganic pigment that is the reaction product of high temperature calcination in which cobalt (II) oxide, zinc oxide, and aluminum oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers MgO, Li2O, TiO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77347.	ACGIH TLV (1994-09-01) Inhalation sensitizer Skin sensitizer TWA 0.02 mg/m3 (as CO)
Cobalt titanate green spinel (C.I. Pigment Green 50)	ACGIH TLV (1994-09-01) TWA 0.02 mg/m3 (as CO) OSHA PEL 1989 (1989-03-01) TWA 1 mg/m3 (as Ni) OSHA PEL (1993-06-30) TWA 1 mg/m3 (as Ni)

S-BLUE 4019

XAVIENT

Version Number 1.1 Revision Date 04/15/2021

Page 6 of 17 Print Date 04/16/2021

	ACGIH TLV (1998-09-01) TWA 0.2 mg/m3 (as Ni) Form: Inhalable fraction
Octamethylcyclotetrasiloxane	AIHA WEEL (2018-05-07) TWA 10 ppm
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	 Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

S-BLUE 4019

Version Number 1.1 Revision Date 04/15/2021

ÀVIENT

Page 7 of 17 Print Date 04/16/2021

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Viscous liquid.]
Color	:	BLUE
Odor	:	Faint odor.
Odor threshold	:	Not available.
pH	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available. Kinematic: Not available.
A		
<u>Aerosol product</u>		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time	:	Not available.
equivalent		
Enclosed space ignition -	:	Not available.
Deflagration density		
Flame height	:	Not available.
Flame duration		Not available.

S-BLUE 4019

Version Number 1.1 Revision Date 04/15/2021

AVIENT

Page 8 of 17 Print Date 04/16/2021

Reactivity No specific test data related to reactivity available for this product or : its ingredients. Stable under recommended storage and handling conditions (see **Chemical stability** : Section 7). **Possibility of hazardous reactions** Under normal conditions of storage and use, hazardous reactions will : not occur. **Conditions to avoid** Keep away from extreme heat and oxidizing agents. : Keep away from strong acids. **Incompatible materials** : Oxidizer. Under normal conditions of storage and use, hazardous decomposition Hazardous decomposition : products should not be produced. products

Section 11. Toxicological information

Section 10. Stability and reactivity

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Cyclotetrasiloxane, 2,2,4,4,6,6,8	3,8-octamethyl-			
	LD50 Oral	Rat	1,540 mg/kg	-
	LC50 Inhalation	Rat	36 Mg/l	4 h
	Vapor			
	LD50 Dermal	Rat	1,770 mg/kg	-

Conclusion/Summary

Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Cyclotetrasiloxane, 2,2,4,4,6,6,8,8-octamethyl-	Eyes - Mild irritant	Rabbit	-	24 hrs	-
	Skin - Mild irritant	Rabbit	-	24 hrs	-

Conclusion/Summary Skin Evoc	:	Mixture.Not fully tested. Mixture.Not fully tested.
Eyes Respiratory	:	Mixture.Not fully tested.
<u>Sensitization</u>		
Conclusion/Summary Skin	:	Mixture.Not fully tested.

:

8/17

S-BLUE 4019

Version Number 1.1 Revision Date 04/15/2021



Page 9 of 17 Print Date 04/16/2021

Respiratory	:	Mixture.Not fully tested.
Mutagenicity		
Conclusion/Summary	:	Mixture.Not fully tested.
Carcinogenicity		
Conclusion/Summary	:	Mixture.Not fully tested.

Classification

Product/ingredient name	OSHA	IARC	NTP
C.I. Pigment Blue 72 An	-	2B	Reasonably anticipated to be a human carcinogen.
inorganic pigment that is			
the reaction product of			
high temperature			
calcination in which cobalt			
(II) oxide, zinc oxide, and			
aluminum oxide in varying			
amounts are			
homogeneously and			
ionically interdiffused to			
form a crystalline matrix of			
spinel. Its composition			
may include any one or a			
combination of the			
modifiers MgO, Li2O,			
TiO2. This substance is			
identified in the COLOUR			
INDEX by Colour Index			
Constitution Number, C.I.			
77347.			
C.I. Pigment Green 50	-	2B	Reasonably anticipated to be a human
			carcinogen.Known to be a human carcinogen.

Reproductive toxicity

Conclusion/Summary : Mixture.Not fully tested.

Teratogenicity

Conclusion/Summary : Mixture.Not fully tested.

Specific target organ toxicity (single exposure)

Not available.

S-BLUE 4019

Version Number 1.1 Revision Date 04/15/2021

ÀVIENT

Page 10 of 17 Print Date 04/16/2021

Specific target organ toxicity (repeate Not available.	ed ex	xposure)
Aspiration hazard Not available.		
Information on the likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	::	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Symptoms related to the physical, che	emic	cal and toxicological characteristics
Eye contact Inhalation Skin contact Ingestion Delayed and immediate effects and al Short term exposure Potential immediate effects Potential delayed effects Long term exposure	: : ! so c	No specific data. No specific data. No specific data. hronic effects from short and long term exposure Not available. Not available.
Potential immediate effects Potential delayed effects <u>Potential chronic health effects</u>	:	Not available. Not available.
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	:::::::::::::::::::::::::::::::::::::::	No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

S-BLUE 4019

Version Number 1.1 Revision Date 04/15/2021



Page 11 of 17
Print Date 04/16/2021

Acute toxicity estimates

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)
S-BLUE 4019	1,540 mg/kg	1,770 mg/kg	N/A	36 Mg/l	N/A
Cyclotetrasiloxane, 2,2,4,4,6,6,8,8-octamethyl-	1,540 mg/kg	1,770 mg/kg	N/A	36 Mg/l	N/A

Other information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

:

Toxicity

Product/ingredient name	Result	Species	Exposure		
Cyclotetrasiloxane, 2,2,4,4,6,6,8	3,8-octamethyl-				
	Acute LC50 > 1,000 Mg/l Fresh	Fish - Oncorhynchus mykiss	96 h		
	water				
	Chronic NOEC 0.001 - 0.029	Algae - Pseudokirchneriella	96 h		
	Mg/l	subcapitata			
	Chronic NOEC 0.0000044 Mg/l	Fish - Oncorhynchus mykiss	93 d		
	Fresh water				
	Chronic NOEC 0.0079 Mg/l	Daphnia - Daphnia magna	21 d		
	Fresh water				
S-BLUE 4019					
Remarks - Acute - Aquatic	ic Chemicals are not readily available as they are bound within the polymer matrix.				
invertebrates.:					
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.				
Persistence and degradability					
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.				

S-BLUE 4019

Version Number 1.1 Revision Date 04/15/2021



Page 12 of 17 Print Date 04/16/2021

Conclusion/Summary

Chemicals are not readily available as they are bound within the polymer matrix.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Cyclotetrasiloxane, 2,2,4,4,6,6,8,8-	6.488	13,400.00	high
octamethyl-			

Mobility in soil

Soil/water partition coefficient (KOC)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.

:

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.

S-BLUE 4019

Version Number 1.1 Revision Date 04/15/2021

AVIENT

Page 13 of 17 Print Date 04/16/2021

International Water IMO/IMDG : Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Listed Octamethylcyclotetrasiloxane
		United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report
		 (PAIR): Listed Octamethylcyclotetrasiloxane United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Cobalt titanate green spinel (C.I. Pigment Green 50)
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)

Listed

:

S-BLUE 4019

Version Number 1.1 Revision Date 04/15/2021



Page 14 of 17 Print Date 04/16/2021

:	Not listed
:	Not listed
:	Not listed
:	Not listed
	:

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

No products were found.

Name	%	Classification
Name C.I. Pigment Blue 72 An inorganic pigment that is the reaction product of high temperature calcination in which cobalt (II) oxide, zinc oxide, and aluminum oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers MgO, Li2O, TiO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I.	% >= 50 - <= 75	CARCINOGENICITY - Category 2
77347.		
C.I. Pigment Green 50	>= 0.3 - <= 1	CARCINOGENICITY - Category 2
Cyclotetrasiloxane, 2,2,4,4,6,6,8,8-octamethyl-	>= 0.3 - <= 1	FLAMMABLE LIQUIDS - Category 3 ACUTE TOXICITY - oral - Category 4 ACUTE TOXICITY - dermal - Category 4 EYE IRRITATION - Category 2B

S-BLUE 4019

Version Number 1.1 Revision Date 04/15/2021

🕷 AVIENT

Page 15 of 17 Print Date 04/16/2021

TOXIC TO REPRODUCTION - Category 2

Form R - Reporting requirements

Product name	CAS number	%
C.I. Pigment Blue 72 An inorganic pigment that is the	-	>= 50 - <= 75
reaction product of high temperature calcination in which		
cobalt (II) oxide, zinc oxide, and aluminum oxide in varying		
amounts are homogeneously and ionically interdiffused to		
form a crystalline matrix of spinel. Its composition may		
include any one or a combination of the modifiers MgO,		
Li2O, TiO2. This substance is identified in the COLOUR		
INDEX by Colour Index Constitution Number, C.I. 77347.		
Cobalt titanate green spinel (C.I. Pigment Green 50)	68186-85-6	>= 0.3 - <= 1

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

Not applicable.

State regulations Massachusetts New York New Jersey Pennsylvania	:::::::::::::::::::::::::::::::::::::::	 None of the components are listed. None of the components are listed. The following components are listed: C.I. Pigment Blue 72 An inorganic pigment that is the reaction product of high temperature calcination in which cobalt (II) oxide, zinc oxide, and aluminum oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers MgO, Li2O, TiO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77347. Cobalt titanate green spinel (C.I. Pigment Green 50) The following components are listed: C.I. Pigment Blue 72 An inorganic pigment that is the reaction product of high temperature calcination in which cobalt (II) oxide, zinc oxide, and aluminum oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers MgO, Li2O, TiO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution product of high temperature calcination in which cobalt (II) oxide, zinc oxide, and aluminum oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers MgO, Li2O, TiO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77347.
Cobalt titanate green spinel (C.I. Pigment Green 50) 15/17		
		10/17

S-BLUE 4019

Version Number 1.1 Revision Date 04/15/2021



Page 16 of 17 Print Date 04/16/2021

<u>California Prop. 65</u>

WARNING: This product can expose you to Cobalt titanate green spinel (C.I. Pigment Green 50), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Cobalt titanate green spinel (C.I. Pigment Green 50)	-	-

United States inventory (TSCA 8b) :

All components are active or exempted.

Canada inventory

: All components are listed or exempted.

International regulations

Inventory list

Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Europe inventory	:	Not determined.
Japan	:	Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

S-BLUE 4019

Version Number 1.1 Revision Date 04/15/2021 Page 17 of 17 Print Date 04/16/2021

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>IIIStol y</u>		
Date of printing	:	04/16/2021
Date of issue/Date of revision	:	04/15/2021
Date of previous issue	:	02/02/2019
Version	:	1.1
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.