

SAFETY DATA SHEET

S-BLACK 2020

Version Number 1.0 Page 1 of 17 Revision Date 02/02/2019 Print Date 02/04/2019

SAFETY DATA SHEET

S-BLACK 2020

Section 1. Identification

GHS product identifier : S-BLACK 2020

Chemical name: MixtureCAS number: MixtureOther means of identification: FO01068710Product type: solid

Relevant identified uses of the substance or mixture and uses advised against

Product use : Industrial applications. Plastics.

Supplier's details : POLYONE CORPORATION

33587 Walker Road, Avon Lake, OH 44012

1 (440) 930-1000 or 1 (866) POLYONE

Emergency telephone number (with hours of operation)

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or

accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and

other users of this product.

Classification of the substance or

mixture

Not classified.

GHS label elements

Signal word : No signal word.

1/17



SAFETY DATA SHEET

S-BLACK 2020

Version Number 1.0 Page 2 of 17 Revision Date 02/02/2019 Print Date 02/04/2019

Hazard statements : No known significant effects or critical hazards.

Precautionary statements

General : Not applicable.
Prevention : Not applicable.
Response : Not applicable.
Storage : Not applicable.
Disposal : Not applicable.
Supplemental label elements : None known.
Hazards not otherwise classified : None known.

Section 3. Composition/information on ingredients

Substance/mixture: MixtureChemical name: MixtureOther means of identification: FO01068710

CAS number/other identifiers

Ingredient name	%	CAS number
C.I. Pigment Black 27 An inorganic pigment that is the reaction	50 - 75	Not available.
product of high temperature calcination in which iron (II) oxide,		
cobalt (II) oxide, chromium (III), and iron (III) oxide in varying		
amounts are homogeneously and ionically interdiffused to form a		
crystalline matrix of spinel. Its composition may include any one		
or a combination of the modifiers Al2O3, B2O3, CuO, MnO,		
NiO, or SiO2. This substance is identified in the COLOUR		
INDEX by Colour Index Constitution Number, C.I. 77502.		
Octamethylcyclotetrasiloxane	0 - 0.3	556-67-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures



SAFETY DATA SHEET

S-BLACK 2020

Version Number 1.0 Page 3 of 17 Revision Date 02/02/2019 Print Date 02/04/2019

Description of necessary first aid measures

Eye contact: Immediately flush eyes with plenty of water, occasionally lifting the

upper and lower eyelids. Check for and remove any contact lenses.

Get medical attention if irritation occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable

for breathing. Get medical attention if symptoms occur.

Skin contact: Flush contaminated skin with plenty of water. Remove contaminated

clothing and shoes. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. Remove victim to fresh air and keep at

rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without

suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media



SAFETY DATA SHEET

S-BLACK 2020

Version Number 1.0 Page 4 of 17 Revision Date 02/02/2019 Print Date 02/04/2019

Suitable extinguishing media Unsuitable extinguishing media In case of fire, use water spray (fog), foam, dry chemical or CO_2 .

: None known.

Specific hazards arising from the chemical

: No specific fire or explosion hazard.

Hazardous thermal decomposition products

: No specific data.

Special protective actions for firefighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any

personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operated

in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

See also the information in "For non-emergency personnel".

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil

or air).

Methods and materials for containment and cleaning up

Small spill : Move containers from spill area. Vacuum or sweep up material and

place in a designated, labeled waste container. Dispose of via a

licensed waste disposal contractor.

Large spill : Move containers from spill area. Prevent entry into sewers, water

courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency

contact information and Section 13 for waste disposal.



SAFETY DATA SHEET

S-BLACK 2020

Version Number 1.0 Revision Date 02/02/2019 Page 5 of 17 Print Date 02/04/2019

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene Put on appropriate personal protective equipment (see Section 8).

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Octamethylcyclotetrasiloxane	None.
C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, co	ACGIH TLV (1994-09-01) TWA 0.02 mg/m3 (as Co)

Appropriate engineering controls

Good general ventilation should be sufficient to control worker

Environmental exposure controls

exposure to airborne contaminants.

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures



SAFETY DATA SHEET

S-BLACK 2020

Version Number 1.0 Page 6 of 17 Revision Date 02/02/2019 Print Date 02/04/2019

Hygiene measures: Wash hands, forearms and face thoroughly after handling chemical

products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety

showers are close to the workstation location.

Eye/face protection: Safety eyewear complying with an approved standard should be used

when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a

higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection: Chemical-resistant, impervious gloves complying with an approved

standard should be worn at all times when handling chemical products

if a risk assessment indicates this is necessary.

Body protection: Personal protective equipment for the body should be selected based

on the task being performed and the risks involved and should be

approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures

should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this

product.

Respiratory protection: Based on the hazard and potential for exposure, select a respirator that

meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper

fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state : solid [Viscous liquid.]

Color **BLACK** Faint odor. Odor **Odor threshold** Not available. Not available. pН Not available. **Melting point Boiling point** Not available. Not available. Flash point **Burning time** Not available. **Burning rate** Not available. **Evaporation rate** Not available.



SAFETY DATA SHEET

S-BLACK 2020

Version Number 1.0 Page 7 of 17 Revision Date 02/02/2019 Print Date 02/04/2019

Flammability (solid, gas) : Not available.

Lower and upper explosive : Lower: Not available. (flammable) limits : Upper: Not available.

Vapor pressure: Not available.Vapor density: Not available.Relative density: Not available.Solubility: Not available.Solubility in water: insoluble in water.

Partition coefficient: n-

octanol/water

Not available.

Auto-ignition temperature: Not available.Decomposition temperature: Not available.SADT: Not available.

Viscosity : Dynamic: Not available.

Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity: No specific test data related to reactivity available for this product or

its ingredients.

Chemical stability : Stable under recommended storage and handling conditions (see

Section 7).

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will

not occur.

Conditions to avoid : Keep away from extreme heat and oxidizing agents.

Incompatible materials : Keep away from strong acids.

Oxidizer.

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Octamethylcyclotetrasiloxane				
	LD50 Oral	Rat	1,540 mg/kg	-
	LC50 Inhalation	Rat	36 Mg/l	4 h



SAFETY DATA SHEET

S-BLACK 2020

Version Number 1.0 Page 8 of 17 Revision Date 02/02/2019 Print Date 02/04/2019

C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al2O3, B2O3, CuO, MnO, NiO, or SiO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502.

Remarks - Oral: No applicable toxicity data

Remarks - Inhalation: No applicable toxicity data

No applicable toxicity data

Conclusion/Summary : Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Octamethylcyclotetrasiloxan	Eyes - Mild	Rabbit		24 hrs	-
e	irritant				
	Skin - Mild	Rabbit		24 hrs	-
	irritant				

Conclusion/Summary

Skin:Mixture.Not fully tested.Eyes:Mixture.Not fully tested.Respiratory:Mixture.Not fully tested.

Sensitization

Conclusion/Summary

Skin : Mixture.Not fully tested.
Respiratory : Mixture.Not fully tested.

Mutagenicity

Conclusion/Summary : Mixture.Not fully tested.

Carcinogenicity

Conclusion/Summary : Mixture. Not fully tested.

Classification

Classification			
Product/ingredient	OSHA	IARC	NTP
name			
C.I. Pigment Black 27 An			Reasonably anticipated to be a human carcinogen.
inorganic pigment that is			
the reaction product of			
high temperature			
calcination in which iron			
(II) oxide, cobalt (II)			



SAFETY DATA SHEET

S-BLACK 2020

Version Number 1.0 Page 9 of 17 Revision Date 02/02/2019 Print Date 02/04/2019

oxide, chromium (III),			
and iron (III) oxide in			
varying amounts are			
homogeneously and			
ionically interdiffused to			
form a crystalline matrix			
of spinel. Its composition			
may include any one or a			
combination of the			
modifiers Al2O3, B2O3,			
CuO, MnO, NiO, or SiO2.			
This substance is			
identified in the			
COLOUR INDEX by			
Colour Index Constitution			
Number, C.I. 77502.			

Reproductive toxicity

Conclusion/Summary : Mixture.Not fully tested.

Teratogenicity

Conclusion/Summary : Mixture.Not fully tested.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of

Not available.

exposure

Potential acute health effects

Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics



SAFETY DATA SHEET

S-BLACK 2020

Version Number 1.0 Page 10 of 17 Revision Date 02/02/2019 Print Date 02/04/2019

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Conclusion/Summary : Mixture.Not fully tested.

General:No known significant effects or critical hazards.Carcinogenicity:No known significant effects or critical hazards.Mutagenicity:No known significant effects or critical hazards.Teratogenicity:No known significant effects or critical hazards.Developmental effects:No known significant effects or critical hazards.Fertility effects:No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Octamethylcyclotetrasiloxane			
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
invertebrates.:			



SAFETY DATA SHEET

S-BLACK 2020

Version Number 1.0 Page 11 of 17 Revision Date 02/02/2019 Print Date 02/04/2019

Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
	Chronic NOEC 0.0000044 Mg/l	Fish - Fish	93 d	
	Fresh water			
Remarks - Chronic - Fish:	Chronic			
	Chronic NOEC 0.000002 -	Aquatic invertebrates.	21 d	
	0.000015 Mg/l Fresh water	Daphnia		
Remarks - Chronic -	Chronic			
Aquatic invertebrates.:				
	ganic pigment that is the reaction pro-			
	e, chromium (III), and iron (III) oxide			
	a crystalline matrix of spinel. Its com			
	, CuO, MnO, NiO, or SiO2. This sub	stance is identified in the C	OLOUR INDEX by	
Colour Index Constitution Nur	nber, C.I. 77502.			
Remarks - Acute - Fish:	No applicable toxicity data			
Remarks - Acute - Aquatic	No applicable toxicity data			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
S-BLACK 2020				
Remarks - Acute - Aquatic	Chemicals are not readily available as they are bound within the polymer matrix.			
invertebrates.:				
Conclusion/Summony	Chaminala ana mat na adi	ily available as they are bou		

Conclusion/Summary

: Chemicals are not readily available as they are bound within the polymer matrix.

Persistence and degradability

Conclusion/Summary

: Chemicals are not readily available as they are bound within the polymer matrix.

Conclusion/Summary

: Chemicals are not readily available as they are bound within the polymer matrix.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Octamethylcyclotetrasiloxane	6.488	13,400.00	high

Mobility in soil



SAFETY DATA SHEET

S-BLACK 2020

Version Number 1.0 Page 12 of 17 Revision Date 02/02/2019 Print Date 02/04/2019

Soil/water partition coefficient

(KOC)

Not available.

Other adverse effects

No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water : Not regulated for transportation.

International Air ICAO/IATA

: Not classified as dangerous goods under transport regulations.

International Water

IMO/IMDG

: Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

United States - TSCA 12(b) - Chemical export notification: None U.S. Federal regulations

of the components are listed.

United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed



SAFETY DATA SHEET

S-BLACK 2020

Version Number 1.0 Revision Date 02/02/2019

Page 13 of 17 Print Date 02/04/2019

United States - TSCA 4(f) - Priority risk review: Not listed

United States - TSCA 5(a)2 - Final significant new use rules: Not

listed

United States - TSCA 5(a)2 - Proposed significant new use rules:

Not listed

United States - TSCA 5(e) - Substances consent order: Not listed

United States - TSCA 6 - Final risk management: Not listed

United States - TSCA 6 - Proposed risk management: Not listed

United States - TSCA 8(a) - Chemical risk rules: Not listed

United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed

United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not

determined

United States - TSCA 8(a) - Preliminary assessment report

(PAIR): Listed Octamethylcyclotetrasiloxane

United States - TSCA 8(c) - Significant adverse reaction (SAR):

Not listed

United States - TSCA 8(d) - Health and safety studies: Not listed

United States - EPA Clean water act (CWA) section 307 - Priority

pollutants: Not listed

United States - EPA Clean water act (CWA) section 311 -

Hazardous substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Flammable substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Toxic substances: Not listed

United States - Department of commerce - Precursor chemical:

Not listed

Clean Air Act Section 112(b)

Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 Class I

Substances

Listed

Not listed

Clean Air Act Section 602 Class II

Not listed

Substances **DEA List I Chemicals (Precursor**

Not listed

Chemicals)

DEA List II Chemicals (Essential

Not listed

Chemicals)

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification Not applicable.



SAFETY DATA SHEET

S-BLACK 2020

Version Number 1.0 Revision Date 02/02/2019 Page 14 of 17 Print Date 02/04/2019

Composition/information on ingredients

No products were found.

Name	%	Classification
C.I. Pigment Black 27 An	>= 50 - <= 75	Delayed (chronic) health hazard
inorganic pigment that is the		
reaction product of high		
temperature calcination in		
which iron (II) oxide, co		
Octamethylcyclotetrasiloxan	> 0 - <= 0.3	Fire hazard - Immediate (acute) health hazard - Delayed
e		(chronic) health hazard

SARA 313

Form R - Reporting requirements C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al2O3, B2O3, CuO, MnO, NiO, or SiO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502. Supplier notification C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are homogeneously and		Product name	CAS number	%
reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al2O3, B2O3, CuO, MnO, NiO, or SiO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502. Supplier notification C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide, in varying amounts are	Form R - Reporting	C.I. Pigment Black 27 An		50 - 75
temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al2O3, B2O3, CuO, MnO, NiO, or SiO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502. Supplier notification C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide, cobalt in varying amounts are	requirements			
which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al2O3, B2O3, CuO, MnO, NiO, or SiO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502. Supplier notification C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are		reaction product of high		
(II) oxide, chromium (III), and iron (III) oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modiffers Al2O3, B2O3, CuO, MnO, NiO, or SiO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502. Supplier notification C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are		temperature calcination in		
and iron (III) oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al2O3, B2O3, CuO, MnO, NiO, or SiO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502. Supplier notification C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are		which iron (II) oxide, cobalt		
varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al2O3, B2O3, CuO, MnO, NiO, or SiO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502. Supplier notification C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are		(II) oxide, chromium (III),		
homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al2O3, B2O3, CuO, MnO, NiO, or SiO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502. Supplier notification C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are		and iron (III) oxide in		
ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al2O3, B2O3, CuO, MnO, NiO, or SiO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502. Supplier notification C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are		varying amounts are		
form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al2O3, B2O3, CuO, MnO, NiO, or SiO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502. Supplier notification C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are		homogeneously and		
spinel. Its composition may include any one or a combination of the modifiers Al2O3, B2O3, CuO, MnO, NiO, or SiO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502. Supplier notification C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are		ionically interdiffused to		
include any one or a combination of the modifiers Al2O3, B2O3, CuO, MnO, NiO, or SiO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502. Supplier notification C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are		form a crystalline matrix of		
combination of the modifiers Al2O3, B2O3, CuO, MnO, NiO, or SiO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502. Supplier notification C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are		spinel. Its composition may		
modifiers Al2O3, B2O3, CuO, MnO, NiO, or SiO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502. Supplier notification C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are		include any one or a		
CuO, MnO, NiO, or SiO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502. Supplier notification C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are		combination of the		
This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502. Supplier notification C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are		modifiers Al2O3, B2O3,		
in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502. Supplier notification C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are		CuO, MnO, NiO, or SiO2.		
Colour Index Constitution Number, C.I. 77502. Supplier notification C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are		This substance is identified		
Number, C.I. 77502. C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are		in the COLOUR INDEX by		
Supplier notification C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are		Colour Index Constitution		
inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are		Number, C.I. 77502.		
reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are	Supplier notification	C.I. Pigment Black 27 An		50 - 75
temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are		inorganic pigment that is the		
temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are		reaction product of high		
(II) oxide, chromium (III), and iron (III) oxide in varying amounts are				
(II) oxide, chromium (III), and iron (III) oxide in varying amounts are		which iron (II) oxide, cobalt		
varying amounts are				
varying amounts are		and iron (III) oxide in		



SAFETY DATA SHEET

S-BLACK 2020

Version Number 1.0 Revision Date 02/02/2019 Page 15 of 17 Print Date 02/04/2019

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts New York New Jersey None of the components are listed.

: None of the components are listed.

The following components are listed:

C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al2O3, B2O3, CuO, MnO, NiO, or SiO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502.

Pennsylvania : The following components are listed:

C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al2O3, B2O3, CuO, MnO, NiO, or SiO2. This substance is identified in the COLOUR INDEX by

Colour Index Constitution Number, C.I. 77502.

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65. **United States inventory (TSCA 8b)** : All components are listed or exempted.

Canada inventory : All components are listed or exempted.

International regulations



SAFETY DATA SHEET

S-BLACK 2020

Version Number 1.0 Page 16 of 17 Revision Date 02/02/2019 Print Date 02/04/2019

Inventory list

Australia: All components are listed or exempted.Canada: All components are listed or exempted.China: All components are listed or exempted.Europe inventory: All components are listed or exempted.

Japan : Not determined.

New Zealand: All components are listed or exempted.Philippines: All components are listed or exempted.Republic of Korea: All components are listed or exempted.Taiwan: All components are listed or exempted.

Turkey : Not determined.

United States : All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

History

Date of printing: 02/04/2019Date of issue/Date of revision: 02/02/2019Date of previous issue: 00/00/0000

Version : 1.0

Key to abbreviations : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

 $IMDG = International \ Maritime \ Dangerous \ Goods$

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine



SAFETY DATA SHEET

S-BLACK 2020

Version Number 1.0 Revision Date 02/02/2019 Page 17 of 17 Print Date 02/04/2019

pollution)

UN = United Nations

References : Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.