

### MATERIAL SAFETY DATA SHEET

# STAN-TONE HCC-26893 BLACK

Version Number 1.0 Revision Date 01/24/2003 Page 1 of 6 Print Date 11/10/2011

# 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HCC-26893 BLACK
Product code	:	FO2000060
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

# POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	<b>f Exposure:</b> : Inhalation, Skin contact, Ingestion			
Acute exposure				
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.			
Ingestion	: May be harmful if swallowed.			
Eyes	: May cause eye/skin irritation.			
Skin	: Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			
Medical Conditions Aggravated by Exposure:	: None known.			



MATERIAL SAFETY DATA SHEET

# STAN-TONE HCC-26893 BLACK

Version Number 1.0 Revision Date 01/24/2003 Page 2 of 6 Print Date 11/10/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If exircitation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>No data available.</li> <li>No data available.</li> <li>Not applicable.</li> <li>Carbon dioxide blanket, dry powder, foam, Water spray.</li> </ul>
Special Fire Fighting Procedures	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> </ul>
Unusual Fire/Explosion Hazards	: None
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.



# MATERIAL SAFETY DATA SHEET

# STAN-TONE HCC-26893 BLACK

					Print D	ate 11/10/2
Storage		: Keep containers dry and tightly closed to avoid mand contamination. Store in a cool dry place.				absorption
8. ]	EXPOSURE	CONTROLS / PER	SONAL	PROTECTIO	N	
Respiratory protection	: U	nder normal handling	g conditio	ons a respirator	may not b	e required.
Eye/Face Protection	: Safety glasses with side-shields.					
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance Vash hands before bre				afety practice
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure tim	ne	Exposure	type	List:
Carbon black	3.5 mg/m3	Time Weighted A (TWA):		Total dust. as black	s carbon	ACGIH
Carbon black	3.5 mg/m3	PEL:		Total dust. as black		OSHA Z1
	9 PHVSI	CAL AND CHEMIC	AL PRO			
	<i>7</i> ,1115R			PFRTIFS		
Form	: Liqu	id	Evapo	ration rate		established
Form Appearance	: Liqu	id id, Viscous liquid	Evapo			established determined
	: Liqu	id id, Viscous liquid ersion	Evapo	ration rate ic Gravity	: Not	
Appearance Color Odor	: Liqu dispe : BLA : Very	id id, Viscous liquid ersion CK faint	Evapo Specif Bulk d Vapor	ration rate ic Gravity ensity pressure	: Not : Not : Not	determined applicable. determined
Appearance Color Odor Melting point/range	: Liqu dispe : BLA : Very : Not a	id id, Viscous liquid ersion CK faint applicable	Evapo Specif Bulk d Vapor Vapor	ration rate ic Gravity ensity	: Not : Not : Not : Heav	determined applicable. determined vier than air.
Appearance Color Odor Melting point/range Boiling Point:	: Liqu dispe : BLA : Very : Not a : Not a	id id, Viscous liquid ersion CK faint applicable applicable	Evapo Specif Bulk d Vapor	ration rate ic Gravity ensity pressure	: Not : Not : Not : Heav	determined applicable. determined
Appearance Color Odor Melting point/range	: Liqu dispe : BLA : Very : Not a	id id, Viscous liquid ersion CK faint applicable applicable	Evapo Specif Bulk d Vapor Vapor	ration rate ic Gravity ensity pressure	: Not : Not : Not : Heav	determined applicable. determined vier than air.
Appearance Color Odor Melting point/range Boiling Point:	: Liqu dispe : BLA : Very : Not a : Not a : Imm	id id, Viscous liquid ersion CK faint applicable applicable	Evapo Specif Bulk d Vapor Vapor pH	ration rate ic Gravity ensity pressure density	: Not : Not : Not : Heav	determined applicable. determined vier than air.
Appearance Color Odor Melting point/range Boiling Point:	: Liqu dispe : BLA : Very : Not a : Not a : Imm	id id, Viscous liquid ersion CK faint applicable applicable iscible	Evapo Specif Bulk d Vapor Vapor pH	ration rate ic Gravity ensity pressure density	: Not : Not : Not : Heav	determined applicable. determined vier than air.
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Liqu dispe : BLA : Very : Not a : Not a : Imm <b>10. S</b> : S	id id, Viscous liquid ersion CK faint applicable applicable iscible	Evapo Specif Bulk d Vapor Vapor pH	ration rate ic Gravity ensity pressure density	: Not : Not : Not : Heav	determined applicable. determined vier than air.



#### MATERIAL SAFETY DATA SHEET

# STAN-TONE HCC-26893 BLACK

Version Number 1.0 Revision Date 01/24/2003 Page 4 of 6 Print Date 11/10/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

#### LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### **Additional Health Hazard Information:**

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.



# MATERIAL SAFETY DATA SHEET

# STAN-TONE HCC-26893 BLACK

Version Number 1.0 Revision Date 01/24/2003 Page 5 of 6 Print Date 11/10/2011

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: No data available.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition	: This product does not contain a substance listed by California Prop 65

## MATERIAL SAFETY DATA SHEET

# STAN-TONE HCC-26893 BLACK

Version Number 1.0 Revision Date 01/24/2003 Page 6 of 6 Print Date 11/10/2011

65

Canadian Regulations:

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.	
1333-86-4	

:

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Listed.
Japan ENCS	:	Listed.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

