

MATERIAL SAFETY DATA SHEET

MB99140CBA MIKROFINE ADC-21 (50%-DIDP)

Version Number 1.0 Revision Date 06/14/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	MB99140CBA MIKROFINE ADC-21 (50%-DIDP)
Product code	:	FO20000135
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous, precipitated and gel	112926-00-8	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Material contains a flammable solid. Ground containers and equipment before transfering. This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. In addition, heating or processing this material may result in product degradation or byproduct formation creating additional hazards. See Sections 8 and 11 for additional details.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Eyes, Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation Ingestion Eyes Skin	 At process temperatures, product emissions may cause irritation. No adverse health effects are anticipated. May cause eye/skin irritation. Experience shows no unusual dermatitis hazard from routine handling. 		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET

MB99140CBA MIKROFINE ADC-21 (50%-DIDP)

Version Number 1.0 Revision Date 06/14/2002 Page 2 of 6 Print Date 11/5/2011

artificial respiration. When symptoms persist, or in all cases of dou seek medical advice. Ingestion : Not an anticipated health hazard. Eyes : Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention. Skin : Wash off with soap and plenty of water. 5. FIRE-FIGHTING MEASURES Flash point : No data available. Flammable Limits Upper explosion limit : No data available. Lower explosion limit : No data available. Suitable extinguishing media : waterfoam. Special Fire Fighting Procedures Unusual Fire/Explosion Hazards Unusual Fire/Explosion Explosion Ex			4. FIRST AID MEASURES
Eyes : Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention. Skin : Wash off with soap and plenty of water. Skin : Wash off with soap and plenty of water. Flash point : No data available. Flash point : No data available. Flammable Limits Upper explosion limit Upper explosion limit : No data available. Lower explosion limit : No data available. Autoignition temperature : No data available. Suitable extinguishing media : waterfoam. Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants. Cool closed containers exposed to fire with water spr Decomposition products are flammable. May form explosive smoke/air mixtures if inadvertently heated above 50°C (122°F) or stored incorrectly. If inadvertent heating of product results in smok production, spray immediately and thoroughly with water. Unusual Fire/Explosion : The thermal decomposition products are flammable and when concentrated can form an explosive mixture. Provide adequate ventilation. Ensure smoke and mist are not allowed to accumulate. 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environ	Inhalation	:	Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. When symptoms persist, or in all cases of doubt seek medical advice.
least 15 minutes. If eye irritation persists, seek medical attention. Skin : Wash off with soap and plenty of water. 5. FIRE-FIGHTING MEASURES Flash point : No data available. Flammable Limits : No data available. Upper explosion limit : No data available. Lower explosion limit : No data available. Suitable extinguishing media : waterfoam. Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants. Cool closed containers exposed to fire with water spr Decomposition products are flammable. May form explosive smoke/air mixtures if inadvertent heating of product results in smok production, spray immediately and thoroughly with water. Unusual Fire/Explosion : The thermal decomposition products are flammable and when concentrated can form an explosive mixture. Provide adequate ventilation. Ensure smoke and mist are not allowed to accumulate. 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil. Methods for cleaning up : Contain and collect spillage with non-combustible absorbent materi (e.g. sand, earth, diatomaceus earth, vermiculite)	Ingestion	:	Not an anticipated health hazard.
5. FIRE-FIGHTING MEASURES Flash point : No data available. Flammable Limits Upper explosion limit : No data available. Lower explosion limit : No data available. . Autoignition temperature : No data available. . Suitable extinguishing media : waterfoam. . Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants. Cool closed containers exposed to fire with water spr Decomposition products are flammable. May form explosive smoke/air mixtures if inadvertent heating of product results in smok production, spray immediately and thoroughly with water. Unusual Fire/Explosion : The thermal decomposition products are flammable and when concentrated can form an explosive instrure. Provide adequate ventilation. Ensure smoke and mist are not allowed to accumulate. 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil. Methods for cleaning up : Contain and collect spillage with non-combustible absorbent materi (e.g. sand, earth, diatomaceus earth, vermiculite) and place in container for disposal according to local / national regulations (see	Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Flash point : No data available. Flammable Limits Upper explosion limit : No data available. Autoignition temperature : No data available. Suitable extinguishing media : waterfoam. Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants. Cool closed containers exposed to fire with water spr Decomposition products are flammable. May form explosive smoke/air mixtures if inadvertently heated above 50°C (122°F) or stored incorrectly. If inadvertent heating of product results in smok production, spray immediately and thoroughly with water. Unusual Fire/Explosion : The thermal decomposition products are flammable and when concentrated can form an explosive mixture. Provide adequate ventilation. Ensure smoke and mist are not allowed to accumulate. 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil. Methods for cleaning up : Contain and collect spillage with non-combustible absorbent materi (e.g. sand, earth, diatomaceus earth, vermiculite) and place in container for disposal according to local / national regulations (see	Skin	:	Wash off with soap and plenty of water.
Flammable Limits Upper explosion limit : No data available. Lower explosion limit : No data available. Autoignition temperature : No data available. Suitable extinguishing media : waterfoam. Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants. Cool closed containers exposed to fire with water spr Decomposition products are flammable. May form explosive smoke/air mixtures if inadvertently heated above 50°C (122°F) or stored incorrectly. If inadvertent heating of product results in smok production, spray immediately and thoroughly with water. Unusual Fire/Explosion : The thermal decomposition products are flammable and when concentrated can form an explosive mixture. Provide adequate ventilation. Ensure smoke and mist are not allowed to accumulate. 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil. Methods for cleaning up : Contain and collect spillage with non-combustible absorbent materi (e.g. sand, earth, diatomaceus earth, vermiculite) and place in container for disposal according to local / national regulations (see </td <td></td> <td>ł</td> <td>5. FIRE-FIGHTING MEASURES</td>		ł	5. FIRE-FIGHTING MEASURES
Upper explosion limit:No data available.Lower explosion limit:No data available.Autoignition temperature:No data available.Suitable extinguishing media:waterfoam.Special Fire Fighting:Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants. Cool closed containers exposed to fire with water spr Decomposition products are flammable. May form explosive smoke/air mixtures if inadvertently heated above 50°C (122°F) or stored incorrectly. If inadvertent heating of product results in smok production, spray immediately and thoroughly with water.Unusual Fire/Explosion Hazards:The thermal decomposition products are flammable and when concentrated can form an explosive mixture. Provide adequate ventilation. Ensure smoke and mist are not allowed to accumulate.6. ACCIDENTAL RELEASE MEASURESPersonal precautions:Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.Environmental precautions:Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.Methods for cleaning up:Contain and collect spillage with non-combustible absorbent materi (e.g. sand, earth, diatomaceus earth, vermiculite) and place in container for disposal according to local / national regulations (see	Flash point	:	No data available.
Lower explosion limit:No data available.Autoignition temperature:No data available.Suitable extinguishing media:waterfoam.Special Fire Fighting Procedures:Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants. Cool closed containers exposed to fire with water spr Decomposition products are flammable. May form explosive smoke/air mixtures if inadvertently heated above 50°C (122°F) or stored incorrectly. If inadvertent heating of product results in smok production, spray immediately and thoroughly with water.Unusual Fire/Explosion Hazards:The thermal decomposition products are flammable and when concentrated can form an explosive mixture. Provide adequate ventilation. Ensure smoke and mist are not allowed to accumulate.6. ACCIDENTAL RELEASE MEASURESPersonal precautions:Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.Environmental precautions:Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.Methods for cleaning up:Contain and collect spillage with non-combustible absorbent materi (e.g. sand, earth, diatomaccus earth, vermiculite) and place in container for disposal according to local / national regulations (see	Flammable Limits		
Autoignition temperature : No data available. Suitable extinguishing media : waterfoam. Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants. Cool closed containers exposed to fire with water spr Decomposition products are flammable. May form explosive smoke/air mixtures if inadvertently heated above 50°C (122°F) or stored incorrectly. If inadvertent heating of product results in smok production, spray immediately and thoroughly with water. Unusual Fire/Explosion : The thermal decomposition products are flammable and when concentrated can form an explosive mixture. Provide adequate ventilation. Ensure smoke and mist are not allowed to accumulate. 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil. Methods for cleaning up : Contain and collect spillage with non-combustible absorbent materic (e.g. sand, earth, diatomaccus earth, vermiculite) and place in container for disposal according to local / national regulations (see		:	
Suitable extinguishing media : waterfoam. Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants. Cool closed containers exposed to fire with water spr Decomposition products are flammable. May form explosive smoke/air mixtures if inadvertently heated above 50°C (122°F) or stored incorrectly. If inadvertent heating of product results in smok production, spray immediately and thoroughly with water. Unusual Fire/Explosion : The thermal decomposition products are flammable and when concentrated can form an explosive mixture. Provide adequate ventilation. Ensure smoke and mist are not allowed to accumulate. 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil. Methods for cleaning up : Contain and collect spillage with non-combustible absorbent materi (e.g. sand, earth, diatomaceus earth, vermiculite) and place in container for disposal according to local / national regulations (see		:	
Special Fire Fighting Procedures : Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants. Cool closed containers exposed to fire with water spr Decomposition products are flammable. May form explosive smoke/air mixtures if inadvertently heated above 50°C (122°F) or stored incorrectly. If inadvertent heating of product results in smok production, spray immediately and thoroughly with water. Unusual Fire/Explosion Hazards : The thermal decomposition products are flammable and when concentrated can form an explosive mixture. Provide adequate ventilation. Ensure smoke and mist are not allowed to accumulate. 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil. Methods for cleaning up : Contain and collect spillage with non-combustible absorbent materi (e.g. sand, earth, diatomaceus earth, vermiculite) and place in container for disposal according to local / national regulations (see		:	
Procedures pressure mode should be worn to prevent inhalation of airborne contaminants. Cool closed containers exposed to fire with water spr Decomposition products are flammable. May form explosive smoke/air mixtures if inadvertently heated above 50°C (122°F) or stored incorrectly. If inadvertent heating of product results in smok production, spray immediately and thoroughly with water. Unusual Fire/Explosion : The thermal decomposition products are flammable and when concentrated can form an explosive mixture. Provide adequate ventilation. Ensure smoke and mist are not allowed to accumulate. 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil. Methods for cleaning up : Contain and collect spillage with non-combustible absorbent materi (e.g. sand, earth, diatomaceus earth, vermiculite) and place in container for disposal according to local / national regulations (see	Suitable extinguishing media	:	waterfoam.
Unusual Fire/Explosion : The thermal decomposition products are flammable and when concentrated can form an explosive mixture. Provide adequate ventilation. Ensure smoke and mist are not allowed to accumulate. 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil. Methods for cleaning up : Contain and collect spillage with non-combustible absorbent materia (e.g. sand, earth, diatomaceus earth, vermiculite) and place in container for disposal according to local / national regulations (see	Special Fire Fighting Procedures	:	contaminants. Cool closed containers exposed to fire with water spray Decomposition products are flammable. May form explosive smoke/air mixtures if inadvertently heated above 50°C (122°F) or stored incorrectly. If inadvertent heating of product results in smoke
Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil. Methods for cleaning up : Contain and collect spillage with non-combustible absorbent materiate (e.g. sand, earth, diatomaceus earth, vermiculite) and place in container for disposal according to local / national regulations (see		:	The thermal decomposition products are flammable and when concentrated can form an explosive mixture. Provide adequate
impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil. Methods for cleaning up : Contain and collect spillage with non-combustible absorbent materiation (e.g. sand, earth, diatomaceus earth, vermiculite) and place in container for disposal according to local / national regulations (see		6. A(CCIDENTAL RELEASE MEASURES
Methods for cleaning up : Contain and collect spillage with non-combustible absorbent materiation (e.g. sand, earth, diatomaceus earth, vermiculite) and place in container for disposal according to local / national regulations (see	Personal precautions	:	
(e.g. sand, earth, diatomaceus earth, vermiculite) and place in container for disposal according to local / national regulations (see	Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
section 13).	Methods for cleaning up	:	
7. HANDLING AND STORAGE			7. HANDLING AND STORAGE



MATERIAL SAFETY DATA SHEET

MB99140CBA MIKROFINE ADC-21 (50%-DIDP)

ion Number 1.0 sion Date 06/14/2002			Print I	Page 3 Date 11/5/2	
Handling	b		pment. Take measures to prevent the e. Provide for appropriate exhaust at machinery.		
Storage	K D si	eep away from open flames, h eep away from direct sunlight ecomposition products are fla noke/air mixtures if inadverte ored incorrectly.	. Keep in a dry, cool pla mmable. May form expl	ce. osive	
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	m re	/hen workers are facing conce nust use appropriate certified re espirators must be properly tra pplicable regulations such as C	espirators. Employees us ined. Employers must fo	sing llow	
Eye/Face Protection	: sa	nfety glasses			
Hand protection	: rı	ibber gloves			
Skin and body protection	W W	ong sleeved shirts and long pa /here operations present a spla rear chemically resistant clothi rotection.	sh or spill potential, emp	loyees shoul	
Additional Protective Measures	: W	/hen using, do not eat, drink o	r smoke.		
General Hygiene Considerations		o not breathe dust or spray mi idustrial hygiene and safety pr		e with good	
Engineering measures	al	dequate ventilation and/or applies be necessary to minimize approx.			
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Silica, amorphous, precipitated and gel	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH	
Silica, amorphous, precipitated and gel	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1	
<u>r</u> ··· <u>r</u> ···· ··· ··· ··· ··· ··· ··· ··· ···	15 mg/m3	PEL:	Total dust.	OSHA Z1	
	9. PHYSIC	CAL AND CHEMICAL PRO	OPERTIES		
Form	: Liqui	id Evano	ration rate : Not	applicable.	
Appearance				determined	



MATERIAL SAFETY DATA SHEET

MB99140CBA MIKROFINE ADC-21 (50%-DIDP)

Version Numb	
Revision Date	06/14/2002

Page 4 of 6 Print Date 11/5/2011

Color	: NO PIGMENT	Bulk density	:	Not established
Odor	: Very faint	Vapor pressure	:	Not determined
Melting point/range	: Not applicable	Vapor density	:	Not determined
Boiling Point:	: Not applicable	pH	:	Not determined
Water solubility	: negligible			

10. STABILITY AND REACTIVITY

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible Materials	:	Reacts with water or acids to form carbon dioxide.
Hazardous decomposition products	:	hydrocarbons ammonia Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Decomposition products are flammable. May form explosive smoke/air mixtures if inadvertently heated above 50°C (122°F) or stored incorrectly.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
112926-00-8	Silica, amorphous,	Irritant	Respiratory system, Eyes.
	precipitated and gel		

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	No data available.
Environmental Toxicity	:	No data available.
Bioaccumulation Potential	:	No data available.
Additional advice	:	No data available.

13. DISPOSAL CONSIDERATIONS

Product

: The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.



MATERIAL SAFETY DATA SHEET

MB99140CBA MIKROFINE ADC-21 (50%-DIDP)

Contaminated packaging	:	Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	:	Not regulated for transportation.
ICAO/IATA	:	Not regulated for transportation.
IMO / IMDG	:	Not regulated for transportation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or ar exempt.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65
Canadian Regulations:		
WHMIS Classification	:	Not controlled.
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.



MATERIAL SAFETY DATA SHEET

MB99140CBA MIKROFINE ADC-21 (50%-DIDP)

Version Number 1.0 Revision Date 06/14/2002 Page 6 of 6 Print Date 11/5/2011

Korea KECI : Listed.

Philippines PICCS : Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.