

MATERIAL SAFETY DATA SHEET

VIOLET POLYMELT 3

 Version Number 1.0
 Page 1 of 5

 Revision Date 06/14/2002
 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION

NON-EMERGENCY

TELEPHONE

Emergency telephone : CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure

number or accident).

Product name : VIOLET POLYMELT 3

Product code : FO20000225 Chemical Name : Mixture CAS-No. : Mixture

Product Use :

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

POTENTIAL HEALTH EFFECTS

Routes of Exposure: :

Acute exposure

Inhalation : Ingestion : Eyes : Skin :

Chronic exposure : Refer to Section 11 for Toxicological Information.

Medical Conditions
Aggravated by Exposure:

4. FIRST AID MEASURES

Inhalation :

Ingestion :

Measures

General Hygiene Considerations



MA	TERIAL SAFETY DATA SHI	EET					
VI	OLET POLYMELT 3						
	sion Number 1.0 vision Date 06/14/2002	Page 2 of 5 Print Date 11/5/201	5 1				
	Eyes	:					
	Skin	:					
5. FIRE-FIGHTING MEASURES							
	Flash point	:					
	Flammable Limits	: : : :					
	Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	: :					
	6. ACCIDENTAL RELEASE MEASURES						
	Personal precautions	:					
	Environmental precautions	:					
	Methods for cleaning up	:					
		7. HANDLING AND STORAGE					
	Handling	:					
	Storage	:					
	8. EXPOSURE CONTROLS / PERSONAL PROTECTION						
	Respiratory protection	:					
	Eye/Face Protection	:					
	Hand protection	:					
	Skin and body protection	:					
	Additional Protective	:					



MATERIAL SAFETY DATA SHEET

V	IOL	FT	PO	ΙΥΙ	ИΕ	I T	3
•				_ ,,		_ ,	u

 Version Number 1.0
 Page 3 of 5

 Revision Date 06/14/2002
 Print Date 11/5/2011

Engineering measures :

Exposure limit(s)

There are no known hazardous components above regulatory thresholds in this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : Evaporation rate
Appearance : Specific Gravity
Color : PURPLE Bulk density

Odor : Vapor pressure : Melting point/range : Vapor density :

Boiling Point: : pH
Water solubility :

10. STABILITY AND REACTIVITY

Stability :

Hazardous Polymerization :

Conditions to avoid :

Incompatible Materials :

Hazardous decomposition

products

11. TOXICOLOGICAL INFORMATION

There are no known hazardous components above regulatory thresholds in this product.

12. ECOLOGICAL INFORMATION

Persistence and degradability :

Environmental Toxicity :

Bioaccumulation Potential :

Additional advice :

13. DISPOSAL CONSIDERATIONS

Product :

Contaminated packaging :

14. TRANSPORT INFORMATION



MATERIAL SAFETY DATA SHEET

VIOLET POLYMELT 3

 Version Number 1.0
 Page 4 of 5

 Revision Date 06/14/2002
 Print Date 11/5/2011

U.S. D.O.T. / CA T.D.G.

Classification (Non-bulk

ground)

ICAO/IATA :

IMO / IMDG :

15. REGULATORY INFORMATION

US Regulations:

OSHA Status : There are no known hazardous components above regulatory

thresholds in this product.

TSCA Status : All components of this product are listed on the TSCA inventory or are

exempt.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Not applicable

California Proposition

: This product does not contain a substance listed by California Prop 65.

65

Canadian Regulations:

WHMIS Classification : Not controlled.

DSL : Listed.

National Inventories:

Australia AICS : Not determined.

China IECS : Listed.

Europe EINECS : Not determined.

Japan ENCS : Not determined.

Korea KECI : Not determined.

Philippines PICCS : Listed.



MATERIAL SAFETY DATA SHEET

VIOLET POLYMELT 3

Version Number 1.0 Revision Date 06/14/2002 Page 5 of 5 Print Date 11/5/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.