

MATERIAL SAFETY DATA SHEET

XRH51633B EXP ANSP BLACK

Version Number 1.0 Revision Date 06/14/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	XRH51633B EXP ANSP BLACK
Product code	:	FO20000257
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	0.1 - 1

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

XRH51633B EXP ANSP BLACK

Version Number 1.0 Revision Date 06/14/2002 Page 2 of 6 Print Date 11/5/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	 No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, Water spray. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize



MATERIAL SAFETY DATA SHEET

XRH51633B EXP ANSP BLACK

			Print [Page 3 2/2/2
	ac	ccumulation of these materials		
Storage		eep containers dry and tightly nd contamination. Store in a c		absorption
8. E	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: U	nder normal handling condition	ons a respirator may not b	e required.
Eye/Face Protection	: S	afety glasses with side-shields		
Hand protection	: P:	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with good /ash hands before breaks and a		afety practice
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
	Value	Exposure time	Exposure type	List:
Exposure limit(s) Components Carbon black	Value 3.5 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Total dust. as carbon black	List: ACGIH
Components		Time Weighted Average	Total dust. as carbon	
Components Carbon black	3.5 mg/m3 3.5 mg/m3	Time Weighted Average (TWA):	Total dust. as carbon black Total dust. as carbon black	ACGIH
Components Carbon black Carbon black	3.5 mg/m3 3.5 mg/m3 9. PHYSIC	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. as carbon black Total dust. as carbon black PERTIES	ACGIH OSHA Z1
Components Carbon black Carbon black Form	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Liqui	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. as carbon black Total dust. as carbon black DPERTIES ration rate : Not	ACGIH OSHA Z1 established
Components Carbon black Carbon black Form Appearance	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Liqui : Visco	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO id Evapo pus, Liquid Specif	Total dust. as carbon black Total dust. as carbon black OPERTIES ration rate : Not ic Gravity : Not	ACGIH OSHA Z1 established determined
Components Carbon black Carbon black Form Appearance Color	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Liqui : Visco : BLA	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO id Evapo bus, Liquid Specifi CK Bulk d	Total dust. as carbon black Total dust. as carbon black DPERTIES ration rate : Not ic Gravity : Not ensity : Not	ACGIH OSHA Z1 established determined applicable.
Components Carbon black Carbon black Form Appearance Color Odor	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Liqui : Visco : BLA : Very	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO id Evapo ous, Liquid Specif CK Bulk d faint Vapor	Total dust. as carbon black Total dust. as carbon black DPERTIES ration rate : Not ic Gravity : Not ensity : Not pressure : Not	ACGIH OSHA Z1 established determined applicable. determined
Components Carbon black Carbon black Carbon black Form Appearance Color Odor Melting point/range	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Liqui : Visco : BLA : Very : Not a	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO id Evapo ous, Liquid Specif CK Bulk d faint Vapor applicable Vapor	Total dust. as carbon black Total dust. as carbon black DPERTIES ration rate : Not c Gravity : Not ensity : Not pressure : Not density : Not	ACGIH OSHA Z1 established determined applicable. determined determined
Components Carbon black Carbon black Form Appearance Color Odor	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Liqui : Visco : BLA : Very : Not a	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO id Evapo ous, Liquid Specif CK Bulk d faint Vapor applicable Vapor applicable pH	Total dust. as carbon black Total dust. as carbon black DPERTIES ration rate : Not c Gravity : Not ensity : Not pressure : Not density : Not	ACGIH OSHA Z1 established determined applicable. determined
Components Carbon black Carbon black Carbon black Form Appearance Color Odor Melting point/range Boiling Point:	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Liqui : Visco : BLA : Very : Not a : Not a : Imm	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO id Evapo ous, Liquid Specif CK Bulk d faint Vapor applicable Vapor applicable pH	Total dust. as carbon black Total dust. as carbon black DPERTIES ration rate : Not ic Gravity : Not ensity : Not pressure : Not density : Not	ACGIH OSHA Z1 established determined applicable. determined determined
Components Carbon black Carbon black Carbon black Form Appearance Color Odor Melting point/range Boiling Point:	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Liqui : Visco : BLA : Very : Not a : Imm 10. S	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO id Evapo bus, Liquid Specifi CK Bulk d faint Vapor applicable Vapor applicable pH iscible	Total dust. as carbon black Total dust. as carbon black DPERTIES ration rate : Not ic Gravity : Not ensity : Not pressure : Not density : Not	ACGIH OSHA Z1 established determined applicable. determined determined
Components Carbon black Carbon black Carbon black Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Liqui : Visco : BLA : Very : Not a : Not a : Imm 10. S : S	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO id Evapo ous, Liquid Specif CK Bulk d faint Vapor applicable Vapor applicable pH iscible	Total dust. as carbon black Total dust. as carbon black DPERTIES ration rate : Not ic Gravity : Not ensity : Not pressure : Not density : Not	ACGIH OSHA Z1 established determined applicable. determined determined



MATERIAL SAFETY DATA SHEET

XRH51633B EXP ANSP BLACK

Version Number 1.0 Revision Date 06/14/2002		Page 4 of 6 Print Date 11/5/2011
		decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

- 1 The component is known to be a human carcinogen.
- 2 The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:



MATERIAL SAFETY DATA SHEET

XRH51633B EXP ANSP BLACK

Version Number 1.0 Revision Date 06/14/2002 Page 5 of 6 Print Date 11/5/2011

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: No data available.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.



MATERIAL SAFETY DATA SHEET

XRH51633B EXP ANSP BLACK

Version Number 1.0 Revision Date 06/14/2002	Page 6 of 6 Print Date <i>11/5/2011</i>				
TSCA Status	All components of this product are listed on the TSCA inventory or are exempt.				
US. EPA CERCLA Hazardous Su	US. EPA CERCLA Hazardous Substances (40 CFR 302)				
Not applicable					
California Proposition 65	WARNING! This product contains a chemical known in the State of California to cause cancer.				
Canadian Regulations:					
WHMIS Classification	Not controlled.				
DSL	Listed.				
National Inventories:					
Australia AICS	Not determined.				
China IECS	Listed.				
Europe EINECS	Not determined.				
Japan ENCS	Not determined.				
Korea KECI	Not determined.				
Philippines PICCS	Not determined.				
	16. OTHER INFORMATION				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.