BLACK HIGH GLOSS PLASTISOL

Version Number 1.6 Revision Date 10/27/2015 Page 1 of 16 Print Date 10/30/2015

SAFETY DATA SHEET

BLACK HIGH GLOSS PLASTISOL

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification	:	BLACK HIGH GLOSS PLASTISOL Mixture Mixture FO20000299
Product type	:	liquid
<u>Relevant identified uses of the subs</u> Product use		e or mixture and uses advised against
r rouuct use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	SKIN SENSITIZATION - Category 1
GHS label elements		



BLACK HIGH GLOSS PLASTISOL

Version Number 1.6 Revision Date 10/27/2015 Page 2 of 16 Print Date 10/30/2015

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	May cause an allergic skin reaction.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Wear protective gloves. Avoid breathing vapor. Contaminated work clothing should not be allowed out of the workplace.
Response	:	IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs:
Storago		Get medical attention.
Storage Disposal	:	Not applicable. Dispose of contents and container in accordance with all local,
Dispusai	•	regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20000299

CAS number/other identifiers

Ingredient name	%	CAS number
Petroleum distillates, hydrotreated light naphthenic	1 - 5	64742-53-6
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich	1 - 5	68515-48-0
Bisphenol A - Epichlorohydrin polymer	0.1 - 1	25068-38-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the

Ine

BLACK HIGH GLOSS PLASTISOL

Version Number 1.6 Revision Date 10/27/2015 Page 3 of 16 Print Date 10/30/2015

concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact

: No known significant effects or critical hazards.

<u>olyOne</u>.

BLACK HIGH GLOSS PLASTISOL

Version Number 1.6 Revision Date 10/27/2015 Page 4 of 16 Print Date 10/30/2015

: No known significant effects or critical hazards.
: May cause an allergic skin reaction.
: No known significant effects or critical hazards.
: No specific data.
: No specific data.
: Adverse symptoms may include the following: irritation redness
: No specific data.
attention and special treatment needed, if necessary
: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
: No specific treatment.
: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Ine.

BLACK HIGH GLOSS PLASTISOL

Version Number 1.6 Revision Date 10/27/2015 Page 5 of 16 Print Date 10/30/2015

Special protective equipment for	:	Fire-fighters should wear appropriate protective equipment and self-
fire-fighters		contained breathing apparatus (SCBA) with a full face-piece operated
		in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containn	<u>ient a</u>	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling



BLACK HIGH GLOSS PLASTISOL

Version Number 1.6	Page 6 of 16
Revision Date 10/27/2015	Print Date 10/30/2015

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits	
Petroleum distillates, hydrotreated light naphthenic	ACGIH TLV (2009-11-30) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 5 mg/m3 Form: Inhalable fraction	
Appropriate engineering controls :	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.	
Environmental exposure controls :	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.	
Individual protection measures	, , , , , , , , , , , , , , , , , , ,	

Individual protection measures



BLACK HIGH GLOSS PLASTISOL

Version Number 1.6	Page 7 of 16
Revision Date 10/27/2015	Print Date 10/30/2015

Hygiene measures	: Wash hands, forearms and face thoroug products, before eating, smoking and us of the working period. Appropriate tech remove potentially contaminated clothin clothing should not be allowed out of th contaminated clothing before reusing. If and safety showers are close to the wor	sing the lavatory and at the end miques should be used to ng. Contaminated work ne workplace. Wash Ensure that eyewash stations
Eye/face protection	 Safety eyewear complying with an appr when a risk assessment indicates this is liquid splashes, mists, gases or dusts. If following protection should be worn, un higher degree of protection: safety glas 	roved standard should be used necessary to avoid exposure to f contact is possible, the nless the assessment indicates a
Skin protection		
Hand protection	: Chemical-resistant, impervious gloves of standard should be worn at all times wh if a risk assessment indicates this is nec parameters specified by the glove manu the gloves are still retaining their protect noted that the time to breakthrough for different for different glove manufactur consisting of several substances, the pro- cannot be accurately estimated.	nen handling chemical products cessary. Considering the ifacturer, check during use that ctive properties. It should be any glove material may be rers. In the case of mixtures,
Body protection	: Personal protective equipment for the b on the task being performed and the ris approved by a specialist before handlin	ks involved and should be
Other skin protection	: Appropriate footwear and any additional should be selected based on the task be involved and should be approved by a sproduct.	al skin protection measures ing performed and the risks
Respiratory protection	: Use a properly fitted, air-purifying or a with an approved standard if a risk asse necessary. Respirator selection must be exposure levels, the hazards of the proc of the selected respirator.	essment indicates this is based on known or anticipated

Section 9. Physical and chemical properties

Appearance

Physical state	: liquid [liquid]
Color	: BLACK
Odor	: Not available.

ne

BLACK HIGH GLOSS PLASTISOL

Version Number 1.6 Revision Date 10/27/2015

Page 8 of 16 Print Date 10/30/2015

Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects



BLACK HIGH GLOSS PLASTISOL

Version Number 1.6 Revision Date 10/27/2015 Page 9 of 16 Print Date 10/30/2015

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Petroleum distillates, hydrotre	ated light naphthenic	2		· -
	LD50 Oral	Rat	5,000 mg/kg	-
	LC50 Inhalation	Rat	2 mg/l	4 h
1,2-Benzenedicarboxylic acid	, di-C8-10-branched	alkyl esters, C9-rich		·
	LD50 Oral	Rat	10,000 mg/kg	-
Bisphenol A - Epichlorohydri	n polymer		· · · · · · · · · · · · · · · · · · ·	
	LD50 Oral	Rat	13,600 mg/kg	-
	LD50 Oral	Rat	11,400 mg/kg	-
	LD50 Oral	Rat	11,400 mg/kg	-
	LD50 Oral	Rat	30,000 mg/kg	-
	LD50 Oral	Rat	30,000 mg/kg	-
	LD50 Oral	Rat	30,000 mg/kg	-
	LD50 Oral	Rat	30,000 mg/kg	-
	LD50 Oral	Rat	13,600 mg/kg	-
C 1 /C		Not fulles to stad		

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Petroleum distillates, hydrotreated light	Skin - Severe irritant	Rabbit			-
naphthenic					
	Skin -	Rabbit		24 hrs	-
	Moderate				
	irritant				
1,2-Benzenedicarboxylic	Eyes - Mild	Rabbit			-
acid, di-C8-10-branched	irritant				
alkyl esters, C9-rich					
Bisphenol A -	Eyes - Mild	Rabbit			-
Epichlorohydrin polymer	irritant				
	Eyes - Mild	Rabbit			-
	irritant				
	Skin -	Rabbit		24 hrs	-
	Moderate				
	irritant				
	Skin - Severe	Rabbit		24 hrs	-
	irritant				
	Eyes - Mild	Rabbit			-
	irritant				

Conclusion/Summary

<u>Ine</u>

BLACK HIGH GLOSS PLASTISOL

Version Number 1.6 Revision Date 10/27/2015 Page 10 of 16 Print Date 10/30/2015

Skin Eyes Respiratory <u>Sensitization</u>	::	Mixture.Not fully tested. Mixture.Not fully tested. Mixture.Not fully tested.
Conclusion/Summary Skin Respiratory	:	Mixture.Not fully tested. Mixture.Not fully tested.
<u>Mutagenicity</u> Conclusion/Summary <u>Carcinogenicity</u>	:	Mixture.Not fully tested.
Conclusion/Summary <u>Reproductive toxicity</u>	:	Mixture.Not fully tested.
Conclusion/Summary <u>Teratogenicity</u>	:	Mixture.Not fully tested.
Conclusion/Summary <u>Specific target organ toxicity (single</u> Not available.	: e exp	Mixture.Not fully tested.
Specific target organ toxicity (repeated Not available.	ated (exposure)
Aspiration hazard Not available.		
Information on the likely routes of exposure	:	Not available.
<u>Potential acute health effects</u> Eye contact Inhalation Skin contact Ingestion	::	No known significant effects or critical hazards. No known significant effects or critical hazards. May cause an allergic skin reaction. No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics



BLACK HIGH GLOSS PLASTISOL

Version Number 1.6 Revision Date 10/27/2015 Page 11 of 16 Print Date 10/30/2015

Eye contact Inhalation Skin contact Ingestion	: : :	No specific data. No specific data. Adverse symptoms may include the following: irritation redness No specific data. chronic effects from short and long term exposure
Delayed and immediate effects and	a150 (the one creets it one short and long term exposure
Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects Fertility effects	:	No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	125,325.8 mg/kg
Route	ATE value
Inhalation (dusts and mists)	50.13 mg/l

Section 12. Ecological information

BLACK HIGH GLOSS PLASTISOL

Version Number 1.6 Revision Date 10/27/2015 Page 12 of 16 Print Date 10/30/2015

Toxicity

Conclusion/Summary	:	Not available.
Persistence and degradability		

Conclusion/Summary :

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
1,2-Benzenedicarboxylic	8.8	3.00	low
acid, di-C8-10-branched			
alkyl esters, C9-rich			
Bisphenol A -	2.64 - 3.78	31.00	low
Epichlorohydrin polymer			

Not available.

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

P<u>olyOne</u>

BLACK HIGH GLOSS PLASTISOL

Version Number 1.6 Revision Date 10/27/2015 Page 13 of 16 Print Date 10/30/2015

Section 14. Transport information

U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Consult mode specific transport rules
IMO/IMDG (maritime)	:	Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Listed 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich
	United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Diisooctyl phthalate Zinc Vinyl chloride monomer
	United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed

ne.

BLACK HIGH GLOSS PLASTISOL

Version Number 1.6 Revision Date 10/27/2015

Page 14 of 16 Print Date 10/30/2015

United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed **United States - Department of commerce - Precursor chemical:** Not listed

Clean Air Act Section 112(b)	:	Not listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I		Not listed
Substances		1100 11000
Clean Air Act Section 602 Class II	:	Not listed
Substances DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		NT . 11 . 1
DEA List II Chemicals (Essential Chemicals)	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Immediate (acute) health hazard :

Composition/information on ingredients

Name	%	Classification
Petroleum distillates,	1 - 5	AH
hydrotreated light naphthenic		
1,2-Benzenedicarboxylic acid, di-	1 - 5	AH
C8-10-branched alkyl esters, C9-		
rich		
Bisphenol A - Epichlorohydrin	0.1 - 1	AH
polymer		

SARA 313

Not applicable.

State regulations	
Massachusetts	: The following components are listed:
	Petroleum distillates, hydrotreated light naphthenic
New York	: None of the components are listed.
New Jersey	: The following components are listed:
-	Ethene, chloro-, homopolymer
Pennsylvania	: The following components are listed:
	Diisooctyl phthalate
	• •

BLACK HIGH GLOSS PLASTISOL

Version Number 1.6 Revision Date 10/27/2015 Page 15 of 16 Print Date 10/30/2015

California Prop. 65WARNING: This product contains a chemical known to the State of California to cause cancer.United States inventory (TSCA 8b) : All components are listed or exempted.Canada inventory : All components are listed or exempted.

 International regulations

 International lists
 : Australia inventory (AICS): Not determined. Taiwan inventory (CSNN): Not determined. Malaysia Inventory (EHS Register): Not determined. EINECS: Not determined. Japan inventory: Not determined. China inventory (IECSC): Not determined. Korea inventory: Not determined. New Zealand Inventory of Chemicals (NZIoC): Not determined. Philippines inventory (PICCS): Not determined.

Chemical Weapons Convention List Schedule I Chemicals	:	Not listed
Chemical Weapons Convention	:	Not listed
List Schedule II Chemicals Chemical Weapons Convention	:	Not listed
List Schedule III Chemicals		

Section 16. Other information

<u>History</u>		
Date of printing	:	10/30/2015
Date of issue/Date of revision	:	10/27/2015
Date of previous issue	:	02/17/2015
Version	:	1.6
Key to abbreviations	:	ATE = Acute Toxicity Estimate
-		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL $73/78$ = International Convention for the Prevention of Pollution
		From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations



BLACK HIGH GLOSS PLASTISOL

Version Number 1.6 Revision Date 10/27/2015 Page 16 of 16 Print Date 10/30/2015

References

Not available.

:

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.