

MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-21269 ORANGE

Version Number 1.0 Revision Date 09/03/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number		CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HCC-21269 ORANGE
Product code	:	FO20000359
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-21269 ORANGE

Version Number 1.0 Revision Date 09/03/2002 Page 2 of 6 Print Date 11/6/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If e irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, Water spray.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-21269 ORANGE

Storage		eep containers dry a nd contamination. S			oisture	absorption
8. E	XPOSURE	CONTROLS / PEP	RSONAL	PROTECTION		
Respiratory protection	: U	nder normal handlin	ng conditio	ons a respirator ma	ıy not l	be required.
Eye/Face Protection	: S	afety glasses with sid	de-shields			
Hand protection	: Protective gloves.					
Skin and body protection	: Long sleeved clothing.					
Additional Protective Measures	: Safety shoes.					
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure tin		Exposure type		List:
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		Total dust.		ACGIH
Titanium dioxide	15 mg/m3	PEL:		Total dust.		OSHA Z1
110011011011010						
	9. PHYSIC	CAL AND CHEMI	CAL PRC	PERTIES		
					· Not	established
Form	: Liqu	id	Evapor	ration rate :		established determined
	: Liqu : Liqu dispe	id id, Viscous liquid ersion	Evapor			
Form Appearance Color	: Liqu : Liqu dispe : ORA	id id, Viscous liquid ersion NGE	Evapor Specifi Bulk d	ration rate : c Gravity : ensity :	Not Not	determined applicable.
Form Appearance Color Odor	: Liqu : Liqu dispe : ORA : Very	id id, Viscous liquid ersion NGE faint	Evapor Specifi Bulk d Vapor	ration rate : c Gravity : ensity : pressure :	Not Not Not	determined applicable. determined
Form Appearance Color Odor Melting point/range	: Liqu : Liqu dispe : ORA : Very : Not a	id id, Viscous liquid ersion NGE faint applicable	Evapor Specifi Bulk d Vapor Vapor	ration rate : c Gravity : ensity :	Not Not Not Hea	determined applicable. determined vier than air.
Form Appearance Color Odor Melting point/range Boiling Point:	: Liqu : Liqu dispe : ORA : Very : Not a : Not a	id id, Viscous liquid ersion NGE faint applicable applicable	Evapor Specifi Bulk d Vapor	ration rate : c Gravity : ensity : pressure :	Not Not Not Hea	determined applicable. determined
Form Appearance Color Odor Melting point/range	: Liqu : Liqu dispe : ORA : Very : Not a	id id, Viscous liquid ersion NGE faint applicable applicable	Evapor Specifi Bulk d Vapor Vapor	ration rate : c Gravity : ensity : pressure :	Not Not Not Hea	determined applicable. determined vier than air.
Form Appearance Color Odor Melting point/range Boiling Point:	: Liqu : Liqu dispe : ORA : Very : Not a : Not a : Imm	id id, Viscous liquid ersion NGE faint applicable applicable	Evapor Specifi Bulk d Vapor Vapor pH	ration rate c Gravity ensity pressure density	Not Not Not Hea	determined applicable. determined vier than air.
Form Appearance Color Odor Melting point/range Boiling Point:	: Liqu : Liqu dispe : ORA : Very : Not a : Imm 10. S	id id, Viscous liquid ersion NGE faint applicable applicable iscible	Evapor Specifi Bulk d Vapor Vapor pH	ration rate c Gravity ensity pressure density	Not Not Not Hea	determined applicable. determined vier than air.
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Liqu : Liqu dispe : ORA : Very : Not a : Imm 10. S	id id, Viscous liquid ersion NGE faint applicable iscible STABILITY AND F	Evapor Specifi Bulk d Vapor Vapor pH	ration rate c Gravity ensity pressure density	Not Not Not Hea	determined applicable. determined vier than air.



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-21269 ORANGE

Incompatible Materials	: Incompatible	: Incompatible with strong acids and oxidizing agents.				
Hazardous decompositio products			oxide (CO), oxides of nitrogen ad smoke are all possible.			
	11. TOXICOLOG	ICAL INFORMATIO	DN			
health data for the individ	n evaluated as a whole for dual components which co		are effects listed are based on exi-			
<u>Toxicity Overview</u> This product contains the	e following components w	which in their pure form	have the following characteristic			
CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGIO	CAL INFORMATION	I			
Persistence and degradab	oility : Not readily b	iodegradable.				
Environmental Toxicity	: Environmenta whole.	: Environmental toxicity has not been established for this mixture as a				
Bioaccumulation Potenti	al : No data avail	able.				
Additional advice	: No data avail	No data available.				
	13. DISPOSAL	CONSIDERATIONS				
Product	generator of v classification	waste material has the r	ed to disposal or incineration. Th esponsibility for proper waste posal in accordance with nd local regulations.			
Contaminated packaging	has the respon	nsibility for proper was in accordance with appl	e. The generator of waste materia te classification, transportation licable federal, state/provincial			
	14. TRANSPO	RT INFORMATION				
U.S. DOT / CA TDG Classification	: Not regulated	for transportation.				
ICAO/IATA	: Not regulated	for transportation.				
IMO / IMDG	: Not regulated	for transportation.				
	15. REGULATO	DRY INFORMATION	N			



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-21269 ORANGE

Version Number 1.0 Revision Date 09/03/2002		Page 5 of 6 Print Date <i>11/6/2011</i>
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

16. UTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-21269 ORANGE

Version Number 1.0 Revision Date 09/03/2002 Page 6 of 6 Print Date 11/6/2011