

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27048 YORKSHIRE BEIGE

Version Number 1.1 Revision Date 11/17/2003

Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship (314) 771-1800	
Emergency telephone number		CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	STAN-TONE HCC-27048 YORKSHIRE BEIGE	
Product code	:	FO20000467	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	1 - 5
Iron oxide	1309-37-1	1 - 5
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: May cause eye/skin irritation.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-27048 YORKSHIRE BEIGE

Version Number 1.1 Revision Date 11/17/2003 Page 2 of 6 Print Date 11/12/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 No data available No data available Not applicable Carbon dioxide blanket, water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE

2/6



MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27048 YORKSHIRE BEIGE

Version Number 1.1 Revision Date 11/17/2003

Water solubility

Page 3 of 6 Print Date 11/12/2011

Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.					
Storage		Leep containers dry and tightly nd contamination. Store in a		absorption		
8. H	EXPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: U	: Under normal handling conditions a respirator may not be required.				
Eye/Face Protection	: S	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.					
Skin and body protection	: L	: Long sleeved clothing.				
Additional Protective Measures	: S	: Safety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Engineering measures Exposure limit(s)		leat only in areas with approp ppropriate exhaust ventilation		Provide		
Components	Value	Exposure time	Exposure type	List:		
Components Calcium carbonate	Value 5 mg/m3	Exposure time PEL:	Exposure type Respirable fraction.	List: OSHA Z1		
	5 mg/m3	*	Exposure type Respirable fraction. Total dust.	List: OSHA Z1 OSHA Z1		
Calcium carbonate Iron oxide		PEL:	Respirable fraction.	OSHA Z1		
Calcium carbonate	5 mg/m3 15 mg/m3	PEL: PEL: Time Weighted Average	Respirable fraction. Total dust.	OSHA Z1 OSHA Z1		
Calcium carbonate Iron oxide	5 mg/m3 15 mg/m3 5 mg/m3	PEL: PEL: Time Weighted Average (TWA): Time Weighted Average	Respirable fraction. Total dust.	OSHA Z1 OSHA Z1 ACGIH		
Calcium carbonate Iron oxide	5 mg/m3 15 mg/m3 5 mg/m3 10 mg/m3 15 mg/m3	PEL: PEL: Time Weighted Average (TWA): Time Weighted Average (TWA):	Respirable fraction. Total dust. Dust and fume. as Fe Total dust.	OSHA Z1 OSHA Z1 ACGIH ACGIH		
Calcium carbonate Iron oxide Titanium dioxide	5 mg/m3 15 mg/m3 5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC	PEL: PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Respirable fraction. Total dust. Dust and fume. as Fe Total dust. OPERTIES	OSHA Z1 OSHA Z1 ACGIH ACGIH OSHA Z1		
Calcium carbonate Iron oxide	5 mg/m3 15 mg/m3 5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : liquid : liquid	PEL: PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRODUCTION d Evapo d, Viscous liquid Speci	Respirable fraction. Total dust. Dust and fume. as Fe Total dust. OPERTIES oration rate : Not	OSHA Z1 OSHA Z1 ACGIH ACGIH		
Calcium carbonate Iron oxide Titanium dioxide Form	5 mg/m3 15 mg/m3 5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : liquid : liquid	PEL: PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO d Evapo d, Viscous liquid Speci ersion	Respirable fraction. Total dust. Dust and fume. as Fe Total dust. OPERTIES oration rate : Not fic Gravity : Not	OSHA Z1 OSHA Z1 ACGIH ACGIH OSHA Z1 established determined		
Calcium carbonate Iron oxide Titanium dioxide Form Appearance Color	5 mg/m3 15 mg/m3 5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : liquid : liquid ispective : BRC	PEL: PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO d Evapo d, Viscous liquid Speci ersion WN Bulk	Respirable fraction. Total dust. Dust and fume. as Fe Total dust. Total dust. OPERTIES oration rate : Not fic Gravity : Not density : Not	OSHA Z1 OSHA Z1 ACGIH ACGIH OSHA Z1 established determined applicable		
Calcium carbonate Iron oxide Titanium dioxide Form Appearance Color Odor	5 mg/m3 15 mg/m3 5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : liquid dispection : BRC : Very	PEL: PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO d Evapo d, Viscous liquid Speci ersion WN Bulk faint Vapo	Respirable fraction. Total dust. Dust and fume. as Fe Total dust. Total dust. OPERTIES oration rate : Not fic Gravity density : Not r pressure	OSHA Z1 OSHA Z1 ACGIH ACGIH OSHA Z1 established determined		
Calcium carbonate Iron oxide Titanium dioxide Form Appearance Color	5 mg/m3 15 mg/m3 5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : liqui : liqui dispe : BRC : Very : Not a	PEL: PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO d Evapo d, Viscous liquid Speci ersion WN Bulk faint Vapo	Respirable fraction. Total dust. Dust and fume. as Fe Total dust. Total dust. OPERTIES oration rate : Not fic Gravity : Not density : Not ur density : Not ur density : Heave	OSHA Z1 OSHA Z1 ACGIH ACGIH OSHA Z1 established determined applicable determined		

10. STABILITY AND REACTIVITY

: Immiscible



MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27048 YORKSHIRE BEIGE

Version Number 1.1 Revision Date 11/17/2003 Page 4 of 6 Print Date 11/12/2011

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
1309-37-1	Iron oxide	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: No data available
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27048 YORKSHIRE BEIGE

Version Number 1.1 Revision Date 11/17/2003 Page 5 of 6 Print Date 11/12/2011

U.S. DOT Classification	: Refer to specific regulation.		
ICAO/IATA (air)	D/IATA (air) : Refer to specific regulation.		
IMO / IMDG (maritime)	: Refer to specific regulation.		
	15. REGULATORY INFORMATION		
US Regulations:			
OSHA Status	: Classified as hazardous based on components.		
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.		
US. EPA CERCLA Hazardous	Substances (40 CFR 302)		
Not applicable			
California Proposition 65	: This product does not contain a substance listed by California Prop 65.		
SARA Title III Section 302 Ex	tremely Hazardous Substance		
Not applicable			
SARA Title III Section 313 To	via Chamicals:		
	xic Chemicals.		
Not applicable Canadian Regulations:			
National Pollutant Relea	ase Inventory (NPRI)		
Not applicable			
WHMIS Classification	: D2B		
WHMIS Ingredient Disc	closure List		
CAS-No.			
1309-37-1			
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.		



MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27048 YORKSHIRE BEIGE

Version Number 1.1 Revision Date 11/17/2003 Page 6 of 6 Print Date *11/12/2011*

National Inventories:

:	Listed
:	Listed
:	Listed
:	Not determined
:	Listed
:	Listed
	: :

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.