

MATERIAL SAFETY DATA SHEET

D3276 CLEAR BOOTIE

Version Number 1.0 Revision Date 02/06/2004 Page 1 of 6 Print Date 11/13/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY	:	Product Stewardship (314) 771-1800	
TELEPHONE Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	D3276 CLEAR BOOTIE	
Product code	:	FO20000779	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET D3276 CLEAR BOOTIE

Version Number 1.0 Revision Date 02/06/2004 Page 2 of 6 Print Date 11/13/2011

	4. FIRST AID MEASURES			
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
Ingestion	 Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention. 			
Eyes				
Skin	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.			
	5. FIRE-FIGHTING MEASURES			
Flash point	: No data available			
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 No data available No data available Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible. 			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.			
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.			
	7. HANDLING AND STORAGE			
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing			



MATERIAL SAFETY DATA SHEET **D3276 CLEAR BOOTIE**

sion Number 1.0 vision Date 02/06/2004		Page 3 c Print Date 11/13/20
Storage	Periodically clear accumulation of	s may contain combustible or toxic residue. n hoods, ducts, and other surfaces to minimize these materials. dry and tightly closed to avoid moisture absorption
-	and contamination	on. Store in a cool dry place.
8. EXP	OSURE CONTROLS /	PERSONAL PROTECTION
Respiratory protection	: Under normal ha	ndling conditions a respirator may not be required.
Eye/Face Protection	: Safety glasses wi	th side-shields.
Hand protection	: Protective gloves	5.
Skin and body protection	: Long sleeved clo	thing.
Additional Protective Measures	: Safety shoes.	
General Hygiene Considerations		ance with good industrial hygiene and safety practice. The breaks and at the end of workday.
Engineering measures		s with appropriate exhaust ventilation. Provide ust ventilation at machinery.
Exposure limit(s)		
There are no known hazardou	s components above reg	ulatory thresholds in this product.
9.	PHYSICAL AND CHI	EMICAL PROPERTIES
Form	: liquid	Evaporation rate : Not established
Appearance	: Viscous, liquid	Specific Gravity: : Not determined
Color	: TRANSPARENT	Bulk density : Not applicable
Odor	: Very faint	Vapor pressure : Not determined
Melting point/range	: Not applicable	Vapour density : Not determined
Boiling Point: Water solubility	: Not applicable : Immiscible	pH : Not applicable
	10. STABILITY A	ND REACTIVITY
Stability	: Stable.	
Hazardous Polymerization	: Will not occur.	
Conditions to avoid	: Keep away from decomposition, d	oxidizing agents and open flame. To avoid thermal lo not overheat.
Incompatible Materials	: Incompatible wit	h strong acids and oxidizing agents. Avoid contact



MATERIAL SAFETY DATA SHEET **D3276 CLEAR BOOTIE**

sion Number 1.0 ision Date 02/06/2004	Page Print Date 11/13/
	with acetal homopolymers and acetal copolymers during processing
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occu after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F and within 5 minutes at 232 °C (450 °F).
	11. TOXICOLOGICAL INFORMATION
There are no known hazardous	components above regulatory thresholds in this product.
	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: No data available
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory



MATERIAL SAFETY DATA SHEET **D3276 CLEAR BOOTIE**

Print Date 11/13/2011 Is in this product. ponents of this product are listed on or exempt from the TSCA 7. 0 CFR 302)
ponents of this product are listed on or exempt from the TSCA
7.
) CFR 302)
NG! This product contains a chemical known to the State of a to cause cancer.
lous Substance
NPRI)
rolled.
ponents of this product are on the Canadian Domestic es List (DSL) or are exempt.
rmined
rmined
rmined
rmined
rmined
HER INFORMATION
5/6



MATERIAL SAFETY DATA SHEET **D3276 CLEAR BOOTIE**

Version Number 1.0 Revision Date 02/06/2004 Page 6 of 6 Print Date *11/13/2011*

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.