

MATERIAL SAFETY DATA SHEET

# STAN-TONE HCC-GOLD

Version Number 1.0 Revision Date 04/01/2003 Page 1 of 6 Print Date 11/11/2011

# 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HCC-GOLD
Product code	:	FO20000868
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	5 - 10

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. In addition, heating or processing this material may result in product degradation or byproduct formation creating additional hazards. See Sections 8 and 11 for additional details.

### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Irritating to respiratory system.
Ingestion	: No known effects.
Eyes	: Particulates, like other inert materials can be mechanically irritating.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES



## MATERIAL SAFETY DATA SHEET

# STAN-TONE HCC-GOLD

sion Number 1.0 ision Date 04/01/2003	Page 2 Print Date 11/11/2
Inhalation	: Move to fresh air. When symptoms persist or in all cases of doubt seel medical advice.
Ingestion	: Not an anticipated hazard.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>No data available.</li> <li>Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Avoid breathing dust. Avoid dust formation. Ensure adequate ventilation. Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Do not create a powder cloud by using a brush or compressed air. Shovel into suitable container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Provide for appropriate exhaust ventilation and dust collection at machinery. Avoid formation of dust and aerosols.
Storage	: Store in a cool dry place. Keep away from open flames, hot surfaces and sources of ignition.



MATERIAL SAFETY DATA SHEET

# STAN-TONE HCC-GOLD

Version Number 1.0 Revision Date 04/01/2003 Page 3 of 6 Print Date 11/11/2011

		CONTROLS / PERS		INOILEIION	
Respiratory protection	n re	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Employees using respirators must be properly trained. Employers must follow applicable regulations such as OSHA 29 CFR 1910.134.			
Eye/Face Protection	: S	afety glasses with side	e-shields		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	Safety shoes			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety p Wash hands before breaks and immediately after handling the				
Engineering measures	a			propriate respiratory prote employee exposure to pro	
Exposure limit(s)					
Components	Value	Exposure time	2	Exposure type	List:
Components Iron oxide	Value 5 mg/m3	Exposure time Time Weighted Av (TWA):		Exposure type Dust and fume. as Fe	List: ACGIH
	5 mg/m3	Time Weighted Av (TWA):	erage	Dust and fume. as Fe	
	5 mg/m3	Time Weighted Av	erage	Dust and fume. as Fe	
	5 mg/m3 9. PHYSIC : Solid	Time Weighted Av (TWA): CAL AND CHEMICA	AL PRC	Dust and fume. as Fe DPERTIES ration rate : Not	ACGIH applicable.
Iron oxide Form Appearance	5 mg/m3 9. PHYSIC : Solic : powe	Time Weighted Av (TWA): CAL AND CHEMICA der, flakes	AL PRO Evapo Specifi	Dust and fume. as Fe <b>DPERTIES</b> ration rate       : Not         ic Gravity       : Not	ACGIH applicable. determined
Iron oxide Form Appearance Color	5 mg/m3 9. PHYSIC : Solic : powe : YEL	Time Weighted Av (TWA): CAL AND CHEMICA der, flakes LOW	erage AL PRC Evapo Specif Bulk d	Dust and fume. as Fe         DPERTIES         ration rate       : Not         ic Gravity       : Not         lensity       : Not	ACGIH applicable. determined determined
Iron oxide Form Appearance Color Odor	5 mg/m3 9. PHYSIC : Solic : pow : YEL : Very	Time Weighted Av (TWA): CAL AND CHEMICA der, flakes LOW 7 faint	AL PRC Evapo Specif Bulk d Vapor	Dust and fume. as Fe         DPERTIES         ration rate       : Not         ic Gravity       : Not         lensity       : Not         pressure       : Not	ACGIH applicable. determined determined applicable.
Iron oxide Form Appearance Color Odor Melting point/range	5 mg/m3 9. PHYSIC : Solic : pow : YEL : Very : Not	Time Weighted Av (TWA): CAL AND CHEMICA der, flakes LOW faint applicable	AL PRC Evapo Specif Bulk d Vapor Vapor	Dust and fume. as Fe         DPERTIES         ration rate       : Not         ic Gravity       : Not         lensity       : Not         pressure       : Not         density       : Not	ACGIH applicable. determined determined applicable. applicable
Iron oxide Form Appearance Color Odor Melting point/range Boiling Point:	5 mg/m3 9. PHYSIC : Solid : powe : YEL : Very : Not : Not	Time Weighted Av (TWA): CAL AND CHEMICA der, flakes LOW faint applicable applicable.	AL PRC Evapo Specif Bulk d Vapor	Dust and fume. as Fe         DPERTIES         ration rate       : Not         ic Gravity       : Not         lensity       : Not         pressure       : Not         density       : Not	ACGIH applicable. determined determined applicable.
Iron oxide Form Appearance Color Odor Melting point/range	5 mg/m3 9. PHYSIC 2. Solid 3. poww 3. YEL 3. Very 3. Not 4. Not 4. Negle	Time Weighted Av (TWA): CAL AND CHEMICA der, flakes LOW faint applicable applicable. igible	AL PRO Evapo Specif Bulk d Vapor Vapor pH	Dust and fume. as Fe <b>PERTIES</b> ration rate : Not ic Gravity : Not lensity : Not pressure : Not density : Not : Not	ACGIH applicable. determined determined applicable. applicable
Iron oxide Form Appearance Color Odor Melting point/range Boiling Point:	5 mg/m3 9. PHYSIC 2. Solid 3. poww 3. YEL 3. Very 3. Not 4. Not 4. Negle	Time Weighted Av (TWA): CAL AND CHEMICA der, flakes LOW faint applicable applicable.	AL PRO Evapo Specif Bulk d Vapor Vapor pH	Dust and fume. as Fe <b>PERTIES</b> ration rate : Not ic Gravity : Not lensity : Not pressure : Not density : Not : Not	ACGIH applicable. determined determined applicable. applicable
Iron oxide Form Appearance Color Odor Melting point/range Boiling Point:	5 mg/m3 9. PHYSIC 2. Solid 3. powe 4. YEL 4. Very 5. Not 5. Not 6. Not 10. §	Time Weighted Av (TWA): CAL AND CHEMICA der, flakes LOW faint applicable applicable. igible	AL PRO Evapo Specif Bulk d Vapor Vapor pH	Dust and fume. as Fe <b>PERTIES</b> ration rate : Not ic Gravity : Not lensity : Not pressure : Not density : Not : Not	ACGIH applicable. determined determined applicable. applicable
Iron oxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	5 mg/m3 9. PHYSIC : Solid : powe : YEL : Very : Not : Not : Negl 10. S : S	Time Weighted Av (TWA): CAL AND CHEMICA der, flakes LOW faint applicable applicable. igible	AL PRO Evapo Specif Bulk d Vapor Vapor pH	Dust and fume. as Fe <b>PERTIES</b> ration rate : Not ic Gravity : Not lensity : Not pressure : Not density : Not : Not	ACGIH applicable. determined determined applicable. applicable
Iron oxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	5 mg/m3 9. PHYSIO : Solid : powd : YEL : Very : Not : Not : Negl 10. S n : V	Time Weighted Av (TWA): CAL AND CHEMICA der, flakes LOW faint applicable applicable. igible STABILITY AND RH table.	AL PRO Evapo Specif Bulk d Vapor Vapor pH	Dust and fume. as Fe <b>PERTIES</b> ration rate : Not ic Gravity : Not lensity : Not pressure : Not density : Not : Not	ACGIH applicable. determined determined applicable. applicable



MATERIAL SAFETY DATA SHEET

# STAN-TONE HCC-GOLD

Version Number 1.0 Revision Date 04/01/2003 Page 4 of 6 Print Date 11/11/2011

Hazardous decomposition products

:

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No. Chemical N	Vame Effect	Target Organ
1309-37-1 Iron oxide	Systemic effects	Respiratory system.

### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	: Pigments are practically not biodegradable.
Environmental Toxicity	: No data available.
<b>Bioaccumulation Potential</b>	: No data available.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	



## MATERIAL SAFETY DATA SHEET

# STAN-TONE HCC-GOLD

sion Number 1.0 ision Date 04/01/2003		Page 5 Print Date 11/11/2
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65
SARA Title III Section 302 Ext	trem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 To:	xic (	Chemicals:
	N	ot applicable
Canadian Regulations:		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Listed.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION



MATERIAL SAFETY DATA SHEET

# STAN-TONE HCC-GOLD

Version Number 1.0 Revision Date 04/01/2003 Page 6 of 6 Print Date 11/11/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.