

MATERIAL SAFETY DATA SHEET

PX-9595-A HOT MELT PLASTISOL

Version Number 1.0 Revision Date 07/18/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PX-9595-A HOT MELT PLASTISOL
Product code	:	FO20001010
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
OXIRANE, 2,2'-[(1-METHYLETHYLIDENE)BIS(4,1-P HENYLENEOXYMETHYLENE)]BIS-, HOMOPOLYMER	25085-99-8	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

PX-9595-A HOT MELT PLASTISOL

Version Number 1.0 Revision Date 07/18/2002 Page 2 of 6 Print Date 11/5/2011

Aggravated by Exposure:		
		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	:	Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	: :	No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, Water spray. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE



MATERIAL SAFETY DATA SHEET

PX-9595-A HOT MELT PLASTISOL

sion Date 07/18/2002		Print Date 11/5/2
Handling	fume condens Periodically c	reas with appropriate exhaust ventilation. Processing ates may contain combustible or toxic residue. lean hoods, ducts, and other surfaces to minimize of these materials.
Storage	-	ers dry and tightly closed to avoid moisture absorption ation. Store in a cool dry place.
8. EXI	POSURE CONTROL	S / PERSONAL PROTECTION
Respiratory protection	: Under normal	handling conditions a respirator may not be required.
Eye/Face Protection	: Safety glasses	with side-shields.
Hand protection	: Protective glo	ves.
Skin and body protection	: Long sleeved	clothing.
Additional Protective Measures	: Safety shoes.	
General Hygiene Considerations		ordance with good industrial hygiene and safety practice efore breaks and at the end of workday.
Engineering measures		reas with appropriate exhaust ventilation. Provide haust ventilation at machinery.
Exposure limit(s)		
9	. PHYSICAL AND C	HEMICAL PROPERTIES
Form Appearance Color	 Liquid Viscous, Liquid TRANSPARENT Very faint Not applicable Not applicable 	Evaporation rate:Not establishedSpecific Gravity:Not determinedBulk density:Not applicable.Vapor pressure:Not determinedVapor density:Not determinedpH:Not applicable.
Odor Melting point/range Boiling Point: Water solubility	: Immiscible	
Melting point/range Boiling Point:		AND REACTIVITY
Melting point/range Boiling Point:		AND REACTIVITY
Melting point/range Boiling Point: Water solubility	10. STABILITY	
Melting point/range Boiling Point: Water solubility Stability	10. STABILITY : Stable. : Will not occur : Keep away from	



MATERIAL SAFETY DATA SHEET

PX-9595-A HOT MELT PLASTISOL

Version Number 1.0 Revision Date 07/18/2002 Page 4 of 6 Print Date 11/5/2011

with acetal homopolymers and acetal copolymers during processing.

Hazardous decomposition
products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
(NOx), hydrogen chloride (HCl), other hazardous materials, and
smoke are all possible. Prolonged heating may result in product
degradation. As a general rule of thumb, degradation begins to occur
after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F),
and within 5 minutes at 232 °C (450 °F).

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
25085-99-8	OXIRANE,	sensitizer	Skin.
	2,2'-[(1-METHYLETHYL		
	IDENE)BIS(4,1-PHENYL		
	ENEOXYMETHYLENE)		
]BIS-, HOMOPOLYMER		

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: No data available.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION



MATERIAL SAFETY DATA SHEET

PX-9595-A HOT MELT PLASTISOL

CA TDG on A G G ions: HA Status CA Status ERCLA Hazaro nical Name nes (o-, m-, p- ers)	:	Not regu Not regu REGUL Classifie All comp exempt. tances (40	ponents of this p	ortation. ortation. DRMATION based on components.	TSCA inventory or are RQ for Mixture/Product 55,960 LB
G ions: HA Status CA Status ERCLA Hazaro nical Name nes (o-, m-, p- ers)	: 15. : : dous Subs CAS-N	Not regu REGUL Classifie All comp exempt. tances (40 10.	ATORY INFO	DRMATION DRMATION based on components. roduct are listed on the RQ for component	RQ for Mixture/Product
ions: HA Status CA Status ERCLA Hazaro nical Name nes (o-, m-, p- ers)	: : dous Subs CAS-N	REGUL Classifie All comp exempt. tances (40	ATORY INFO	DRMATION based on components. roduct are listed on the RQ for component	RQ for Mixture/Product
HA Status CA Status ERCLA Hazaro nical Name nes (o-, m-, p- ers)	: : dous Subs CAS-N	Classifie All comp exempt. tances (40	d as hazardous boonents of this p 0 CFR 302) % in Product	based on components. roduct are listed on the RQ for component	RQ for Mixture/Product
HA Status CA Status ERCLA Hazaro nical Name nes (o-, m-, p- ers)	: lous Subs CAS-N	All comp exempt. tances (40	oonents of this p 0 CFR 302) % in Product	roduct are listed on the	RQ for Mixture/Product
CA Status ERCLA Hazaro nical Name nes (o-, m-, p- ers)	: lous Subs CAS-N	All comp exempt. tances (40	oonents of this p 0 CFR 302) % in Product	roduct are listed on the	RQ for Mixture/Product
ERCLA Hazaro nical Name nes (o-, m-, p- ers)	CAS-N	exempt. tances (40	0 CFR 302) % in Product	RQ for component	RQ for Mixture/Product
nical Name nes (o-, m-, p- ers)	CAS-N	0.	% in Product		Mixture/Product
enes (o-, m-, p- ers)					Mixture/Product
ers)	1330-2	0-7	0.17	100 lbs	
fornia Propositi					
		Californi	ia to cause cance	er.	l known in the State of
egulations:					
	tion :		rolled.		
	:	Listed.			
	:				
	:				
-	:				
an ENCS	:		rmined.		
		Listed.			
	ventories: tralia AICS na IECS ope EINECS nn ENCS	ventories: tralia AICS : na IECS : ope EINECS :	z : Listed. ventories: tralia AICS : Listed. na IECS : Listed. ope EINECS : Not dete n ENCS : Not dete	ventories: tralia AICS : Listed. na IECS : Listed. ope EINECS : Not determined. n ENCS : Not determined.	.:Listed.ventories:.tralia AICS:Listed.na IECS:Listed.ope EINECS:Not determined.in ENCS:Not determined.



MATERIAL SAFETY DATA SHEET

PX-9595-A HOT MELT PLASTISOL

Version Number 1.0 Revision Date 07/18/2002 Page 6 of 6 Print Date 11/5/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.