

#### MATERIAL SAFETY DATA SHEET

## FB415 White

Version Number 1.0 Revision Date 09/03/2002 Page 1 of 6 Print Date 11/6/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	FB415 White
Product code	:	FO20001594
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Diphenyloxide-4,4'-disulfohydrazide	80-51-3	1 - 5
Titanium dioxide	13463-67-7	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.





sion Number 1.0 rision Date 09/03/2002	Page 2 Print Date 11/6/2
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>No data available.</li> <li>No data available.</li> <li>Not applicable.</li> <li>Carbon dioxide blanket, dry powder, foam, Water spray.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	<ul> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing

#### MATERIAL SAFETY DATA SHEET



B415 White				
ersion Number 1.0 evision Date 09/03/2002			Print	Page 3 of Date <u>11/6/20</u> 3
	Р	ume condensates may contain of eriodically clean hoods, ducts, ccumulation of these materials	and other surfaces to mi	
Storage		Leep containers dry and tightly nd contamination. Store in a c		e absorption
8.1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: U	Inder normal handling condition	ons a respirator may not	be required.
Eye/Face Protection	: S	afety glasses with side-shields		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and a		afety practice.
Engineering measures		leat only in areas with appropr ppropriate exhaust ventilation		Provide
Exposure limit(s)				
	X7 1			T
Components Diphenyloxide-4,4'-dis ulfohydrazide	Value 0.1 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Inhalable dust.	List: ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

# 9. PHYSICAL AND CHEMICAL PROPERTIES : Liquid Evaporation rate : Not e Viscon Liquid Evaporation rate : Not e

- Form Appearance Color Odor Melting point/range Boiling Point: Water solubility
- Liquid
  Viscous, Liquid
  WHITE
  Very faint
  Not applicable
  Not applicable
  Immiscible
- Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH
- Not establishedNot determinedNot applicable.Not determinedNot determined
- : Not applicable.

# **10. STABILITY AND REACTIVITY**

Stability

: Stable.



## MATERIAL SAFETY DATA SHEET

B415 White				
ersion Number 1.0 evision Date 09/03/2002				Page 4 of e Print Date 11/6/201
Hazardous Polymerizati	on :	Will not occur.		
Conditions to avoid	:		m oxidizing agents and do not overheat.	d open flame. To avoid thermal
Incompatible Materials	:	1	e	xidizing agents. Avoid contact copolymers during processing.
Hazardous decomposition products	on :	(NOx), hydrog smoke are all p degradation. A after one hour a	en chloride (HCl), oth ossible. Prolonged he s a general rule of thu	exide (CO), oxides of nitrogen er hazardous materials, and eating may result in product mb, degradation begins to occur er 10 minutes at 204 °C (400 °F), °F).
	11. '	TOXICOLOGI	CAL INFORMATIO	N
health data for the indivi Toxicity Overview	idual compo	onents which cor	nprise the mixture.	re effects listed are based on existin have the following characteristics:
CAS-No.	Cherr	ical Name	Effect	Target Organ
13463-67-7	Titanium d	ioxide	Systemic effects	Respiratory system.

	12. ECOLO	GICAL INFORMATIC	DN		
Persistence and degradabil	ity : Not readi	ily biodegradable.			
Environmental Toxicity	: Environm whole.	: Environmental toxicity has not been established for this mixture as a whole.			
<b>Bioaccumulation Potential</b>	: No data a	available.			
Additional advice	: No data a	available.			
	13. DISPOS	SAL CONSIDERATION	NS		
Product	generator classifica	of waste material has the	rred to disposal or incineration. The responsibility for proper waste disposal in accordance with and local regulations.		
Contaminated packaging	has the re and dispo	esponsibility for proper w	ble. The generator of waste materia aste classification, transportation oplicable federal, state/provincial		
	14 TDANS	SPORT INFORMATIO	N		



## MATERIAL SAFETY DATA SHEET

sion Number 1.0 /ision Date 09/03/2002		Page 5 Print Date
VISION Date 09/03/2002		Plint Date 11/0/2
U.S. DOT / CA TDG Classification	:	Not regulated for transportation.
ICAO/IATA	:	Not regulated for transportation.
IMO / IMDG	:	Not regulated for transportation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known in the State of California to cause cancer.
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
		Not determined.
Japan ENCS	:	
Japan ENCS Korea KECI	:	Listed.



MATERIAL SAFETY DATA SHEET

## FB415 White

Version Number 1.0 Revision Date 09/03/2002 Page 6 of 6 Print Date 11/6/2011

## **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.