

#### MATERIAL SAFETY DATA SHEET

## FB416 Pink

Version Number 1.0 Revision Date 09/04/2002 Page 1 of 6 Print Date 11/6/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

| NON-EMERGENCY<br>TELEPHONE    | : | Product Stewardship, (314) 771-1800  |
|-------------------------------|---|--|
| Emergency telephone<br>number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
| Product name                  | : | FB416 Pink   |
| Product code                  | : | FO20001616   |
| Chemical Name                 | : | Mixture  |
| CAS-No.                       | : | Mixture  |
| Product Use                   | : | Industrial Applications  |

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

| Components       | CAS-No.    | Weight % |
|------------------|------------|----------|
| Titanium dioxide | 13463-67-7 | 1 - 5    |

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

## POTENTIAL HEALTH EFFECTS

| <b>Routes of Exposure:</b>                    | : Inhalation, Skin contact, Ingestion  |
|---|--|
| Acute exposure                                |  |
| Inhalation                                    | : Inhalation of airborne droplets may cause irritation of the respiratory tract. |
| Ingestion                                     | : May be harmful if swallowed.   |
| Eyes  | : May cause eye/skin irritation.   |
| Skin  | : Experience shows no unusual dermatitis hazard from routine handling.           |
| Chronic exposure                              | : Refer to Section 11 for Toxicological Information.                             |
| Medical Conditions<br>Aggravated by Exposure: | : None known.  |



## MATERIAL SAFETY DATA SHEET

# FB416 Pink

| sion Date 09/04/2002   | Page 2<br>Print Date 11/6/2  |
|--|--|
|  | 4. FIRST AID MEASURES  |
| Inhalation   | : Move to fresh air in case of accidental inhalation of fumes from<br>overheating or combustion. When symptoms persist, or in all cases o<br>doubt, seek medical advice.   |
| Ingestion  | : Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.   |
| Eyes   | : Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.  |
| Skin   | : Wash off with soap and plenty of water. If skin irritation persists seel medical attention.  |
|  | 5. FIRE-FIGHTING MEASURES  |
| Flash point  | : No data available.   |
| Flammable Limits<br>Upper explosion limit<br>Lower explosion limit<br>Autoignition temperature<br>Suitable extinguishing media | <ul> <li>No data available.</li> <li>No data available.</li> <li>Not applicable.</li> <li>Carbon dioxide blanket, dry powder, foam, Water spray.</li> </ul>  |
| Special Fire Fighting<br>Procedures<br>Unusual Fire/Explosion  | <ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under</li> </ul> |
| Hazards  | fire conditions.   |
|  | 6. ACCIDENTAL RELEASE MEASURES   |
| Personal precautions   | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.   |
| Environmental precautions  | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.   |
| Methods for cleaning up  | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder<br>universal binder, sawdust). Package all material in appropriate<br>container for disposal. Refer to Section 13 of this MSDS for proper<br>disposal methods.   |
|  | 7. HANDLING AND STORAGE  |
| Handling   | : Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize   |

# MATERIAL SAFETY DATA SHEET



| sion Number 1.0<br>rision Date 09/04/2002  |   |  | Print  | Page 3 of<br>Date 11/6/201   |  |
|--|---|--|--|--|--|
|  | a   | ccumulation of these materials.  |  |  |  |
| Storage  |   | eep containers dry and tightly nd contamination. Store in a contamination.   |  | e absorption   |  |
| 8. F   | XPOSURE   | CONTROLS / PERSONAL  | PROTECTION   |  |  |
| Respiratory protection   | : U   | nder normal handling conditio  | ns a respirator may not  | be required.   |  |
| Eye/Face Protection  | : S   | afety glasses with side-shields.   |  |  |  |
| Hand protection  | : P   | rotective gloves.  |  |  |  |
| Skin and body protection   | : L   | ong sleeved clothing.  |  |  |  |
| Additional Protective<br>Measures  | : S   | afety shoes.   |  |  |  |
| General Hygiene<br>Considerations  |   |  | ce with good industrial hygiene and safety practice.<br>breaks and at the end of workday.  |  |  |
| Engineering measures   | : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.          |  |  |  |  |
| Exposure limit(s)  |   |  |  |  |  |
|  |   |  |  |  |  |
| Components   | Value   | Exposure time  | Exposure type  | List:  |  |
| Components<br>Titanium dioxide   | Value<br>10 mg/m3   | Time Weighted Average  | Exposure type  | List:<br>ACGIH   |  |
|  |   |  | Exposure type<br>Total dust.   |  |  |
| Titanium dioxide   | 10 mg/m3<br>15 mg/m3  | Time Weighted Average (TWA):   | Total dust.  | ACGIH  |  |
| Titanium dioxide   | 10 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Liqu<br>: Visco<br>: PINF<br>: Very<br>: Not a                                     | Time Weighted Average<br>(TWA):<br>PEL:<br>CAL AND CHEMICAL PRO<br>id Evapor<br>ous, Liquid Specifi<br>& Bulk d<br>faint Vapor<br>applicable Vapor<br>applicable pH            | Total dust. <b>PERTIES</b> ration rate       :       Not         c Gravity       :       Not         ensity       :       Not         pressure       :       Not         density       :       Not | ACGIH  |  |
| Titanium dioxide<br>Titanium dioxide<br>Titanium dioxide<br>Form<br>Appearance<br>Color<br>Odor<br>Melting point/range<br>Boiling Point:                     | 10 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Liqu<br>: Visco<br>: PINH<br>: Very<br>: Not a<br>: Not a<br>: Imm                 | Time Weighted Average<br>(TWA):<br>PEL:<br>CAL AND CHEMICAL PRO<br>id Evapor<br>ous, Liquid Specifi<br>& Bulk d<br>faint Vapor<br>applicable Vapor<br>applicable pH            | Total dust. <b>PERTIES</b> ration rate       :       Not         c Gravity       :       Not         ensity       :       Not         pressure       :       Not         density       :       Not | ACGIH<br>OSHA Z1<br>established<br>determined<br>applicable.<br>determined<br>determined |  |
| Titanium dioxide<br>Titanium dioxide<br>Titanium dioxide<br>Form<br>Appearance<br>Color<br>Odor<br>Melting point/range<br>Boiling Point:                     | 10 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Liqu<br>: Visco<br>: PINF<br>: Very<br>: Not a<br>: Imm<br>10. §                   | Time Weighted Average<br>(TWA):<br>PEL:<br>CAL AND CHEMICAL PRO<br>id Evapor<br>ous, Liquid Specifi<br>X Bulk d<br>faint Vapor<br>applicable Vapor<br>applicable pH<br>iscible | Total dust. <b>PERTIES</b> ration rate       :       Not         c Gravity       :       Not         ensity       :       Not         pressure       :       Not         density       :       Not | ACGIH<br>OSHA Z1<br>established<br>determined<br>applicable.<br>determined<br>determined |  |
| Titanium dioxide<br>Titanium dioxide<br>Titanium dioxide<br>Form<br>Appearance<br>Color<br>Odor<br>Melting point/range<br>Boiling Point:<br>Water solubility | 10 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Liqu<br>: Visco<br>: PINF<br>: Very<br>: Not a<br>: Not a<br>: Imm<br>10. S<br>: S | Time Weighted Average<br>(TWA):<br>PEL:<br>CAL AND CHEMICAL PRO<br>id Evapor<br>ous, Liquid Specifi<br>X Bulk d<br>faint Vapor<br>applicable Vapor<br>applicable pH<br>iscible | Total dust. <b>PERTIES</b> ration rate       :       Not         c Gravity       :       Not         ensity       :       Not         pressure       :       Not         density       :       Not | ACGIH<br>OSHA Z1<br>established<br>determined<br>applicable.<br>determined<br>determined |  |



#### MATERIAL SAFETY DATA SHEET

# FB416 Pink

| rsion Number 1.0<br>vision Date 09/04/2002 | Page 4 o<br>Print Date <i>11/6/20</i>   |
|--|---|
| Incompatible Materials                     | : Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.  |
| Hazardous decomposition products           | : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F). |
|  | 11. TOXICOLOGICAL INFORMATION   |

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No.    | Chemical Name    | Effect           | Target Organ        |
|------------|------------------|------------------|---------------------|
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system. |

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

| CAS-No.    | Chemical Name    | OSHA | IARC | NTP |
|------------|------------------|------|------|-----|
| 13463-67-7 | Titanium dioxide | no   | 3    | no  |

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### **12. ECOLOGICAL INFORMATION**

| Persistence and degradability | : | Not readily biodegradable.   |
|-------------------------------|---|--|
| Environmental Toxicity        | : | Environmental toxicity has not been established for this mixture as a whole. |
| Bioaccumulation Potential     | : | No data available.   |
| Additional advice             | : | No data available.   |

## 13. DISPOSAL CONSIDERATIONS

## MATERIAL SAFETY DATA SHEET



| rsion Number 1.0<br>vision Date 09/04/2002     | Page 5 of<br>Print Date <i>11/6/20</i>   |
|--|--|
| VISION Dale 03/04/2002                         |  |
| Product  | : Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging                         | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.                               |
|  | 14. TRANSPORT INFORMATION  |
|  |  |
| U.S. DOT Classification                        | : Not regulated for transportation.  |
| ICAO/IATA                                      | : Not regulated for transportation.  |
| IMO / IMDG                                     | : Not regulated for transportation.  |
|  | 15. REGULATORY INFORMATION   |
| US Regulations:                                |  |
| OSHA Status                                    | : Classified as hazardous based on components.   |
| TSCA Status                                    | : All components of this product are listed on the TSCA inventory or are exempt.   |
| US. EPA CERCLA Hazardou                        | s Substances (40 CFR 302)  |
| Not applicable                                 |  |
|  |  |
| California Proposition<br>65                   | : WARNING! This product contains a chemical known in the State of California to cause cancer.  |
| SARA Title III Section 302 E<br>Not applicable | xtremely Hazardous Substance   |
| Canadian Regulations:                          |  |
| WHMIS Classification                           | n : D2B  |
| DSL  | : Listed.  |
|  |  |



## MATERIAL SAFETY DATA SHEET

| FB416 Pink                                     |                       |                                     |
|--|-----------------------|-------------------------------------|
| Version Number 1.0<br>Revision Date 09/04/2002 |                       | Page 6 of 6<br>Print Date 11/6/2011 |
| Australia AICS                                 | : Listed.             |                                     |
| China IECS                                     | : Listed.             |                                     |
| Europe EINECS                                  | : Not determined.     |                                     |
| Japan ENCS                                     | : Not determined.     |                                     |
| Korea KECI                                     | : Listed.             |                                     |
| Philippines PICCS                              | : Listed.             |                                     |
|  | 16. OTHER INFORMATION |                                     |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.