

MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-27775 ORANGE

Version Number 1.0 Revision Date 01/23/2003 Page 1 of 6 Print Date 11/10/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HCC-27775 ORANGE
Product code	:	FO20001793
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. In addition, heating or processing this material may result in product degradation or byproduct formation creating additional hazards. See Sections 8 and 11 for additional details.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Irritating to respiratory system.		
Ingestion	: No known effects.		
Eyes	: Particulates, like other inert materials can be mechanically irritating.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		

1/6



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-27775 ORANGE

Inhalation	
Inhalation	
	: Move to fresh air. When symptoms persist or in all cases of doubt see medical advice.
Ingestion	: Not an anticipated hazard.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If exirct irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Elementala L'unita	
Flammable Limits Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: No data available.
Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon
	dioxide
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne
	contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Avoid breathing dust. Avoid dust formation. Ensure adequate ventilation. Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Do not create a powder cloud by using a brush or compressed air. Shovel into suitable container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Provide for appropriate exhaust ventilation and dust collection at machinery. Avoid formation of dust and aerosols.
Storage	: Store in a cool dry place. Keep away from open flames, hot surfaces and sources of ignition.



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-27775 ORANGE

Version Number 1.0 Revision Date 01/23/2003 Page 3 of 6 Print Date 11/10/2011

	XPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	m re	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Employees using respirators must be properly trained. Employers must follow applicable regulations such as OSHA 29 CFR 1910.134.				
Eye/Face Protection	: S	afety glasses with side-shields	5.			
Hand protection	: P:	Protective gloves.				
Skin and body protection	: L	Long sleeved clothing.				
Additional Protective Measures	: S	Safety shoes				
General Hygiene Considerations		andle in accordance with good ash hands before breaks and				
Engineering measures	: Adequate ventilation and/or appropriate respiratory protection may also be necessary to minimize employee exposure to processing vapors.					
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Components Titanium dioxide	Value 10 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Dust.	List: ACGIH		
		Time Weighted Average				
Titanium dioxide	10 mg/m3 15 mg/m3	Time Weighted Average (TWA):	Dust. Total dust.	ACGIH		
Titanium dioxide Titanium dioxide	10 mg/m3 15 mg/m3 9. PHYSIC	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Dust. Total dust.	ACGIH OSHA Z1		
Titanium dioxide Titanium dioxide Form	10 mg/m3 15 mg/m3 9. PHYSIC : Solid	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Dust. Total dust. OPERTIES oration rate : No	ACGIH OSHA Z1		
Titanium dioxide Titanium dioxide Form Appearance	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : powo	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Ler, flakes Specifi	Dust. Total dust. OPERTIES oration rate : No fic Gravity : No	ACGIH OSHA Z1		
Titanium dioxide Titanium dioxide Form Appearance Color	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : powo : ORA	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Evapo ler, flakes Specific NGE Bulk of	Dust. Total dust. OPERTIES oration rate : No fic Gravity : No density : No	ACGIH OSHA Z1		
Titanium dioxide Titanium dioxide Form Appearance Color Odor	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : powc : ORA : Very	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Ler, flakes Specific NGE Bulk of faint Vapor	Dust. Total dust. OPERTIES oration rate : No fic Gravity : No density : No : pressure : No	ACGIH OSHA Z1		
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : powc : ORA : Very : Not a	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ler, flakes Specific NGE Bulk of faint Vapor applicable Vapor	Dust. Total dust. OPERTIES oration rate : No fic Gravity : No density : No pressure : No c density : No c density : No c density : No	ACGIH OSHA Z1 ot applicable. ot determined ot determined ot applicable. ot applicable		
Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : powc : ORA : Very : Not a : Not a	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapor I I Evapor I I Evapor I I Evapor I I Evapor I I Evapor I I I I I I I I I I I I I I I I I I I	Dust. Total dust. OPERTIES oration rate : No fic Gravity : No density : No pressure : No c density : No c density : No c density : No	ACGIH OSHA Z1		
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : powc : ORA : Very : Not a	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapor I I Evapor I I Evapor I I Evapor I I Evapor I I Evapor I I I I I I I I I I I I I I I I I I I	Dust. Total dust. OPERTIES oration rate : No fic Gravity : No density : No pressure : No c density : No c density : No c density : No	ACGIH OSHA Z1 ot applicable. ot determined ot determined ot applicable. ot applicable		
Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : powc : ORA : Very : Not a : Not a : Negl	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapor I I Evapor I I Evapor I I Evapor I I Evapor I I Evapor I I I I I I I I I I I I I I I I I I I	Dust. Total dust. OPERTIES oration rate : No fic Gravity : No density : No : pressure : No : density : No	ACGIH OSHA Z1 ot applicable. ot determined ot determined ot applicable. ot applicable		
Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : powc : ORA : Very : Not a : Negl 10. S	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Exapo ler, flakes Specific NGE Bulk of faint Vapor applicable Vapor applicable. pH igible	Dust. Total dust. OPERTIES oration rate : No fic Gravity : No density : No : pressure : No : density : No	ACGIH OSHA Z1 ot applicable. ot determined ot determined ot applicable. ot applicable		
Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : powc : ORA : Very : Not a : Not a : Negl 10. S : Solid : Sol	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapor I	Dust. Total dust. OPERTIES oration rate : No fic Gravity : No density : No : pressure : No : density : No	ACGIH OSHA Z1 ot applicable. ot determined ot determined ot applicable. ot applicable		
Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : powc : ORA : Very : Not a : Negl 10. S : Sin : We	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapor ler, flakes Specific NGE Bulk of faint Vapor applicable Vapor applicable. pH igible TABILITY AND REACTION table.	Dust. Total dust. OPERTIES oration rate : No fic Gravity : No density : No : pressure : No : density : No	ACGIH OSHA Z1 ot applicable. ot determined ot determined ot applicable. ot applicable		



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-27775 ORANGE

ion Number 1.0 sion Date 01/23/2003			Page 4 Print Date 11/10/2	
Incompatible Materials	: strong acids	and oxidizing agents		
Hazardous decompositio products		ogen chloride (HCl), o	noxide (CO), oxides of nitrogen ther hazardous materials, and	
	11. TOXICOLO	GICAL INFORMAT	ION	
This mixture has not bee health data for the individ			sure effects listed are based on exis	
<u>Toxicity Overview</u> This product contains the	e following components v	which in their pure form	n have the following characteristic	
CAS-No.	Chemical Name	Effect	Target Organ	
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.	
	12. ECOLOGI	CAL INFORMATIO	N	
Persistence and degradab	vility : Pigments are	e practically not biodeg	gradable.	
Environmental Toxicity	: No data avai	lable.		
Bioaccumulation Potenti	al : No data avai	No data available.		
Additional advice	: No data avai	lable.		
	13. DISPOSAI	CONSIDERATION	IS	
Product	generator of classification	waste material has the	red to disposal or incineration. The responsibility for proper waste sposal in accordance with and local regulations.	
Contaminated packaging	has the respo	in accordance with ap	le. The generator of waste material aste classification, transportation plicable federal, state/provincial	
	14. TRANSPO	ORT INFORMATION	N	
U.S. DOT Classification	: Refer to spec	cific regulation.		
ICAO/IATA	-	cific regulation.		
IMO / IMDG	: Refer to spec	cific regulation.		
	15. REGULAT	ORY INFORMATIC	DN	



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-27775 ORANGE

Version Number 1.0 Revision Date 01/23/2003		Page 5 of 6 Print Date 11/10/2011					
US Regulations:							
OSHA Status	:	Classified as hazardous based on components.					
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.					
US. EPA CERCLA Hazardous	US. EPA CERCLA Hazardous Substances (40 CFR 302)						
Not applicable							
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.					
Canadian Regulations:							
WHMIS Classification	:	D2B					
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.					
National Inventories:							
Australia AICS	:	Listed.					
China IECS	:	Listed.					
Europe EINECS	:	Not determined.					
Japan ENCS	:	Not determined.					
Korea KECI	:	Listed.					
Philippines PICCS	:	Listed.					
	16. OTHER INFORMATION						

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-27775 ORANGE

Version Number 1.0 Revision Date 01/23/2003 Page 6 of 6 Print Date 11/10/2011