# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27791 GOLD

Version Number 1.1 Revision Date 02/06/2004 Page 1 of 6 Print Date 11/13/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HCC-27791 GOLD
Product code	:	FO20002177
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5
Aluminum	7429-90-5	10 - 30

### 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion	
Acute exposure		
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.	
Ingestion	: May be harmful if swallowed.	
Eyes	: May cause eye/skin irritation.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	

<u>PolyOne</u>

# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27791 GOLD

Version Number 1.1 Revision Date 02/06/2004 Page 2 of 6 Print Date 11/13/2011

Medical Conditions Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or th soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged

PolyOne.

# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27791 GOLD

Version Number 1.1 Revision Date 02/06/2004 Page 3 of 6 Print Date 11/13/2011

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

heating may result in product degradation.

Respiratory protection	:	Under normal handling conditions a respirator may not be required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Aluminum	10 mg/m3	Time Weighted Average	Dust.	ACGIH
		(TWA):		
	5 mg/m3	Time Weighted Average	Welding fume. as Al	ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust. as Al	OSHA Z1
	5 mg/m3	PEL:	Respirable dust. as Al	OSHA Z1
Iron oxide	5 mg/m3	Time Weighted Average	Dust and fume. as Fe	ACGIH
		(TWA):		

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance	<ul><li>liquid</li><li>liquid, Viscous liquid</li><li>dispersion</li></ul>	Evaporation rate Specific Gravity:	<ul><li>Not established</li><li>Not determined</li></ul>
Color	: YELLOW	Bulk density	: Not applicable
Odor	: Very faint	Vapor pressure	: Not determined
Melting point/range	: Not applicable	Vapour density	: Heavier than air.
Boiling Point:	: Not applicable	pН	: Not determined
Water solubility	: Immiscible		

#### **10. STABILITY AND REACTIVITY**

PolyOne

## MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27791 GOLD

Version Number 1.1 Revision Date 02/06/2004 Page 4 of 6 Print Date 11/13/2011

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.		hemical Name	Effect	Target Organ
1309-37-1	Iron ox		Systemic effects	Respiratory system.
7429-90-5	Alumin	num	Irritant	Skin, Respiratory system.
			Systemic effects	Eyes, Skin, Respiratory system
		12. ECOLOGI	CAL INFORMATION	1
Persistence and deg	radability	: Not readily b	biodegradable.	
Environmental Tox	icity	: Environment whole.	tal toxicity has not been	established for this mixture as a
Bioaccumulation P	otential	: No data avai	lable	
Additional advice		: No data avai	lable	
		13. DISPOSAI	<b>CONSIDERATIONS</b>	5
Product		generator of classification	waste material has the r	d to disposal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
Contaminated pack	aging	has the respo	in accordance with app	e. The generator of waste materia te classification, transportation licable federal, state/provincial
		14. TRANSPO	ORT INFORMATION	

PolyOne.

# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27791 GOLD

Version Number 1.1 Revision Date 02/06/2004 Page 5 of 6 Print Date 11/13/2011

U.S. DOT Classification	:	Refer to specific	regulation.		
ICAO/IATA (air)	:	Refer to specific	regulation.		
IMO / IMDG (maritime)	:	Refer to specific	regulation.		
	15	. REGULATORY	Y INFORMATION		
US Regulations:					
OSHA Status	:	Classified as haza	ardous based on com	ponents.	
TSCA Status	:	All components of Inventory.	of this product are list	ed on or exem	pt from the TSC
US. EPA CERCLA Hazardou	us Subs	stances (40 CFR 30	02)		
Not applicable					
California Propositior 65 SARA Title III Section 302 E		-	s not contain a substa	nce listed by C	alifornia Prop 6
65 SARA Title III Section 302 E Not applicable	Extreme	ely Hazardous Sub		nce listed by C	alifornia Prop 6
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T	Extreme	ely Hazardous Sub	ostance		
65 SARA Title III Section 302 E Not applicable	Extreme Foxic C	ely Hazardous Sub Chemicals:		nce listed by C Weight 26.41	
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Chemical Name ALUMINUM (FUMI Canadian Regulations: National Pollutant Rel Chemical Name	Extreme Foxic C	ely Hazardous Sub Chemicals: DUST)	CAS-No. CAS-No.	Weight 26.41	%
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Chemical Name ALUMINUM (FUMI Canadian Regulations: National Pollutant Rel	Extreme Foxic C	ely Hazardous Sub Chemicals: DUST)	CAS-No. 7429-90-5	Weight 26.41	%

PolvOne.

## MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27791 GOLD

Version Number 1.1 Revision Date 02/06/2004 Page 6 of 6 Print Date *11/13/2011* 

1309-37-1		
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.