PolvOne

MATERIAL SAFETY DATA SHEET **PX-21415-B PURPLE PLASTISOL**

Version Number 1.1 Revision Date 05/11/2007 Page 1 of 7 Print Date 11/28/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PX-21415-B PURPLE PLASTISOL
Product code	:	FO20002509
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
2,6-Di-tert-butyl-p-cresol	128-37-0	0.1 - 1
Titanium dioxide	13463-67-7	0.1 - 1
Distillates (petroleum), hydrotreated light	64742-47-8	0.1 - 1

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET **PX-21415-B PURPLE PLASTISOL**

Version Number 1.1 Revision Date 05/11/2007 Page 2 of 7 Print Date 11/28/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 No data available No data available Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET **PX-21415-B PURPLE PLASTISOL**

Version Number 1.1 Revision Date 05/11/2007	Page 3 of 7 Print Date 11/28/2011
Handling :	Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.
Storage :	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.
8. EXPOSU	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection :	No personal respiratory protective equipment normally required.
Eye/Face Protection :	Safety glasses with side-shields
Hand protection :	Protective gloves
Skin and body protection :	Long sleeved clothing
Additional Protective : Measures	Safety shoes
General Hygiene : Considerations	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures :	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure $limit(s)$	

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
2,6-Di-tert-butyl-p-cre	2 mg/m3	Time Weighted Average	Inhalable fraction and	ACGIH
sol		(TWA):	vapor	
	10 mg/m3	Time Weighted Average		MX OEL
		(TWA):		
	20 mg/m3	Short Term Exposure Limit		MX OEL
		(STEL):		
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
	-	(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average	as Ti	MX OEL
	-	(TWA):		
	20 mg/m3	Short Term Exposure Limit	as Ti	MX OEL
		(STEL):		

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance liquidViscous, liquid

Evaporation rate Specific Gravity Not establishedNot determined

PolvOne

MATERIAL SAFETY DATA SHEET **PX-21415-B PURPLE PLASTISOL**

Version Number 1.1 Revision Date 05/11/2007 Page 4 of 7 Print Date 11/28/2011

Color Odour Melting point/range Boiling Point: Water solubility	:	PURPLE Very faint Not applicable Not applicable Immiscible	Bulk density Vapour pressure Vapour density pH	::	Not applicable Not determined Not determined Not applicable
		10. STABILITY AND RE	CACTIVITY		
Stability		: Stable.			
Hazardous Polymerization		: Will not occur.			
Conditions to avoid		: Keep away from oxidizide decomposition, do not c		me.	To avoid thermal
Incompatible Materials		: Incompatible with stron with acetal homopolyme			
Hazardous decomposition products		: Carbon dioxide (CO2), (NOx), hydrogen chlori smoke are all possible. degradation. As a gener after one hour at 177 °C and within 5 minutes at	de (HCl), other hazardo Prolonged heating may ral rule of thumb, degra (350 °F), after 10 minu	us i res dati	materials, and sult in product ion begins to occur

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
128-37-0	2,6-Di-tert-butyl-p-cresol	Systemic effects	Eyes, Skin.
		Irritant	Eyes, Skin.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
128-37-0	2,6-Di-tert-butyl-p-cresol	Oral LD50	890 mg/kg	rat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
128-37-0	2,6-Di-tert-butyl-p-cresol	no	3	no

PolyOne

MATERIAL SAFETY DATA SHEET **PX-21415-B PURPLE PLASTISOL**

Version Number 1.1 Revision Date 05/11/2007 Page 5 of 7 Print Date 11/28/2011

13463-67-7	Titanium		no	2B	no
64742-47-8	Distillates hydrotreat	(petroleum), ed light	no	2A	no
2B - The component NTP Carcinogen C 1 - The component	is carcinogenic nt is probably ca nt is possibly ca lassifications: is known to be	to humans. arcinogenic to huma rcinogenic to huma a human carcinogen nticipated to be a hu	ns. n.		
	1	2. ECOLOGICAI	L INFORMATION		
Persistence and deg	gradability :	Not readily biode	egradable.		
Environmental Tox	cicity :	Environmental to whole.	oxicity has not been e	established for this	s mixture as a
Bioaccumulation P	otential :	No data available	2		
Additional advice	:	No data available	2		
]	13. DISPOSAL CO	ONSIDERATIONS		
Product	:	generator of wast classification, tra	ecycling is preferred te material has the re nsportation and disp l, state/provincial an	sponsibility for prosal in accordance	oper waste with
Contaminated pack	aging :	has the responsib	erred when possible. ility for proper waste ccordance with appli	e classification, tra	ansportation
		14. TRANSPORT	INFORMATION		
U.S. DOT Classific	cation :	Refer to specific	regulation.		
ICAO/IATA (air)	:	Refer to specific	-		
IMO / IMDG (mar	itime) :	Refer to specific	regulation.		
	1	5. REGULATORY	Y INFORMATION		
US Regulations:					

5/7

MATERIAL SAFETY DATA SHEET **PX-21415-B PURPLE PLASTISOL**

Version Number 1.1 Revision Date 05/11/2007 Page 6 of 7 Print Date 11/28/2011

All components of this product are listed on or exempt from the TSCA **TSCA Status** : Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : Not applicable 65 SARA Title III Section 302 Extremely Hazardous Substance Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation SARA Title III Section 313 Toxic Chemicals: Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation Canadian Regulations: National Pollutant Release Inventory (NPRI) Chemical Name CAS-No. Weight % NPRI ID# Miscellaneous Zinc Compounds 0-05-5 0.10 - 1.00 241 WHMIS Classification : D2A DSL All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt. National Inventories: : Not determined Australia AICS China IECS Not determined : Europe EINECS : Not determined Japan ENCS : Not determined Korea KECI · Not determined **Philippines PICCS** Not determined :

PolyOne

MATERIAL SAFETY DATA SHEET **PX-21415-B PURPLE PLASTISOL**

Version Number 1.1 Revision Date 05/11/2007 Page 7 of 7 Print Date 11/28/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.