MATERIAL SAFETY DATA SHEET VBX3558 830K LT CASHMERE

Version Number 1.3 Revision Date 06/20/2008 Page 1 of 6 Print Date 1/4/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	VBX3558 830K LT CASHMERE
Product code	:	FO20002511
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Particulates, like other inert materials can be mechanically irritating.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES

PolyOne.

MATERIAL SAFETY DATA SHEET **VBX3558 830K LT CASHMERE**

sion Date 06/20/2008	Print Date 1/4/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of

PolyOne.

MATERIAL SAFETY DATA SHEET VBX3558 830K LT CASHMERE

Version Number 1.3 Revision Date 06/20/2008 Page 3 of 6 Print Date 1/4/2012

	these materials.
Storage	: Keep containers dry and tightly closed to avoid moisture absorptio and contamination. Keep in a dry, cool place.
8. EXI	POSURE CONTROLS/PERSONAL PROTECTION
Respiratory protection	: No personal respiratory protective equipment normally required. I dusty conditions occur wear appropriate respiratory protection.
Eye/Face Protection	: Safety glasses with side-shields
Hand protection	: Protective gloves
Skin and body protection	: Long sleeved clothing
Additional Protective Measures	: Safety shoes
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)	
	as components above regulatory thresholds in this product.
	as components above regulatory thresholds in this product.
There are no known hazardou	
There are no known hazardou 9. Form Appearance Color Odour Melting point/range Boiling Point:	PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : powder, granular Specific Gravity : BROWN Bulk density : Very faint Vapour pressure : Not determined Vapour density : Not applicable pH
There are no known hazardou 9. Form Appearance Color Odour Melting point/range Boiling Point:	.PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : powder, granular Specific Gravity : BROWN Bulk density : Very faint Vapour pressure : Not determined Vapour density : Not applicable pH : Insoluble Not applicable
There are no known hazardou 9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	. PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : powder, granular Specific Gravity : BROWN Bulk density : Very faint Vapour pressure : Not determined Vapour density : Not applicable pH : Insoluble 10. STABILITY AND REACTIVITY
There are no known hazardou 9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Not applicable : powder, granular Specific Gravity : Not determine : BROWN Bulk density : Not determine : Very faint Vapour pressure : Not applicable : Not determined Vapour density : Not applicable : Not applicable pH : Not applicable : Insoluble Insoluble Insoluble : Stable. : Stable.

PolyOne.

MATERIAL SAFETY DATA SHEET VBX3558 830K LT CASHMERE

Version Number 1.3 Revision Date 06/20/2008 Page 4 of 6 Print Date 1/4/2012

Hazardous decomposition products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.

11. TOXICOLOGICAL INFORMATION

There are no known hazardous components above regulatory thresholds in this product.

: Not readily biodegradable.
: Adverse ecological impact is not known or expected under normal use.
: No data available
: No data available
13. DISPOSAL CONSIDERATIONS
: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
14. TRANSPORT INFORMATION
: Not regulated for transportation.
: Not regulated for transportation.
: Not regulated for transportation.
15. REGULATORY INFORMATION
: There are no known hazardous components above regulatory thresholds in this product.
-

blvU<u>ne</u>

MATERIAL SAFETY DATA SHEET VBX3558 830K LT CASHMERE

Version Number 1.3 Revision Date 06/20/2008 Page 5 of 6 Print Date 1/4/2012

TSCA Status All components of this product are listed on or exempt from the : TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : Not applicable 65 SARA Title III Section 302 Extremely Hazardous Substance Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation SARA Title III Section 313 Toxic Chemicals: Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation Canadian Regulations: National Pollutant Release Inventory (NPRI) Not applicable WHMIS Classification : Not controlled. DSL All components of this product are on the Canadian Domestic · Substances List (DSL) or are exempt. National Inventories: Australia AICS Not determined : China IECS Not determined : Europe EINECS Not determined : Japan ENCS Not determined : Korea KECI Not determined : Philippines PICCS : Not determined **16. OTHER INFORMATION**

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET VBX3558 830K LT CASHMERE

Version Number 1.3 Revision Date 06/20/2008 Page 6 of 6 Print Date 1/4/2012

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.