MATERIAL SAFETY DATA SHEET STAN-TONE 59SMB01 GREEN

Version Number 1.3 Revision Date 09/26/2007 Page 1 of 6 Print Date 12/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE 59SMB01 GREEN
Product code	:	FO20002763
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Chromium (III) oxide	1308-38-9	60 - 100

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET STAN-TONE 59SMB01 GREEN

Version Number 1.3 Revision Date 09/26/2007 Page 2 of 6 Print Date 12/1/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	÷	Not relevant
Suitable extinguishing media	:	Water spray, Dry powder, Foam, Carbon dioxide (CO2).
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET **STAN-TONE 59SMB01 GREEN**

Version Number 1.3 Revision Date 09/26/2007 Page 3 of 6 Print Date 12/1/2011

8. I	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	h b	to personal respiratory protect andling the product itself. Sec elow for precautions to be tak naterial.	e "Engineering Meas	ures" section
Eye/Face Protection	: S	afety glasses with side-shields	3	
Hand protection	: P	rotective gloves		
Skin and body protection	: L	ong sleeved clothing		
Additional Protective Measures	: S	afety shoes		
General Hygiene Considerations		andle in accordance with good Vash hands before breaks and		
Engineering measures	V	leat only in areas with appropriate rentilation and/or appropriate recessary to minimize employed	espiratory protection	may also be
				0 1
Exposure limit(s)				
Exposure limit(s) Components	Value	Exposure time	Exposure type	
	Value 0.5 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type as Cr	
Components		Time Weighted Average		List:
Components	0.5 mg/m3 0.5 mg/m3	Time Weighted Average (TWA):	as Cr as Cr	List: ACGIH
Components Chromium (III) oxide	0.5 mg/m3 0.5 mg/m3 9. PHYSIC	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	as Cr as Cr DPERTIES	List: ACGIH OSHA Z1
Components Chromium (III) oxide Form	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solic	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	as Cr as Cr OPERTIES oration rate :	List: ACGIH OSHA Z1 Not applicable
Components Chromium (III) oxide Form Appearance	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solic : pelle	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapo ts, Slabs, sheets Specifi	as Cr as Cr OPERTIES Dration rate : fic Gravity :	List: ACGIH OSHA Z1 Not applicable Not determined
Components Chromium (III) oxide Form Appearance Color	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solic : pelle : GRE	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts, Slabs, sheets Specifi EN Bulk of	as Cr as Cr OPERTIES Oration rate : fic Gravity : density :	List: ACGIH OSHA Z1 Not applicable Not determined Not established
Components Chromium (III) oxide Form Appearance Color Odour	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solic : pelle : GRE : Char	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts, Slabs, sheets Specifi EN Bulk of acteristic rubber odor Vapor	as Cr as Cr OPERTIES Oration rate : fic Gravity : density : ir pressure :	List: ACGIH OSHA Z1 Not applicable Not determined Not established Not applicable
Components Chromium (III) oxide Form Appearance Color Odour Melting point/range	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solic : pelle : GRE : Char : Not of	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts, Slabs, sheets Specifi EN Bulk of acteristic rubber odor Vapor determined Vapor	as Cr as Cr OPERTIES Oration rate : fic Gravity : density :	List: ACGIH OSHA Z1 Not applicable Not determined Not established Not applicable Not applicable
Components Chromium (III) oxide Form Appearance Color Odour Melting point/range Boiling Point:	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solic : pelle : GRE : Char : Not c : Not a	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts, Slabs, sheets Specifier EN Bulk of acteristic rubber odor Vapor determined Vapor applicable pH	as Cr as Cr OPERTIES Oration rate : fic Gravity : density : ir pressure :	List: ACGIH OSHA Z1 Not applicable Not determined Not established Not applicable
Components Chromium (III) oxide Form Appearance Color Odour Melting point/range	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solic : pelle : GRE : Char : Not a : Insol	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts, Slabs, sheets Specifi EN Bulk of acteristic rubber odor Vapor determined Vapor applicable pH uble	as Cr as Cr DPERTIES Dration rate : fic Gravity : density : ur pressure : ur density : :	List: ACGIH OSHA Z1 Not applicable Not determined Not established Not applicable Not applicable
Components Chromium (III) oxide Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solic : pelle : GRE : Char : Not a : Insol 10. §	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts, Slabs, sheets Specifi EN Bulk of acteristic rubber odor Vapor determined Vapor applicable pH uble	as Cr as Cr DPERTIES Dration rate : fic Gravity : density : ur pressure : ur density : :	List: ACGIH OSHA Z1 Not applicable Not determined Not established Not applicable Not applicable
Components Chromium (III) oxide Form Appearance Color Odour Melting point/range Boiling Point:	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solic : pelle : GRE : Char : Not c : Not c : Insol 10. S : S	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts, Slabs, sheets Specifi EN Bulk of acteristic rubber odor Vapor determined Vapor applicable pH uble	as Cr as Cr DPERTIES Dration rate : fic Gravity : density : ur pressure : ur density : :	List: ACGIH OSHA Z1 Not applicable Not determined Not established Not applicable Not applicable

MATERIAL SAFETY DATA SHEET STAN-TONE 59SMB01 GREEN

Version Number 1.3 Revision Date 09/26/2007 Page 4 of 6 Print Date 12/1/2011

		decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1308-38-9	Chromium (III) oxide	Irritant	Eyes, Skin.
		sensitizer	Skin.

Additional Health Hazard Information:

Chromium (III) oxide 1308-38-9 The bi- and trivalent forms of chrome have a low order of acute toxicity, but may cause skin sensitization and irritation to the eyes. No effects have been reported for chromium (III) oxide. Chromium (III) compounds are not considered carcinogenic in animals or humans

12. ECOLOGICAL INFORMATION

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION

MATERIAL SAFETY DATA SHEET STAN-TONE 59SMB01 GREEN

Version Number 1.3 Page 5 of 6 Print Date 12/1/2011 Revision Date 09/26/2007 U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) Not regulated for transportation. : IMO / IMDG (maritime) : Not regulated for transportation. **15. REGULATORY INFORMATION US Regulations: OSHA Status** · Classified as hazardous based on components. **TSCA Status** All components of this product are listed on or exempt from the TSCA : Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : Not applicable 65 SARA Title III Section 302 Extremely Hazardous Substance Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation SARA Title III Section 313 Toxic Chemicals: Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation Chemical Name CAS-No. Weight % CHROMIUM III COMPOUNDS 1308-38-9 60.00 - 100.00 Canadian Regulations: National Pollutant Release Inventory (NPRI) Chemical Name CAS-No. Weight % NPRI ID# 1308-38-9 60.00 - 100.00 Chromium (III) oxide 69

WHMIS Classification : D2B

WHMIS Ingredient Disclosure List

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET STAN-TONE 59SMB01 GREEN

Version Number 1.3 Revision Date 09/26/2007 Page 6 of 6 Print Date 12/1/2011

CAS-No. 1308-38-9		
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.