

### MATERIAL SAFETY DATA SHEET

# STAN-TONE HCC-17337 ALUMINUM

Version Number 1.0 Revision Date 01/29/2003 Page 1 of 6 Print Date *11/10/2011* 

## 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HCC-17337 ALUMINUM
Product code	:	FO20003698
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Aluminum	7429-90-5	30 - 60

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

## POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



## MATERIAL SAFETY DATA SHEET

# STAN-TONE HCC-17337 ALUMINUM

Version Number 1.0 Revision Date 01/29/2003 Page 2 of 6 Print Date 11/10/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>No data available.</li> <li>No data available.</li> <li>Not applicable.</li> <li>Carbon dioxide blanket, dry powder, foam, Water spray.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.



# MATERIAL SAFETY DATA SHEET

# STAN-TONE HCC-17337 ALUMINUM

Storage	· K	eep containers dry and tightly	v closed to avoid moisture	absorption
Storage		nd contamination. Store in a		absorption
8. F	EXPOSURE	CONTROLS / PERSONAI	<b>PROTECTION</b>	
Respiratory protection	: U	nder normal handling condition	ions a respirator may not b	e required.
Eye/Face Protection	: S	afety glasses with side-shield	S.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with goo Vash hands before breaks and		afety practice
Engineering measures		eat only in areas with approp ppropriate exhaust ventilatior		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Aluminum	10 mg/m3	Time Weighted Average (TWA):	Dust.	ACGIH
	5 mg/m3	Time Weighted Average (TWA):	Welding fume. as Al	ACGIH
Aluminum	15 mg/m3	PEL:	Total dust. as Al	OSHA Z1
	5 mg/m3	PEL:	Respirable dust. as Al	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL PR	OPERTIES	
Form Appearance		1		established determined
Color	: GRE			applicable.
Odor			1	determined
Melting point/range			2	vier than air.
Boiling Point: Water solubility		applicable pH iscible	: INOL	determined
water soluting				
		STABILITY AND REACTI	VITY	
Stability		table.		
Hazardous Polymerization	n · W	/ill not occur.		

3/6



# MATERIAL SAFETY DATA SHEET

# STAN-TONE HCC-17337 ALUMINUM

	decomposit : Incompatib on : Carbon dio (NOx), oth	tion, do not overheat. ole with strong acids and xide (CO2), carbon mor	and open flame. To avoid thermal l oxidizing agents. noxide (CO), oxides of nitrogen	
Hazardous decomposition products This mixture has not bee	on : Carbon dio (NOx), oth	xide (CO2), carbon mor		
products This mixture has not bee	(NOx), oth		noxide (CO) oxides of nitrogen	
	11. TOXICOLO		and smoke are all possible.	
		OGICAL INFORMAT	ION	
Toxicity Overview	idual components which	comprise the mixture.	sure effects listed are based on ex	
		-	m have the following characteristi	
CAS-No.	Chemical Name	Effect	Target Organ	
7429-90-5	Aluminum	Irritant	Skin, Respiratory system.	
		Systemic effects	Eyes, Skin, Respiratory syster	
	12. ECOLOG	ICAL INFORMATIO	N	
Persistence and degradal Environmental Toxicity	: Environme whole.	·	n established for this mixture as a	
Bioaccumulation Potenti Additional advice	ial : No data ava : No data ava			
Additional advice	. No data ava			
	13. DISPOSA	L CONSIDERATION	IS	
Product	generator o classificatio	of waste material has the	red to disposal or incineration. The responsibility for proper waster asposal in accordance with and local regulations.	
Contaminated packaging	has the resp and disposa	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRANSP	ORT INFORMATION	N	
U.S. DOT Classification	a : Refer to sp	ecific regulation.		
	Ĩ	-		
ICAO/IATA	: Refer to spe	ecific regulation.		



# MATERIAL SAFETY DATA SHEET

# STAN-TONE HCC-17337 ALUMINUM

	9/2003					Date 11/10/2
IMO / IMDG		:	Refer to specific	regulation.		
		15	5. REGULATOR	Y INFORMATIO	ON	
US Regulations:						
OSHA St	tatus	:	Classified as haz	zardous based on c	components.	
TSCA St	atus	:	All components Inventory.	of this product are	e listed on or exempt f	from the TSCA
US. EPA CERCI	LA Hazardous	Sub	stances (40 CFR 3	302)		
Not	applicable					
65						
SARA Title III S	Section 313 To	oxic C	Chemicals:			
			Chemicals:	CAS-No	Weight %	_
С	Section 313 To hemical Name LUMINUM (1	2		CAS-No. 7429-90-5	Weight % 43.50	
С	hemical Name LUMINUM (l	2				
C A Canadian Regula	hemical Name LUMINUM (l	e FUM	E OR DUST)			
C A Canadian Regula WHMIS	hemical Name LUMINUM () ttions:	e FUM :	E OR DUST) D2B			
Canadian Regula WHMIS WHMIS I	hemical Name LUMINUM (I ttions: Classification	e FUM :	E OR DUST) D2B			
Canadian Regula WHMIS WHMIS I	hemical Name LUMINUM (1 ations: Classification Ingredient Disc	e FUM :	E OR DUST) D2B are List All components	7429-90-5	43.50 re on the Canadian Do	omestic
Canadian Regula WHMIS WHMIS I C 7	hemical Name LUMINUM (1 ations: Classification Ingredient Disc CAS-No. 7429-90-5	e FUM :	E OR DUST) D2B are List All components	7429-90-5	43.50 re on the Canadian Do	omestic
Canadian Regula WHMIS WHMIS I C T DSL	hemical Name LUMINUM (1 ations: Classification Ingredient Disc CAS-No. 7429-90-5	e FUM :	E OR DUST) D2B are List All components	7429-90-5	43.50 re on the Canadian Do	omestic
Canadian Regula WHMIS WHMIS I WHMIS I DSL National Invento	hemical Name LUMINUM (1 ttions: Classification Ingredient Disc CAS-No. 7429-90-5 ries: AICS	E FUM : closu	E OR DUST) D2B are List All components Substances List	7429-90-5	43.50 re on the Canadian Do	omestic
Canadian Regula WHMIS WHMIS I WHMIS I OSL National Invento Australia	hemical Name LUMINUM () ttions: Classification Ingredient Disc CAS-No. 7429-90-5 ries: AICS CS	e FUM : closu :	E OR DUST) D2B are List All components Substances List Listed.	7429-90-5	43.50 re on the Canadian Do	omestic



### MATERIAL SAFETY DATA SHEET

# STAN-TONE HCC-17337 ALUMINUM

Version Number 1.0 Revision Date 01/29/2003 Page 6 of 6 Print Date 11/10/2011

Korea KECI : Listed.

Philippines PICCS : Listed.

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.