

MATERIAL SAFETY DATA SHEET

STAN-TONE HC-18716 TAN

Version Number 1.0 Revision Date 02/18/2003 Page 1 of 6 Print Date 11/10/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HC-18716 TAN
Product code	:	FO20003903
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

STAN-TONE HC-18716 TAN

Version Number 1.0 Revision Date 02/18/2003 Page 2 of 6 Print Date 11/10/2011

	4. FIRST AID MEASURES	—
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.	of
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.	
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If e irritation persists, seek medical attention.	yε
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.	ek
	5. FIRE-FIGHTING MEASURES	
Flash point	: No data available.	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, Water spray. 	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.	9
Unusual Fire/Explosion Hazards	: None	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	ot
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid bind universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.	



MATERIAL SAFETY DATA SHEET

STAN-TONE HC-18716 TAN

					Print Da	ate 11/10/2
Storage		eep containers dry and contamination. St			noisture	absorption
8. E	EXPOSURE	CONTROLS / PER	SONAL I	PROTECTION		
Respiratory protection	: U	nder normal handlin	g condition	ns a respirator m	ay not b	e required.
Eye/Face Protection	: Safety glasses with side-shields.					
Hand protection	: Protective gloves.					
Skin and body protection	: L	ong sleeved clothing				
Additional Protective Measures	: Safety shoes.					
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday.				fety practice	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure tim	ne	Exposure ty	/pe	List:
Titanium dioxide	10 mg/m3	Time Weighted A (TWA):		Dust.	1	ACGIH
Titanium dioxide	15 mg/m3	PEL:		Total dust	t.	OSHA Z1
	9. PHYSIC	CAL AND CHEMIC	CAL PRO	PERTIES		
Form	: Liqu	d	Evenor	ation rate	• Not	established
Appearance	: Liqu	id, Viscous liquid ersion		e Gravity		determined
Color	: TAN	[Bulk de			applicable.
Odor Matin		faint		pressure		determined
Melting point/range Boiling Point:		applicable applicable	Vapor o pH	lensity		vier than air. determined
Water solubility	: Imm		pm		. NOU	uctermineu
water solubility	10.0	TABILITY AND R	EACTIV	ITY		
water solubility	10. 5					
Stability		table.				
	: S	table. /ill not occur.				



MATERIAL SAFETY DATA SHEET

STAN-TONE HC-18716 TAN

Incompatible Materials	· Incompati	ible with strong acids and	oxidizing agents	
-	-	-		
Hazardous decomposition products			noxide (CO), oxides of nitrogen and smoke are all possible.	
	11. TOXICOL	OGICAL INFORMAT	ION	
health data for the indivi			sure effects listed are based on exit	
<u>Toxicity Overview</u> This product contains th	e following component	ts which in their pure form	n have the following characteristic	
CAS-No.	Chemical Name	Effect	Target Organ	
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.	
	12. ECOLO	GICAL INFORMATIO	N	
Persistence and degradal	bility : Not readil	ly biodegradable.		
Environmental Toxicity	: Environm whole.	ental toxicity has not bee	n established for this mixture as a	
Bioaccumulation Potent	ial : No data a	No data available.		
Additional advice	: No data av	vailable.		
	13. DISPOS	AL CONSIDERATION	S	
Product	generator classificat	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packaging	has the res and dispos	sponsibility for proper wa	le. The generator of waste materia aste classification, transportation plicable federal, state/provincial	
	14. TRANS	PORT INFORMATION	N	
U.S. DOT Classification	n : Refer to s	pecific regulation.		
ICAO/IATA	: Refer to s	pecific regulation.		
IMO / IMDG	: Refer to s	pecific regulation.		
	15. REGULA	ATORY INFORMATIO	N	



MATERIAL SAFETY DATA SHEET

STAN-TONE HC-18716 TAN

/ersion Number 1.0 Revision Date 02/18/2003		Page 5 of 6 Print Date 11/10/2011
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	tic (Chemicals:
	N	fot applicable
Canadian Regulations:		
WHMIS Classification		D2B
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION
		5/6



MATERIAL SAFETY DATA SHEET

STAN-TONE HC-18716 TAN

Version Number 1.0 Revision Date 02/18/2003 Page 6 of 6 Print Date 11/10/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.