

MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-27881 BROWN

Version Number 1.0 Revision Date 03/04/2003 Page 1 of 6 Print Date *11/10/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

| NON-EMERGENCY TELEPHONE | : | Product Stewardship, (314) 771-1800 |
|-------------------------------|---|--|
| Emergency telephone number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
| Product name | : | STAN-TONE HCC-27881 BROWN |
| Product code | : | FO20004042 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

| Components | CAS-No. | Weight % |
|------------------|------------|----------|
| Titanium dioxide | 13463-67-7 | 30 - 60 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Skin contact, Ingestion | | | |
|---|--|--|--|--|
| Acute exposure | | | | |
| Inhalation | : Inhalation of airborne droplets may cause irritation of the respiratory tract. | | | |
| Ingestion | : May be harmful if swallowed. | | | |
| Eyes | : May cause eye/skin irritation. | | | |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. | | | |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. | | | |
| Medical Conditions Aggravated by Exposure: | : None known. | | | |



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-27881 BROWN

Version Number 1.0 Revision Date 03/04/2003 Page 2 of 6 Print Date 11/10/2011

| | 4. FIRST AID MEASURES | |
|--|--|------|
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice. | s of |
| Ingestion | : Do not induce vomiting without medical advice. Seek medical attention if necessary. | |
| Eyes | : Rinse immediately with plenty of water for at least 15 minutes. If irritation persists, seek medical attention. | eye |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists s medical attention. | eek |
| | 5. FIRE-FIGHTING MEASURES | |
| Flash point | : No data available. | |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media | No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, Water spray. | |
| Special Fire Fighting Procedures | : Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants. | ve |
| Unusual Fire/Explosion Hazards | : None | |
| | ACCIDENTAL RELEASE MEASURES | |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. | |
| Environmental precautions | : Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil. | not |
| Methods for cleaning up | : Soak up with inert absorbent material (e.g. sand, silica gel, acid bin universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for prop- disposal methods. | |
| | 7. HANDLING AND STORAGE | |
| Handling | : Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation. | 1 |



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-27881 BROWN

| ~ | - | | | | | |
|--|--|--|---|---|----------------------------------|---|
| Storage | | eep containers dry a nd contamination. S | | | noisture | e absorption |
| 8. E | XPOSURE | CONTROLS / PER | SONAL | PROTECTION | | |
| Respiratory protection | : U | nder normal handlin | g conditio | ons a respirator m | ay not l | be required. |
| Eye/Face Protection | : S | afety glasses with sic | le-shields | | | |
| Hand protection | : Protective gloves. | | | | | |
| Skin and body protection | : Long sleeved clothing. | | | | | |
| Additional Protective Measures | : Safety shoes. | | | | | |
| General Hygiene Considerations | : Handle in accordance with good industrial hygiene and safety practic Wash hands before breaks and at the end of workday. | | | | | afety practice |
| Engineering measures | : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. | | | | | Provide |
| Exposure limit(s) | | | | | | |
| Components | Value | Exposure tin | ne | Exposure ty | pe | List: |
| Titanium dioxide | 10 mg/m3 | Time Weighted A (TWA): | | Dust. | r - | ACGIH |
| | 15 / 0 | PEL: | | Total dust | • | OSHA Z1 |
| Titanium dioxide | 15 mg/m3 | | | | | |
| Titanium dioxide | | CAL AND CHEMI | CAL PRO | PERTIES | | |
| · · · · · · · · · · · · · · · · · · · | 9. PHYSIC | | | | · Not | established |
| Form | 9. PHYSIC | id | Evapo | ration rate | | established determined |
| · · · · · · · · · · · · · · · · · · · | 9. PHYSIC : Liqu : Liqu | id id, Viscous liquid | Evapo | | | established determined |
| Form Appearance Color | 9. PHYSIC : Liqu : Liqu dispe : BRO | id id, Viscous liquid ersion WN | Evapo Specif Bulk d | ration rate ic Gravity ensity | : Not : Not | determined applicable. |
| Form Appearance Color Odor | 9. PHYSIC : Liqu : Liqu dispe : BRO : Very | id id, Viscous liquid ersion WN faint | Evapo Specif Bulk d Vapor | ration rate ic Gravity ensity pressure | : Not : Not : Not | determined applicable. determined |
| Form Appearance Color Odor Melting point/range | 9. PHYSIC : Liqu : Liqu dispe : BRO : Very : Not a | id id, Viscous liquid ersion WN faint applicable | Evapo Specif Bulk d Vapor Vapor | ration rate ic Gravity ensity | : Not : Not : Not : Hea | determined applicable. determined wier than air. |
| Form Appearance Color Odor Melting point/range Boiling Point: | 9. PHYSIC : Liqu : Liqu dispe : BRO : Very : Not a : Not a | id id, Viscous liquid ersion WN faint applicable applicable | Evapo Specif Bulk d Vapor | ration rate ic Gravity ensity pressure | : Not : Not : Not : Hea | determined applicable. determined |
| Form Appearance Color Odor Melting point/range | 9. PHYSIC : Liqu : Liqu dispe : BRO : Very : Not a | id id, Viscous liquid ersion WN faint applicable applicable | Evapo Specif Bulk d Vapor Vapor | ration rate ic Gravity ensity pressure | : Not : Not : Not : Hea | determined applicable. determined wier than air. |
| Form Appearance Color Odor Melting point/range Boiling Point: | 9. PHYSIC : Liqu dispe : BRO : Very : Not a : Not a : Imm | id id, Viscous liquid ersion WN faint applicable applicable | Evapo Specif Bulk d Vapor Vapor pH | ration rate ic Gravity lensity pressure density | : Not : Not : Not : Hea | determined applicable. determined wier than air. |
| Form Appearance Color Odor Melting point/range Boiling Point: | 9. PHYSIC : Liqu : Liqu dispe : BRO : Very : Not a : Not a : Imm 10. S | id id, Viscous liquid ersion WN faint applicable applicable iscible | Evapo Specif Bulk d Vapor Vapor pH | ration rate ic Gravity lensity pressure density | : Not : Not : Not : Hea | determined applicable. determined wier than air. |
| Form Appearance Color Odor Melting point/range Boiling Point: Water solubility | 9. PHYSIC : Liqu : Liqu dispe : BRO : Very : Not a : Not a : Imm 10. S : S | id id, Viscous liquid ersion WN faint applicable applicable iscible | Evapo Specif Bulk d Vapor Vapor pH | ration rate ic Gravity lensity pressure density | : Not : Not : Not : Hea | determined applicable. determined wier than air. |



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-27881 BROWN

| Incompatible Materials | : Incompatib | : Incompatible with strong acids and oxidizing agents. | | | | |
|---|---------------------------|--|---|--|--|--|
| Hazardous decomposition products | | : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. | | | | |
| | 11. TOXICOLO | OGICAL INFORMATI | ON | | | |
| This mixture has not been of health data for the individu | | | ure effects listed are based on exi | | | |
| • | ollowing components | which in their pure form | have the following characteristic | | | |
| CAS-No. | Chemical Name | Effect | Target Organ | | | |
| 13463-67-7 Ti | tanium dioxide | Systemic effects | Respiratory system. | | | |
| | 12. ECOLOG | ICAL INFORMATION | N | | | |
| Persistence and degradabil | ity : Not readily | biodegradable. | | | | |
| Environmental Toxicity | : Environme whole. | Environmental toxicity has not been established for this mixture as a | | | | |
| Bioaccumulation Potential | : No data ava | : No data available. | | | | |
| Additional advice | : No data ava | : No data available. | | | | |
| | 13. DISPOSA | L CONSIDERATIONS | 5 | | | |
| Product | generator o classificatio | f waste material has the | ed to disposal or incineration. Th responsibility for proper waste posal in accordance with and local regulations. | | | |
| Contaminated packaging | has the resp | ponsibility for proper was al in accordance with app | e. The generator of waste materia ste classification, transportation licable federal, state/provincial | | | |
| | 14. TRANSP | ORT INFORMATION | | | | |
| U.S. DOT Classification | : Refer to sp | ecific regulation. | | | | |
| ICAO/IATA | - | ecific regulation. | | | | |
| IMO / IMDG | - | ecific regulation. | | | | |
| | 15. REGULA | TORY INFORMATIO | N | | | |
| | | | | | | |



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-27881 BROWN

| Version Number 1.0 Revision Date 03/04/2003 | | Page 5 of 6 Print Date 11/10/2011 |
|--|------|--|
| US Regulations: | | |
| OSHA Status | : | Classified as hazardous based on components. |
| TSCA Status | : | All components of this product are listed on or exempt from the TSCA Inventory. |
| US. EPA CERCLA Hazardous | Sub | stances (40 CFR 302) |
| Not applicable | | |
| California Proposition 65 | : | This product does not contain a substance listed by California Prop 65. |
| SARA Title III Section 302 Ext | rem | ely Hazardous Substance |
| Not applicable | | |
| SARA Title III Section 313 Tox | ic C | Chemicals: |
| | N | ot applicable |
| Canadian Regulations: | | |
| - | : | D2B |
| DSL | : | All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. |
| National Inventories: | | |
| Australia AICS | : | Listed. |
| China IECS | : | Listed. |
| Europe EINECS | : | Not determined. |
| Japan ENCS | : | Not determined. |
| Korea KECI | : | Listed. |
| Philippines PICCS | : | Listed. |
| | | 16. OTHER INFORMATION |
| | | |
| | | |
| | | 5/6 |



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-27881 BROWN

Version Number 1.0 Revision Date 03/04/2003 Page 6 of 6 Print Date 11/10/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.