

MATERIAL SAFETY DATA SHEET

BRIGHT WHITE NEW VERSION

Version Number 1.0 Revision Date 04/02/2003 Page 1 of 6 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BRIGHT WHITE NEW VERSION
Product code	:	FO20004398
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

BRIGHT WHITE NEW VERSION

Version Number 1.0 Revision Date 04/02/2003 Page 2 of 6 Print Date 11/11/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.	of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If e irritation persists, seek medical attention.	ye
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.	ek
	5. FIRE-FIGHTING MEASURES	
Flash point	: No data available.	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, Water spray. 	
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) und fire conditions. 	
	5. ACCIDENTAL RELEASE MEASURES	
	, ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	ot
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid bind universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize	



MATERIAL SAFETY DATA SHEET

BRIGHT WHITE NEW VERSION

			Prir	Page 3 nt Date 11/11/2
	ad	ccumulation of these materials.		
Storage		eep containers dry and tightly on contamination. Store in a co		sture absorption
8. E	XPOSURE	CONTROLS / PERSONAL I	PROTECTION	
Respiratory protection	: U	nder normal handling condition	ns a respirator may 1	not be required.
Eye/Face Protection	: S	afety glasses with side-shields.		
Hand protection	: P:	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with good /ash hands before breaks and at		
Engineering measures		eat only in areas with appropria		on. Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Components Titanium dioxide	Value	Exposure time Note:	Exposure type	List: ACGIH
	Value 10 mg/m3		Exposure type Dust.	
		Note: Time Weighted Average		ACGIH
Titanium dioxide	10 mg/m3 15 mg/m3	Note: Time Weighted Average (TWA):	Dust. Total dust.	ACGIH ACGIH
Titanium dioxide Titanium dioxide	10 mg/m3 15 mg/m3 9. PHYSIC	Note: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Dust. Total dust. PERTIES	ACGIH ACGIH
Titanium dioxide Titanium dioxide	10 mg/m3 15 mg/m3 9. PHYSIC : Liqui	Note: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO id Evapora	Dust. Total dust. PERTIES ation rate :	ACGIH ACGIH OSHA Z1
Titanium dioxide Titanium dioxide Form Appearance Color	10 mg/m3 15 mg/m3 9. PHYSIC : Liqui : Visco : WHI	Note: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO id Evaporation pus, Liquid Specific TE Bulk de	Dust. Total dust. PERTIES ation rate : c Gravity : ensity :	ACGIH ACGIH OSHA Z1 Not established Not determined Not applicable.
Titanium dioxide Titanium dioxide Form Appearance Color Odor	10 mg/m3 15 mg/m3 9. PHYSIC : Liqui : Visco : WHI : Very	Note: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO id Evapora pus, Liquid Specific TE Bulk de faint Vapor p	Dust. Total dust. PERTIES ation rate : c Gravity : ensity : pressure :	ACGIH ACGIH OSHA Z1 Not established Not determined Not applicable. Not determined
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	10 mg/m3 15 mg/m3 9. PHYSIC : Liqui : Visco : WHI : Very : Not a	Note: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO id Evapora pus, Liquid Specific TE Bulk de faint Vapor p applicable Vapor c	Dust. Total dust. PERTIES ation rate : c Gravity : oressure : lensity :	ACGIH ACGIH OSHA Z1 Not established Not determined Not applicable. Not determined Not determined
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : Liqui : Visco : WHI : Very : Not a : Not a	Note: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO id Evapora bus, Liquid Specific TE Bulk de faint Vapor p applicable pH	Dust. Total dust. PERTIES ation rate : c Gravity : oressure : lensity :	ACGIH ACGIH OSHA Z1 Not established Not determined Not applicable. Not determined
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	10 mg/m3 15 mg/m3 9. PHYSIC : Liqui : Visco : WHI : Very : Not a : Not a	Note: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO id Evapora pus, Liquid Specific TE Bulk de faint Vapor p applicable Vapor c	Dust. Total dust. PERTIES ation rate : c Gravity : oressure : lensity :	ACGIH ACGIH OSHA Z1 Not established Not determined Not applicable. Not determined Not determined
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : Liqui : Visco : WHI : Very : Not a : Not a : Immi	Note: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO id Evapora bus, Liquid Specific TE Bulk de faint Vapor p applicable pH	Dust. Total dust. PERTIES ation rate : c Gravity : onsity : pressure : lensity :	ACGIH ACGIH OSHA Z1 Not established Not determined Not applicable. Not determined Not determined
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : Liqui : Visco : WHI : Very : Not a : Immi 10. S	Note:Time Weighted Average (TWA):PEL:CAL AND CHEMICAL PROidEvaporabus, LiquidSpecificTEBulk de faintfaintVapor p applicablepHiscible	Dust. Total dust. PERTIES ation rate : c Gravity : onsity : pressure : lensity :	ACGIH ACGIH OSHA Z1 Not established Not determined Not applicable. Not determined Not determined
Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	10 mg/m3 15 mg/m3 9. PHYSIC : Liqui : Viscc : WHI : Very : Not a : Not a : Immi 10. S : S	Note: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO id Evaporation jous, Liquid Specification TE Bulk de faint applicable pH iscible STABILITY AND REACTIVE	Dust. Total dust. PERTIES ation rate : c Gravity : onsity : pressure : lensity :	ACGIH ACGIH OSHA Z1 Not established Not determined Not applicable. Not determined Not determined



MATERIAL SAFETY DATA SHEET

BRIGHT WHITE NEW VERSION

Version Number 1.0 Revision Date 04/02/2003		Page 4 of 6 Print Date <i>11/11/2011</i>
		decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).
	11. '	TOXICOLOGICAL INFORMATION
		as a whole for health effects. Exposure effects listed are based on existing ponents which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
		CAL INFORMATION	J			
	12. ECOLOGI	ICAL INFORMATION	<u> </u>			
Persistence and degrada	ability : Not readily	biodegradable.				
Environmental Toxicity	e Environmen whole.	: Environmental toxicity has not been established for this mixture as whole.				
Bioaccumulation Poten	tial : No data ava	ilable.				
Additional advice	: No data ava	ilable.				
	13. DISPOSA	L CONSIDERATIONS	5			
Product	generator of classificatio	waste material has the r	ed to disposal or incineration. Th responsibility for proper waste posal in accordance with nd local regulations.			
Contaminated packagin	has the resp	onsibility for proper was l in accordance with app	e. The generator of waste materia ate classification, transportation licable federal, state/provincial			
	14. TRANSPO	ORT INFORMATION				
U.S. DOT Classificatio	n : Refer to spe	cific regulation.				



MATERIAL SAFETY DATA SHEET

BRIGHT WHITE NEW VERSION

ion Number 1.0 sion Date 04/02/2003		Page 5 Print Date 11/11/2
ICAO/IATA	:	Refer to specific regulation.
IMO / IMDG	:	Refer to specific regulation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous S	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Extr	rem	ely Hazardous Substance
Not applicable		
Not applicable SARA Title III Section 313 Tox	ic C	Chemicals:
		Chemicals: ot applicable
SARA Title III Section 313 Tox		
SARA Title III Section 313 Tox Canadian Regulations:	N	ot applicable
SARA Title III Section 313 Tox Canadian Regulations: WHMIS Classification	N•	ot applicable D2B All components of this product are on the Canadian Domestic
SARA Title III Section 313 Tox Canadian Regulations: WHMIS Classification DSL	N•	ot applicable D2B All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
SARA Title III Section 313 Tox Canadian Regulations: WHMIS Classification DSL National Inventories:	N•	ot applicable D2B All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
SARA Title III Section 313 Tox Canadian Regulations: WHMIS Classification DSL National Inventories: Australia AICS	N•	ot applicable D2B All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed.



MATERIAL SAFETY DATA SHEET

BRIGHT WHITE NEW VERSION

Version Number 1.0 Revision Date 04/02/2003 Page 6 of 6 Print Date 11/11/2011

Korea KECI

: Not determined.

Philippines PICCS : Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.