

MATERIAL SAFETY DATA SHEET

FB438 NEUTRAL

Version Number 1.0 Revision Date 04/01/2003 Page 1 of 7 Print Date *11/11/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	FB438 NEUTRAL
Product code	:	FO20004426
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
1,2-Benzenedicarboxylic acid, butyl phenylmethylester	85-68-7	1 - 5
Antimony trioxide	1309-64-4	0.1 - 1
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion	
Acute exposure		
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.	
Ingestion	: May be harmful if swallowed.	
Eyes	: May cause eye/skin irritation.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	







ion Number 1.0 sion Date 04/01/2003		Page 2 Print Date 11/11/2
Medical Conditions Aggravated by Exposure:	:	None known.
		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	Ę	5. FIRE-FIGHTING MEASURES
Flash point	:	No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: : :	No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, Water spray.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
Unusual Fire/Explosion Hazards	:	contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions.
	6. A(CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binde universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.





FB438 NEUTRAL Version Number 1.0 Page 3 of 7 Print Date 11/11/2011 Revision Date 04/01/2003 Handling : Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials. Storage Keep containers dry and tightly closed to avoid moisture absorption : and contamination. Store in a cool dry place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection : Under normal handling conditions a respirator may not be required. Eye/Face Protection Safety glasses with side-shields. : Hand protection Protective gloves. : Skin and body protection Long sleeved clothing. : Additional Protective Safety shoes. ÷ Measures General Hygiene : Handle in accordance with good industrial hygiene and safety practice. Considerations Wash hands before breaks and at the end of workday. Heat only in areas with appropriate exhaust ventilation. Provide Engineering measures : appropriate exhaust ventilation at machinery. Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Antimony trioxide	0.5 mg/m3	PEL:	as Sb	OSHA Z1
Calcium carbonate	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color Odor Melting point/range Boiling Point: Water solubility

: Liquid : Viscous, Liquid : NO PIGMENT Very faint : Not applicable : Not applicable : Immiscible

:

Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pН

Not established : Not determined Not applicable. • : Not determined : Not determined : Not applicable.

10. STABILITY AND REACTIVITY

Stability

: Stable.



MATERIAL SAFETY DATA SHEET

FB438 NEUTRAL

Version Number 1.0 Revision Date 04/01/2003		Page 4 of 7 Print Date 11/11/2011
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
85-68-7	1,2-Benzenedicarboxylic acid, butyl phenylmethylester	Irritant	Eyes, Skin.
		Systemic effects	Liver, reproductive system.
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
85-68-7	1,2-Benzenedicarboxylic	Oral LD50	2,330 mg/kg	rat
	acid, butyl	Dermal LD50	> 10 gm/kg	rabbit
	phenylmethylester			
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1309-64-4	Antimony trioxide	no	2B	no



MATERIAL SAFETY DATA SHEET

FB438 NEUTRAL

Version Number 1.0 Revision Date 04/01/2003 Page 5 of 7 Print Date 11/11/2011

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: No data available.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	



MATERIAL SAFETY DATA SHEET

FB438 NEUTRAL

	umber 1.0 Date 04/01/2003			Pri	Page 6 nt Date 11/11/2
	OSHA Status	: Classified as h	azardous based on co	omponents.	
	TSCA Status	: All componen Inventory.	ts of this product are	listed on or exen	npt from the TSC
US. E	PA CERCLA Hazardous Su	bstances (40 CFR	302)		
	Chemical Name	CAS-No.	% in Product	RQ for component	RQ for Mixture/Prod uct
	1,2-Benzenedicarboxylic acid, butyl phenylmethylester	85-68-7	3.9004	100 lbs	2,564 LB
	California Proposition	California to c	This product contains ause cancer., WARN	ING! This prod	
	A Title III Section 302 Extrements of applicable	other reproduc	tive harm.	norma to cause t	
No	A Title III Section 302 Extrements of applicable	other reproduc mely Hazardous S	tive harm.	norma to cause t	
No	A Title III Section 302 Extrem ot applicable A Title III Section 313 Toxic	other reproduc mely Hazardous S	tive harm.	norma to cause t	
No SARA	A Title III Section 302 Extrem ot applicable A Title III Section 313 Toxic	other reproduc mely Hazardous S Chemicals:	tive harm.	norma to cause t	
No SARA	A Title III Section 302 Extrem ot applicable A Title III Section 313 Toxic	other reproduc mely Hazardous S Chemicals: Not applicable	tive harm.	norma to cause t	
No SARA	A Title III Section 302 Extrem of applicable A Title III Section 313 Toxic	other reproduc mely Hazardous S Chemicals: Not applicable : D2A	tive harm.	norma to cause t	
No SARA	A Title III Section 302 Extrem ot applicable A Title III Section 313 Toxic lian Regulations: WHMIS Classification	other reproduc mely Hazardous S Chemicals: Not applicable : D2A	tive harm.	norma to cause t	
No SARA	A Title III Section 302 Extrem ot applicable A Title III Section 313 Toxic lian Regulations: WHMIS Classification WHMIS Ingredient Disclos	other reproduc mely Hazardous S Chemicals: Not applicable : D2A sure List] : All componen	tive harm.	on the Canadiar	1 Domestic
No SARA Canad	A Title III Section 302 Extrem of applicable A Title III Section 313 Toxic lian Regulations: WHMIS Classification WHMIS Ingredient Disclos CAS-No. 85-68-7	other reproduc mely Hazardous S Chemicals: Not applicable : D2A sure List] : All componen	tive harm. Substance	on the Canadiar	n Domestic
No SARA Canad	A Title III Section 302 Extrem of applicable A Title III Section 313 Toxic lian Regulations: WHMIS Classification WHMIS Ingredient Disclos CAS-No. 85-68-7 DSL nal Inventories:	other reproduc mely Hazardous S Chemicals: Not applicable : D2A sure List] : All componen	tive harm. Substance	on the Canadiar	1 Domestic



MATERIAL SAFETY DATA SHEET

FB438 NEUTRAL

Version Number 1.0 Revision Date 04/01/2003		Page 7 of 7 Print Date 11/11/2011
Europe EINECS	: Not determined.	
Japan ENCS	: Not determined.	
Korea KECI	: Not determined.	
Philippines PICCS	: Listed.	
	16. OTHER INFORMATIO	N .

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.