

MATERIAL SAFETY DATA SHEET

XDK50391A EXPERIMENTAL WINCRAFT BASE

Version Number 1.0 Revision Date 04/02/2003 Page 1 of 7 Print Date *11/11/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	XDK50391A EXPERIMENTAL WINCRAFT BASE
Product code	:	FO20004464
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Vinyl acetate	108-05-4	0.1 - 1
Silica, amorphous, fumed, crystal-free	112945-52-5	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion			
Acute exposure				
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.			
Ingestion	: May be harmful if swallowed.			
Eyes	: May cause eye/skin irritation.			
Skin	: Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			



MATERIAL SAFETY DATA SHEET

XDK50391A EXPERIMENTAL WINCRAFT BASE

Medical Conditions	: None known.
Aggravated by Exposure:	. None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, Water spray.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	 May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing



MATERIAL SAFETY DATA SHEET

XDK50391A EXPERIMENTAL WINCRAFT BASE

Version Number 1.0 Revision Date 04/02/2003		Page 3 of 7 Print Date 11/11/2011
		fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.
8. EXPOS	UF	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection	:	Under normal handling conditions a respirator may not be required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Silica, amorphous, fumed, crystal-free	20 mppcf	PEL:	Total dust.	Z3
Vinyl acetate		Note:		ACGIH
	10 ppm	Time Weighted Average (TWA):		ACGIH
	15 ppm	Short Term Exposure Limit (STEL):		ACGIH
Vinyl acetate	10 ppm 30 mg/m3	Time Weighted Average (TWA):		MX OEL
	20 ppm 60 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
	4 ppm 15 mg/m3	Ceiling Limit Value and Time Period (if specified):		NIOSH

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color Odor
- : Liquid: Viscous, Liquid: NO PIGMENT: Very faint
- Evaporation rate Specific Gravity Bulk density Vapor pressure
- Not establishedNot determinedNot applicable.Not determined



MATERIAL SAFETY DATA SHEET

XDK50391A EXPERIMENTAL WINCRAFT BASE

Version Number 1.0 Revision Date 04/02/2003			Page 4 of 7 Print Date 11/11/2011
Melting point/range Boiling Point: Water solubility	Not applicableNot applicableImmiscible	Vapor density pH	Not determinedNot applicable.
	10. STABILITY ANI	D REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from or decomposition, do		flame. To avoid thermal
Incompatible Materials	1	e	g agents. Avoid contact ymers during processing.
Hazardous decomposition products	(NOx), hydrogen c smoke are all possi degradation. As a after one hour at 17		rdous materials, and

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
108-05-4	Vinyl acetate	Irritant	Eyes, Respiratory system.
		Systemic effects	Eyes, Skin, Respiratory system.
112945-52-5	Silica, amorphous, fumed, crystal-free	Irritant	Eyes, Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
108-05-4	Vinyl acetate	LC50	11400 mg/m3	rat
		Oral LD50	2,920 mg/kg	rat
		Dermal LD50	2,335 mg/kg	rabbit
112945-52-5	Silica, amorphous, fumed,	Oral LD50	3,160 mg/kg	rat
	crystal-free			

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:



MATERIAL SAFETY DATA SHEET

XDK50391A EXPERIMENTAL WINCRAFT BASE

Version Number 1.0 Revision Date 04/02/2003 Page 5 of 7 Print Date 11/11/2011

CAS-No.		cal Name	OSHA	IARC	NTP
108-05-4	Vinyl acetate		no	2B	no
IARC Carcinogen Classi 1 - The component is car 2A - The component is p 2B - The component is p NTP Carcinogen Classifi 1 - The component is kno 2 - The component is rea	cinogenic to h robably carcin ossibly carcin cations: own to be a hu sonably antici	nogenic to huma ogenic to human uman carcinoger pated to be a hu	ns. 1. ıman carcinogen.		
	12. F	COLOGICAL	INFORMATION		
Persistence and degradab	oility : N	ot readily biode	gradable.		
Environmental Toxicity		nvironmental to hole.	xicity has not been	established for this	mixture as a
Bioaccumulation Potenti	al : N	o data available	.		
Additional advice	: N	o data available	».		
	13. I	DISPOSAL CO	NSIDERATIONS		
Product	g cl	enerator of wast assification, tran	recycling is preferred e material has the re nsportation and disp l, state/provincial an	sponsibility for pr osal in accordance	oper waste with
Contaminated packaging	ha ai	as the responsib	erred when possible. ility for proper wast ccordance with appli ons.	e classification, tra	insportation
	14.	TRANSPORT	INFORMATION		
		_			
U.S. DOT Classification	: R	efer to specific	regulation.		
ICAO/IATA	: R	efer to specific	regulation.		
IMO / IMDG	: R	efer to specific	regulation.		
	15. R	EGULATORY	INFORMATION		
US Regulations:					
OSHA Status	: C	lassified as haza	ardous based on con	ponents.	



MATERIAL SAFETY DATA SHEET

XDK50391A EXPERIMENTAL WINCRAFT BASE

Version Number 1.0 Revision Date 04/02/2003 Page 6 of 7 Print Date 11/11/2011

TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)							
Not applicable	Not applicable						
California Proposition : WARNING! This product contains a chemical known to the State of California to cause cancer.							
SARA Title III Section 302 Ext	rem	ely Hazardous Substance					
Not applicable							
SARA Title III Section 313 Tox	cic (Chemicals:					
Chemical Name	MC	MERVINYL ACETATE	CAS-No. 108-05-4	Weight % 00.15			
Canadian Regulations: WHMIS Classification	:	D1B					
DSL	:	All components of this p Substances List (DSL) or		Canadian Domestic			
National Inventories:							
Australia AICS	:	Listed.					
China IECS	:	Listed.					
Europe EINECS	:	Not determined.					
Japan ENCS	:	Not determined.					
Korea KECI	:	Not determined.					
Philippines PICCS	:	Listed.					
		16. OTHER INFORM	ATION				



MATERIAL SAFETY DATA SHEET

XDK50391A EXPERIMENTAL WINCRAFT BASE

Version Number 1.0 Revision Date 04/02/2003 Page 7 of 7 Print Date *11/11/2011*

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.