

MATERIAL SAFETY DATA SHEET

FB442 ORANGE RED

Version Number 1.2 Revision Date 08/01/2003 Page 1 of 6 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	FB442 ORANGE RED
Product code	:	FO20004891
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Azodicarbonamide	123-77-3	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET FB442 ORANGE RED

Version Number 1.2 Revision Date 08/01/2003 Page 2 of 6 Print Date 11/11/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, water spray.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	 May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing



MATERIAL SAFETY DATA SHEET FB442 ORANGE RED

ion Number 1.2 sion Date 08/01/2003		Page 3 Print Date 11/11/
	Periodical	lensates may contain combustible or toxic residue. ly clean hoods, ducts, and other surfaces to minimize tion of these materials.
Storage		ainers dry and tightly closed to avoid moisture absorption mination. Store in a cool dry place.
8. EX	POSURE CONTE	ROLS / PERSONAL PROTECTION
Respiratory protection	: Under nor	mal handling conditions a respirator may not be required.
Eye/Face Protection	: Safety gla	sses with side-shields.
Hand protection	: Protective	gloves.
Skin and body protection	: Long sleev	ved clothing.
Additional Protective Measures	: Safety sho	Des.
General Hygiene Considerations		accordance with good industrial hygiene and safety practic ds before breaks and at the end of workday.
Engineering measures		in areas with appropriate exhaust ventilation. Provide te exhaust ventilation at machinery.
Exposure limit(s)		
•). PHYSICAL AN	D CHEMICAL PROPERTIES
•	 D. PHYSICAL AN : Liquid : Viscous, Liqu : RED : Very faint : Not applicabl : Not applicabl : Immiscible 	Evaporation rate : Not established aid Specific Gravity : Not determined Bulk density : Not applicable. Vapor pressure : Not determined le Vapor density : Not determined
Form Appearance Color Odor Melting point/range Boiling Point:	 : Liquid : Viscous, Liqu : RED : Very faint : Not applicabl : Not applicabl : Immiscible 	Evaporation rate : Not established aid Specific Gravity : Not determined Bulk density : Not applicable. Vapor pressure : Not determined de Vapor density : Not determined
Form Appearance Color Odor Melting point/range Boiling Point:	 : Liquid : Viscous, Liqu : RED : Very faint : Not applicabl : Not applicabl : Immiscible 	Evaporation rate:Not establishednidSpecific Gravity:Not determinedBulk density:Not applicable.Vapor pressure:Not determinedleVapor density:Not determinedlepH:Not applicable.
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Liquid Viscous, Liqu RED Very faint Not applicabl Not applicabl Immiscible 10. STABIL	Evaporation rate: Not establisheduidSpecific Gravity: Not determinedBulk density: Not applicable.Vapor pressure: Not determineddeVapor density: Not determinedlepH: Not applicable.ITY AND REACTIVITY
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	 : Liquid : Viscous, Liquit : RED : Very faint : Not applicablicabli : Not applicable : Immiscible 10. STABILI : Stable. : Will not o : Keep away 	Evaporation rate: Not establisheduidSpecific Gravity: Not determinedBulk density: Not applicable.Vapor pressure: Not determineddeVapor density: Not determinedlepH: Not applicable.ITY AND REACTIVITY



MATERIAL SAFETY DATA SHEET FB442 ORANGE RED

Version Number 1.2 Revision Date 08/01/2003 Page 4 of 6 Print Date *11/11/2011*

with acetal homopolymers and acetal copolymers during processing.

Hazardous decomposition	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
products		(NOx), hydrogen chloride (HCl), other hazardous materials, and
		smoke are all possible. Prolonged heating may result in product
		degradation. As a general rule of thumb, degradation begins to occur
		after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F),
		and within 5 minutes at 232 °C (450 °F).

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
123-77-3	Azodicarbonamide	sensitizer	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
123-77-3	Azodicarbonamide	LC50	200 mg/l	rat
		Oral LD50	> 6,400 mg/kg	rat
		Dermal LD50	> 2,000 mg/kg	rabbit

Additional Health Hazard Information:

Azodicarbonamide 123-77-3 Sensitizer to the respiratory system with repeated minimal inhalation. While no chronic health problems have been identified, individuals with respiratory problems should avoid inhalation exposure to this material.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: No data available.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.



MATERIAL SAFETY DATA SHEET FB442 ORANGE RED

Version Number 1.2 Revision Date 08/01/2003 Page 5 of 6 Print Date 11/11/2011

Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
	1	4. TRANSPORT INFORMATION]
U.S. DOT Classification	:	Refer to specific regulation.	
ICAO/IATA	:	Refer to specific regulation.	
IMO / IMDG	:	Refer to specific regulation.	
	15	. REGULATORY INFORMATION]
US Regulations:			
OSHA Status	:	Classified as hazardous based on components.	
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.	
US. EPA CERCLA Hazardous Su	ıbs	stances (40 CFR 302)	
Not applicable			
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.	
SARA Title III Section 302 Extremely Hazardous Substance			
Not applicable			
SARA Title III Section 313 Toxic	c C	hemicals:	
Not applicable Canadian Regulations:			
National Pollutant Release	e In	ventory (NPRI)	
Not applicable			
WHMIS Classification	:	D2A	
DSL	:	All components of this product are on the Canadian Domestic	



Page 6 of 6

Print Date 11/11/2011

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET **FB442 ORANGE RED**

Version Number 1.2 Revision Date 08/01/2003

National Inventories:		Substances List (DSL) or are exempt.
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Not determined.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.