

## MATERIAL SAFETY DATA SHEET FB355A ORANGE RED

Version Number 1.1 Revision Date 06/13/2003

Page 1 of 7 Print Date *11/11/2011* 

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	FB355A ORANGE RED
Product code	:	FO20004893
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Azodicarbonamide	123-77-3	1 - 5
Antimony trioxide	1309-64-4	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.





## MATERIAL SAFETY DATA SHEET FB355A ORANGE RED

Version Number 1.1 Revision Date 06/13/2003 Page 2 of 7 Print Date 11/11/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>No data available.</li> <li>No data available.</li> <li>Not applicable.</li> <li>Carbon dioxide blanket, dry powder, foam, Water spray.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing



## MATERIAL SAFETY DATA SHEET FB355A ORANGE RED

				Print Da	Page 3 ate 11/11/2
	Р	ume condensates may co eriodically clean hoods, ccumulation of these ma	ducts, and other surf		
Storage		Leep containers dry and t nd contamination. Store		id moisture	absorption
8. I	EXPOSURE	CONTROLS / PERSO	NAL PROTECTIO	ON	
Respiratory protection	· 1	Inder normal handling co	onditions a respirator	r may not h	e required
		-	-	i may not b	e lequileu.
Eye/Face Protection	: S	afety glasses with side-s	hields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		Iandle in accordance with Vash hands before breaks			fety practic
Engineering measures		leat only in areas with ap ppropriate exhaust ventil		entilation.	Provide
Exposure limit(s)					
Components	Value	Exposure time	Exposur	e tyne	I ist.
Components Antimony trioxide	Value 0.5 mg/m3	Exposure time PEL:	Exposure as S	• •	List: OSHA Z1
	0.5 mg/m3	PEL:	as S	• •	
_	0.5 mg/m3		as S	• •	
_	0.5 mg/m3 9. PHYSIC : Liqu	PEL: CAL AND CHEMICAI	as S L <b>PROPERTIES</b> Evaporation rate	ib : Not o	OSHA Z1
Antimony trioxide Form Appearance	0.5 mg/m3 9. PHYSIC : Liqu : Visc	PEL: CAL AND CHEMICAI id l ous, Liquid S	as S L PROPERTIES Evaporation rate Specific Gravity	: Not of : Not of	OSHA Z1
Antimony trioxide Form Appearance Color	0.5 mg/m3 9. PHYSIC : Liqu : Visc : ORA	PEL: CAL AND CHEMICAI id l ous, Liquid S NGE	as S L PROPERTIES Evaporation rate Specific Gravity Bulk density	: Not of : Not Not of : Not Not of : Not	OSHA Z1 established determined applicable.
Antimony trioxide Form Appearance Color Odor	0.5 mg/m3 9. PHYSIC : Liqu : Visc : ORA : Very	PEL: CAL AND CHEMICAI id 1 ous, Liquid 2 NGE 1 y faint	as S L <b>PROPERTIES</b> Evaporation rate Specific Gravity Bulk density Vapor pressure	: Not of the second sec	OSHA Z1 established determined applicable. determined
Antimony trioxide Form Appearance Color Odor Melting point/range	0.5 mg/m3 9. PHYSIC : Liqu : Visc : ORA : Very : Not :	PEL: CAL AND CHEMICAI id l ous, Liquid S NGE l faint S applicable	as S L <b>PROPERTIES</b> Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density	: Not of the second sec	OSHA Z1 established determined applicable. determined determined
Antimony trioxide Form Appearance Color Odor Melting point/range Boiling Point:	0.5 mg/m3 9. PHYSIC : Liqu : Visc : ORA : Very : Not : Not	PEL: CAL AND CHEMICAI id l ous, Liquid S NGE l v faint s applicable s policable s	as S L <b>PROPERTIES</b> Evaporation rate Specific Gravity Bulk density Vapor pressure	: Not of the second sec	OSHA Z1 established determined applicable. determined
Antimony trioxide Form Appearance Color Odor Melting point/range	0.5 mg/m3 9. PHYSIC : Liqu : Visc : ORA : Very : Not : Not	PEL: CAL AND CHEMICAI id l ous, Liquid S NGE l faint S applicable	as S L <b>PROPERTIES</b> Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density	: Not of the second sec	OSHA Z1 established determined applicable. determined determined
Antimony trioxide Form Appearance Color Odor Melting point/range Boiling Point:	0.5 mg/m3 9. PHYSIO : Liqu : Visc : ORA : Very : Not : Not : Imm	PEL: CAL AND CHEMICAI id l ous, Liquid S NGE l v faint s applicable s policable s	as S L <b>PROPERTIES</b> Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	: Not of the second sec	OSHA Z1 established determined applicable. determined determined
Antimony trioxide Form Appearance Color Odor Melting point/range Boiling Point:	0.5 mg/m3 9. PHYSIC : Liqu : Visc : ORA : Very : Not : Imm 10. §	PEL: CAL AND CHEMICAI id l ous, Liquid S NGE l v faint s applicable s iscible s	as S L <b>PROPERTIES</b> Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	: Not of the second sec	OSHA Z1 established determined applicable. determined determined
Antimony trioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	0.5 mg/m3 9. PHYSIO : Liqu : Visc : ORA : Very : Not : : Not : : Imm 10. S : S	PEL: CAL AND CHEMICAI id l ous, Liquid S NGE l faint s applicable s iscible s STABILITY AND REA	as S L <b>PROPERTIES</b> Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	: Not of the second sec	OSHA Z1 established determined applicable. determined determined



# MATERIAL SAFETY DATA SHEET FB355A ORANGE RED

Version Number 1.1 Revision Date 06/13/2003 Page 4 of 7 Print Date *11/11/2011* 

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
123-77-3	Azodicarbonamide	sensitizer	Respiratory system.
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.

#### LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
123-77-3	Azodicarbonamide	LC50	200 mg/l	rat
		Oral LD50	> 6,400 mg/kg	rat
		Dermal LD50	> 2,000 mg/kg	rabbit
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1309-64-4	Antimony trioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### Additional Health Hazard Information:



### MATERIAL SAFETY DATA SHEET FB355A ORANGE RED

Version Number 1.1 Revision Date 06/13/2003

Page 5 of 7 Print Date 11/11/2011

Azodicarbonamide 123-77-3 Sensitizer to the respiratory system with repeated minimal inhalation. While no chronic health problems have been identified, individuals with respiratory problems should avoid inhalation exposure to this material.

#### Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: No data available.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
US Regulations: OSHA Status	: Classified as hazardous based on components.

## MATERIAL SAFETY DATA SHEET FB355A ORANGE RED

Version Number 1.1 Revision Date 06/13/2003 Page 6 of 7 Print Date 11/11/2011

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	% in Product	RQ for component	RQ for
				Mixture/Product
Arsenic	7440-38-2	0.0055	001 lbs	18,182 LB

California Proposition 65

: WARNING! This product contains a chemical known to the State of California to cause cancer., WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

SARA Title III Section 302 Extremely Hazardous Substance

Not applicable

SARA Title III Section 313 Toxic Chemicals:

Chemical Name	CAS-No.	Weight %
ANTIMONY COMPOUNDS	1309-64-4	1.84

Canadian Regulations:

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.
1309-64-4

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Not determined.
Philippines PICCS	:	Listed.

:



MATERIAL SAFETY DATA SHEET FB355A ORANGE RED

Version Number 1.1 Revision Date 06/13/2003 Page 7 of 7 Print Date 11/11/2011

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.