

#### MATERIAL SAFETY DATA SHEET

## WB-10510-A RESIN EMULSION

Version Number 1.0 Revision Date 05/28/2003 Page 1 of 6 Print Date *11/11/2011* 

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WB-10510-A RESIN EMULSION
Product code	:	FO20005059
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. In addition, heating or processing this material may result in product degradation or byproduct formation creating additional hazards. See Sections 8 and 11 for additional details.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Skin contact, Inhalation, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: No known effects.
Eyes	: Vapour during processing may be irritating to the respiratory tract and to the eyes.
Skin	: May cause eye or skin irritation with susceptible persons.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



#### MATERIAL SAFETY DATA SHEET

# WB-10510-A RESIN EMULSION

Version Number 1.0 Revision Date 05/28/2003 Page 2 of 6 Print Date 11/11/2011

Inhalation	: Move to fresh air in case of accidental inhalation of vapors or fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Obtain medical attention. Never give anything by mouth to an unconscious person.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Greater than 400 °F (204.4 °C)
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	<ul> <li>No data available.</li> <li>No data available.</li> <li>No data available.</li> <li>carbon dioxide (CO2), water, foam, dry chemical.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Cool closed containers exposed to fire with water spray Do not allow run-off from fire fighting to enter drains or water courses</li> </ul>
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Ensure response personnel are properly protected (see section 8 for respiratory or other protection guidelines.) Use caution as floors may be slippery.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Use only in area provided with appropriate exhaust ventilation. Prolonged heating may result in product degradation. Material may



### MATERIAL SAFETY DATA SHEET

# WB-10510-A RESIN EMULSION

ion Number 1.0 sion Date 05/28/2003			Page 3 Print Date 11/11/2
	settle during stora be necessary befo	age. Careful mixing withou re use.	t introduction of air may
Storage		are opened must be careful t leakage. Keep in a dry, co perature extremes.	
8. EXI	POSURE CONTROLS /	PERSONAL PROTECTI	ON
Respiratory protection	areas of good gen	rmally not required for routi eral ventilation and adequat nent during routine operatio	te local exhaust at
Eye/Face Protection		th side-shields. Wear goggl esent a splash potential.	es or face shield during
Hand protection	: Impervious glove	s such as rubber or PVC	
Skin and body protection	Where operations	ts and long pants are adequ present a splash or spill por resistant clothing, boots, ap	tential, employees should
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		re breaks and immediately a ance with good industrial hy	
Engineering measures		tion and/or appropriate respine to minimize employee exp	
Exposure limit(s)			
There are no known hazardo	us components above regu	latory thresholds in this pro	oduct.
9	. PHYSICAL AND CHE	CMICAL PROPERTIES	
Form	: Liquid	Evaporation rate	: Slower than Buty Acetate
Appearance	: Liquid	Specific Gravity	: Not determined
Color	: NO PIGMENT	Bulk density	: Not applicable.
Odor Melting point/range	: Slight : Not applicable	Vapor pressure Vapor density	: Not established : Heavier than air.
Boiling Point:	: No data available.	pH	: Not determined
Water solubility	: Completely miscible		. The determined
	10. STABILITY AN	ND REACTIVITY	



## MATERIAL SAFETY DATA SHEET

## WB-10510-A RESIN EMULSION

rsion Number 1.0 vision Date 05/28/2003	Page 4 o Print Date 11/11/20
Stability	: Stable.
Hazardous Polymerization	: Will not occur.
Conditions to avoid	: Extremes of temperature and direct sunlight. Keep from freezing.
Incompatible Materials	: Acids, metal salts, and solvents
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	11. TOXICOLOGICAL INFORMATION
There are no known hazardous	components above regulatory thresholds in this product.
	12. ECOLOGICAL INFORMATION
Persistence and degradability	: No data available.
Environmental Toxicity	: No data available.
Bioaccumulation Potential	: No data available.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	



### MATERIAL SAFETY DATA SHEET

# WB-10510-A RESIN EMULSION

Version Number 1.0 Revision Date 05/28/2003		Page 5 of 6 Print Date 11/11/2011				
OSHA Status	:	There are no known hazardous components above regulatory thresholds in this product.				
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.				
US. EPA CERCLA Hazardous S	US. EPA CERCLA Hazardous Substances (40 CFR 302)					
Not applicable						
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.				
SARA Title III Section 302 Extr	SARA Title III Section 302 Extremely Hazardous Substance					
Not applicable						
SARA Title III Section 313 Tox	ic C	Chemicals:				
Not applicable						
Canadian Regulations:						
WHMIS Classification	:	Not controlled.				
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.				
National Inventories:						
Australia AICS	:	Listed.				
China IECS	:	Listed.				
Europe EINECS	:	Not determined.				
Japan ENCS	:	Not determined.				
Korea KECI	:	Not determined.				
Philippines PICCS	:	Listed.				
	16. OTHER INFORMATION					
	_					
		5/6				



MATERIAL SAFETY DATA SHEET

## WB-10510-A RESIN EMULSION

Version Number 1.0 Revision Date 05/28/2003 Page 6 of 6 Print Date 11/11/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.