

MATERIAL SAFETY DATA SHEET **DB3708 NAVY BLUE**

Version Number 1.0 Revision Date 06/06/2003 Page 1 of 6 Print Date *11/11/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DB3708 NAVY BLUE
Product code	:	FO20005196
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Trimethylopropane trimethacrylate	3290-92-4	5 - 10
Silica, amorphous	7631-86-9	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion				
Acute exposure					
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.				
Ingestion	: May be harmful if swallowed.				
Eyes	: May cause eye/skin irritation.				
Skin	: Experience shows no unusual dermatitis hazard from routine handling.				
Chronic exposure	: Refer to Section 11 for Toxicological Information.				



sion Number 1.0 ision Date 06/06/2003	Page 2 Print Date 11/11/2
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, Water spray.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	 May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue.



Storage 8. EX Respiratory protection Eye/Face Protection Hand protection Skin and body protection	ad : K an <u>XPOSURE</u> : U : S	eriodically clean ho ccumulation of these eep containers dry a nd contamination. S CONTROLS / PE nder normal handlin afety glasses with si	e materials. and tightly close tore in a cool d RSONAL PRO	ed to avoid m ry place. TECTION	oisture a	bsorption
8. EX Respiratory protection Eye/Face Protection Hand protection	an <u>XPOSURE</u> : U : S	nd contamination. S	tore in a cool d RSONAL PRO	ry place.		
Respiratory protection Eye/Face Protection Hand protection	<u>XPOSURE</u> : U : S	CONTROLS / PE	RSONAL PRO	TECTION	y not be	
Respiratory protection Eye/Face Protection Hand protection	: U : S	nder normal handlin afety glasses with si	ng conditions a		y not be	
Eye/Face Protection Hand protection	: S	afety glasses with si	-	respirator ma	iy not be	
Hand protection			de-shields.			required.
-	: P					
Skin and body protection		rotective gloves.				
	: L	ong sleeved clothin	<i>.</i>			
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance ash hands before b				ety practice
Engineering measures		eat only in areas wi opropriate exhaust v			ation. P	rovide
Exposure limit(s)						
Components	Value	Exposure ti	ne	Exposure typ	be	List:
-	20 mppcf	PEL:		Total dust.		OSHA
Silica, amorphous	20 mppcf	PEL:		Total dust.		Z3
	9. PHYSIC	CAL AND CHEMI	CAL PROPER	RTIES		
Form	: Liqu	id	Evaporation	n rate	Not es	stablished
Appearance		ous, Liquid	Specific Gr	avity	Not de	etermined
Color	: BLU	E	Bulk densit	y :	Not ap	oplicable.
Odor	: Very		Vapor press			etermined
Melting point/range		applicable	Vapor dens	ity		etermined
Boiling Point:		applicable	pH	:	Not ap	pplicable.
Water solubility	: Imm	iscible				
	10. 8	TABILITY AND	REACTIVITY			
Stability	: S	table.				
Hazardous Polymerization	: W	/ill not occur.				
Conditions to avoid		eep away from oxic ecomposition, do no		d open flame	. To avo	oid thermal



ion Number 1.0 sion Date 06/06/20	003			Page 4 Print Date 11/11/2		
Incompatible Materials :			Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.			
Hazardous decomposition : products		Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).				
	11	. TOXICOLOG	ICAL INFORMA	TION		
health data for the in <u>Toxicity Overview</u> This product contain	ndividual com	ponents which congression of the second s	omprise the mixture	orm have the following characteristic		
CAS-No. 3290-92-4		emical Name	Effect Irritant	Target Organ Eyes, Skin.		
3290-92-4	trimethac		IIIItant	Lyes, Skiii.		
7631-86-9	Silica, an	norphous	Irritant	Eyes, Respiratory system.		
		12. ECOLOGIO	CAL INFORMAT	ION		
Persistence and degr Environmental Toxi		 Not readily b Environmenta whole. 	-	een established for this mixture as a		
Bioaccumulation Po	tential	: No data avail	able.			
Additional advice		: No data avail	able.			
		13. DISPOSAL	CONSIDERATIO	DNS		
Product		generator of v classification	waste material has t , transportation and	Terred to disposal or incineration. The he responsibility for proper waste disposal in accordance with al and local regulations.		
Product Contaminated packa	ging	generator of v classification applicable feeRecycling is p has the response	waste material has t , transportation and leral, state/provinci preferred when poss nsibility for proper in accordance with	he responsibility for proper waste disposal in accordance with al and local regulations.		
	ging	 generator of v classification applicable fee Recycling is p has the respondent of the second and disposal feed and local regression 	waste material has t , transportation and leral, state/provinci preferred when poss nsibility for proper in accordance with	he responsibility for proper waste disposal in accordance with al and local regulations. sible. The generator of waste materia waste classification, transportation applicable federal, state/provincial		



					Page 5
ision Date 06/06/2003				Print Date	11/11/2
ICAO/IATA	:	Refer to specific regulation	on.		
IMO / IMDG	:	Refer to specific regulation	on.		
	15.	REGULATORY INFO	RMATION		
US Regulations:					
OSHA Status	:	Classified as hazardous b	ased on compone	ents.	
TSCA Status	:	The TSCA status of this	product is curren	tly under review.	
US. EPA CERCLA Hazardou	is Subs	tances (40 CFR 302)			
Not applicable					
California Proposition 65		WARNING! This produc California to cause cancer		nical known to th	e State of
SARA Title III Section 302 E	xtreme	ely Hazardous Substance			
SARA Title III Section 302 E	xtreme	ely Hazardous Substance			
SARA Title III Section 302 E Not applicable	xtreme	ely Hazardous Substance			
Not applicable					
Not applicable SARA Title III Section 313 T					
Not applicable SARA Title III Section 313 T Not applicable	'oxic Cl	hemicals:			
Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations:	'oxic Cl	hemicals:	CAS-No.	Weight %]
Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: National Pollutant Rele	'oxic Cl	hemicals:	CAS-No.	Weight %]
Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: National Pollutant Rele	òxic Cl ease In	hemicals:	CAS-No.	Weight %	
Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: National Pollutant Rele	oxic Cl ease In n :	hemicals: wentory (NPRI)] da may be
Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: National Pollutant Rele Chemical Name WHMIS Classification	oxic Cl ease In n :	hemicals: ventory (NPRI) Not controlled. DSL status has not been] da may be
Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: National Pollutant Rele Chemical Name WHMIS Classification DSL	oxic Cl ease In n : :	hemicals: ventory (NPRI) Not controlled. DSL status has not been] da may be
Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: National Pollutant Rele Chemical Name WHMIS Classification DSL National Inventories:	òoxic Cl ease In n : :	hemicals: ventory (NPRI) Not controlled. DSL status has not been restricted by regulations.] da may be
Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: National Pollutant Rele Chemical Name WHMIS Classification DSL National Inventories: Australia AICS	òoxic Cl ease In n : : :	hemicals: ventory (NPRI) Not controlled. DSL status has not been restricted by regulations. Not determined.] da may be

DOL VONE CODDODA	PolyOne.		
POLYONE CORPORA			
MATERIAL SAFETY DATA SH	EET		
DB3708 NAVY BLUE			
Version Number 1.0 Revision Date 06/06/2003		Print Date	Page 6 of 6 11/11/2011
Japan ENCS	: Not determined.		
Korea KECI	: Not determined.		
Philippines PICCS	: Not determined.		
	16. OTHER INFORMATION		
	· · · · · · · · · · · · · · · · · · ·	1 1 1	. 11 1. 6

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.