## MATERIAL SAFETY DATA SHEET WB-10511-A POLYESTER TOPCOAT

Version Number 1.0 Revision Date 06/09/2003

Page 1 of 6 Print Date 11/11/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

| NON-EMERGENCY<br>TELEPHONE    | : | Product Stewardship, (314) 771-1800  |
|-------------------------------|---|--|
| Emergency telephone<br>number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
| Product name                  | : | WB-10511-A POLYESTER TOPCOAT   |
| Product code                  | : | FO20005202   |
| Chemical Name                 | : | Mixture  |
| CAS-No.                       | : | Mixture  |
| Product Use                   | : | Industrial Applications  |

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. In addition, heating or processing this material may result in product degradation or byproduct formation creating additional hazards. See Sections 8 and 11 for additional details.

## POTENTIAL HEALTH EFFECTS

| <b>Routes of Exposure:</b>                    | : Skin contact, Inhalation, Ingestion  |
|---|--|
| Acute exposure                                |  |
| Inhalation                                    | : Inhalation of airborne droplets may cause irritation of the respiratory tract.       |
| Ingestion                                     | : No known effects.  |
| Eyes  | : Vapour during processing may be irritating to the respiratory tract and to the eyes. |
| Skin  | : May cause eye or skin irritation with susceptible persons.                           |
| Chronic exposure                              | : Refer to Section 11 for Toxicological Information.                                   |
| Medical Conditions<br>Aggravated by Exposure: | : None known.  |



# MATERIAL SAFETY DATA SHEET WB-10511-A POLYESTER TOPCOAT

## Version Number 1.0 Revision Date 06/09/2003

Page 2 of 6 Print Date 11/11/2011

|   | 4. FIRST AID MEASURES  |
|---|--|
| Inhalation  | : Move to fresh air in case of accidental inhalation of vapors or fumes<br>from overheating or combustion. When symptoms persist or in all<br>cases of doubt seek medical advice.  |
| Ingestion   | : Obtain medical attention. Never give anything by mouth to an unconscious person.   |
| Eyes  | : Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.  |
| Skin  | : Wash off with soap and plenty of water. If skin irritation persists seel medical attention.  |
|   | 5. FIRE-FIGHTING MEASURES  |
| Flash point   | : Greater than 400 °F (204.4 °C)   |
| Flammable Limits<br>Upper explosion limit<br>Lower explosion limit<br>Autoignition temperature<br>Suitable extinguishing media<br>Special Fire Fighting<br>Procedures | <ul> <li>No data available.</li> <li>No data available.</li> <li>No data available.</li> <li>No data available.</li> <li>carbon dioxide (CO2), water, foam, dry chemical.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Cool closed containers exposed to fire with water spray</li> </ul> |
| Unusual Fire/Explosion<br>Hazards   | Do not allow run-off from fire fighting to enter drains or water courses<br>None   |
|   | 6. ACCIDENTAL RELEASE MEASURES   |
| Personal precautions  | : Ensure response personnel are properly protected (see section 8 for respiratory or other protection guidelines.) Use caution as floors may be slippery.  |
| Environmental precautions   | : The product should not be allowed to enter drains, water courses or the soil.  |
| Methods for cleaning up   | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.   |
|   | 7. HANDLING AND STORAGE  |
| Handling  | : Use only in area provided with appropriate exhaust ventilation.<br>Prolonged heating may result in product degradation. Material may   |

2/6



# MATERIAL SAFETY DATA SHEET WB-10511-A POLYESTER TOPCOAT

| sion Number 1.0<br>ision Date 06/09/2003 |                                      |   | Page 3<br>Print Date 11/11/2                              |
|--|--------------------------------------|---|---|
|  | settle during sto<br>be necessary be | rage. Careful mixing withou fore use.   | t introduction of air may                                 |
| Storage                                  | upright to preve                     | h are opened must be careful<br>nt leakage. Keep in a dry, co<br>pperature extremes.  |   |
| 8. EXI                                   | OSURE CONTROLS                       | / PERSONAL PROTECTI   | ON  |
| Respiratory protection                   | areas of good ge                     | ormally not required for routi<br>eneral ventilation and adequation<br>pment during routine operation   | e local exhaust at  |
| Eye/Face Protection                      |                                      | Safety glasses with side-shields. Wear goggles or face shield durin operations that present a splash potential.   |   |
| Hand protection                          | : Impervious glov                    | ves such as rubber or PVC   |   |
| Skin and body protection                 | Where operation                      | : Long sleeved shirts and long pants are adequate for normal har<br>Where operations present a splash or spill potential, employees<br>wear chemically resistant clothing, boots, apron, gloves, and e<br>protection. |   |
| Additional Protective<br>Measures        | : Safety shoes                       |   |   |
| General Hygiene<br>Considerations        |                                      | ore breaks and immediately a<br>dance with good industrial hy   |   |
| Engineering measures                     |                                      | ation and/or appropriate respi<br>ry to minimize employee exp   |   |
| Exposure limit(s)                        |                                      |   |   |
| There are no known hazardou              | is components above reg              | gulatory thresholds in this pro   | oduct.  |
| 9  | PHYSICAL AND CH                      | EMICAL PROPERTIES   |   |
| Form                                     | : Liquid                             | Evaporation rate  | : Slower than Buty<br>Acetate                             |
| Appearance                               | : Liquid                             | Specific Gravity  | : Not determined  |
| Color<br>Odor                            | : NO PIGMENT<br>: Slight             | Bulk density<br>Vapor pressure  | <ul><li>Not applicable.</li><li>Not established</li></ul> |
| Melting point/range                      | : Not applicable                     | Vapor pressure<br>Vapor density   | : Heavier than air.                                       |
| Boiling Point:                           | : No data available.                 | pH  | : Not determined  |
| Water solubility                         | : Completely miscibl                 | e   |   |
|  | 10. STABILITY A                      | ND REACTIVITY   |   |
|  |                                      |   |   |



## MATERIAL SAFETY DATA SHEET WB-10511-A POLYESTER TOPCOAT

Version Number 1.0 Revision Date 06/09/2003 Page 4 of 6 Print Date 11/11/2011

| Stability                        | : | Stable.  |
|----------------------------------|---|--|
| Hazardous Polymerization         | : | Will not occur.  |
| Conditions to avoid              | : | Extremes of temperature and direct sunlight. Keep from freezing.   |
| Incompatible Materials           | : | Acids, metal salts, and solvents   |
| Hazardous decomposition products | : | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |

## 11. TOXICOLOGICAL INFORMATION

There are no known hazardous components above regulatory thresholds in this product.

## **12. ECOLOGICAL INFORMATION**

| Environmental Toxicity            | : No data available.  |
|-----------------------------------|---|
| Bioaccumulation Potential         | : No data available.  |
| Additional advice                 | : No data available.  |
|                                   | 13. DISPOSAL CONSIDERATIONS   |
| Product<br>Contaminated packaging | <ul> <li>Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste material</li> </ul> |
|                                   | has the responsibility for proper waste classification, transportation<br>and disposal in accordance with applicable federal, state/provincial<br>and local regulations.  |
|                                   | 14. TRANSPORT INFORMATION   |
| U.S. DOT Classification           | : Refer to specific regulation.   |
| ICAO/IATA                         | : Refer to specific regulation.   |
| IMO / IMDG                        | : Refer to specific regulation.   |
|                                   | 15. REGULATORY INFORMATION  |

PolyOne.

# MATERIAL SAFETY DATA SHEET WB-10511-A POLYESTER TOPCOAT

| on Number 1.0<br>sion Date 06/09/2003   |        | Page 5<br>Print Date 11/11/2  |
|---|--------|---|
|   |        |   |
| OSHA Status                             | :      | There are no known hazardous components above regulatory thresholds in this product.        |
| TSCA Status                             | :      | The TSCA status of this product is currently under review.                                  |
| US. EPA CERCLA Hazardou                 | s Sub  | stances (40 CFR 302)  |
| Not applicable                          |        |   |
| California Proposition<br>65            | :      | This product does not contain a substance listed by California Prop 6                       |
| SARA Title III Section 302 E            | ktrem  | ely Hazardous Substance   |
| Not applicable                          |        |   |
| SARA Title III Section 313 To           | oxic ( | Chemicals:  |
| Not applicable<br>Canadian Regulations: |        |   |
| National Pollutant Rele                 | ase I  | nventory (NPRI)   |
| Not applicable                          |        |   |
| WHMIS Classification                    | :      | Not controlled.   |
| DSL                                     | :      | DSL status has not been determined. Quantity use in Canada may b restricted by regulations. |
| National Inventories:                   |        |   |
| Australia AICS                          | :      | Not determined.   |
| China IECS                              | :      | Not determined.   |
| Europe EINECS                           | :      | Not determined.   |
| Japan ENCS                              | :      | Not determined.   |
| Korea KECI                              | :      | Not determined.   |
| Philippines PICCS                       | :      | Not determined.   |
|   |        | 16. OTHER INFORMATION   |



# MATERIAL SAFETY DATA SHEET WB-10511-A POLYESTER TOPCOAT

Version Number 1.0 Revision Date 06/09/2003 Page 6 of 6 Print Date *11/11/2011* 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.