# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27996 YELLOW

Version Number 1.0 Revision Date 06/10/2003

Page 1 of 6 Print Date 11/11/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HCC-27996 YELLOW
Product code	:	FO20005228
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	30 - 60

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: May cause eye/skin irritation.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		

<u>PolyOne</u>

## MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27996 YELLOW

Version Number 1.0 Revision Date 06/10/2003 Page 2 of 6 Print Date 11/11/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>No data available.</li> <li>No data available.</li> <li>Not applicable.</li> <li>Carbon dioxide blanket, dry powder, foam, Water spray.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged

# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27996 YELLOW

Version Number 1.0 Revision Date 06/10/2003 Page 3 of 6 Print Date 11/11/2011

 heating may result in product degradation.

 Storage
 : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.

 **8. EXPOSURE CONTROLS / PERSONAL PROTECTION** 

 Respiratory protection
 : Under normal handling conditions a respirator may not be required.

 Eye/Face Protection
 : Safety glasses with side-shields.

 Hand protection
 : Protective gloves.

Skin and body protection: Long sleeved clothing.Additional Protective<br/>Measures: Safety shoes.General Hygiene<br/>Considerations: Handle in accordance with good industrial hygiene and safety practice.<br/>Wash hands before breaks and at the end of workday.Engineering measures: Heat only in areas with appropriate exhaust ventilation. Provide<br/>appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

Form	: Liquid	Evaporation rate	: Not established
Appearance	: Liquid, Viscous liquid dispersion	Specific Gravity	: Not determined
Color	: YELLOW	Bulk density	: Not applicable.
Odor	: Very faint	Vapor pressure	: Not determined
Melting point/range	: Not applicable	Vapor density	: Heavier than air.
Boiling Point:	: Not applicable	pH	: Not determined
Water solubility	: Immiscible		
	10. STABILITY AND F	REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from oxid	izing agents and open f	lame. To avoid thermal

PolyOne.

# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27996 YELLOW

Version Number 1.0 Revision Date 06/10/2003 Page 4 of 6 Print Date 11/11/2011

	decompositio	n, do not overheat.			
Incompatible Materials	: Incompatible	: Incompatible with strong acids and oxidizing agents.			
Hazardous decomposition products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.					
	11. TOXICOLOG	ICAL INFORMATIO	DN		
This mixture has not been e health data for the individua			are effects listed are based on exis		
<u>Toxicity Overview</u> This product contains the fo	ollowing components w	hich in their pure form	have the following characteristic		
CAS-No.	Chemical Name	Effect	Target Organ		
13463-67-7 Tit	anium dioxide	Systemic effects	Respiratory system.		
	12 FCOLOGIO	CAL INFORMATION	I		
Environmental Toxicity Bioaccumulation Potential Additional advice Product	whole. : No data avail. : No data avail. <b>13. DISPOSAL</b> : Where possib	able. able. <b>CONSIDERATIONS</b> le, recycling is preferre	established for this mixture as a d to disposal or incineration. The esponsibility for proper waste		
	classification,	<ul> <li>classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> </ul>			
Contaminated packaging	: Recycling is p has the respon and disposal i and local regu	deral, state/provincial an preferred when possible nsibility for proper was in accordance with applulations.	posal in accordance with nd local regulations. b. The generator of waste materia te classification, transportation		
Contaminated packaging	: Recycling is p has the respon and disposal i and local regu	leral, state/provincial an preferred when possible nsibility for proper was in accordance with appl	posal in accordance with nd local regulations. b. The generator of waste materia te classification, transportation		
Contaminated packaging U.S. DOT Classification	<ul> <li>Recycling is p has the respondent and disposal i and local regu</li> <li>14. TRANSPO</li> </ul>	deral, state/provincial an preferred when possible nsibility for proper was in accordance with applulations.	posal in accordance with nd local regulations. b. The generator of waste materia te classification, transportation		
	<ul> <li>Recycling is p has the respondent of the respondent o</li></ul>	deral, state/provincial an preferred when possible nsibility for proper was in accordance with appl alations. <b>RT INFORMATION</b>	posal in accordance with nd local regulations. b. The generator of waste materia te classification, transportation		

PolyOne

# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27996 YELLOW

Version Number 1.0 Revision Date 06/10/2003 Page 5 of 6 Print Date 11/11/2011

	15	S. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	ic C	Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Releas	se Iı	iventory (NPRI)
Not applicable		
WHMIS Classification	:	D2B
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Listed.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.



# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27996 YELLOW

Version Number 1.0 Revision Date 06/10/2003 Page 6 of 6 Print Date 11/11/2011

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.