

## MATERIAL SAFETY DATA SHEET PX-21453-A TRANSPARENT RED PLASTISOL

Version Number 1.1 Revision Date 06/16/2003

Page 1 of 6 Print Date 11/11/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PX-21453-A TRANSPARENT RED PLASTISOL
Product code	:	FO20005234
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Solvent naphtha, petroleum, heavy arom.	64742-94-5	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion	
Acute exposure		
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.	
Ingestion	: May be harmful if swallowed.	
Eyes	: May cause eye/skin irritation.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	



## MATERIAL SAFETY DATA SHEET PX-21453-A TRANSPARENT RED PLASTISOL

Version Number 1.1 Revision Date 06/16/2003 Page 2 of 6 Print Date 11/11/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	<ul> <li>No data available.</li> <li>No data available.</li> <li>Not applicable.</li> <li>Carbon dioxide blanket, dry powder, foam, Water spray.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne</li> </ul>
Unusual Fire/Explosion Hazards	<ul> <li>contaminants.</li> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing



## MATERIAL SAFETY DATA SHEET PX-21453-A TRANSPARENT RED PLASTISOL

Version Number 1.1 Revision Date 06/16/2003

Boiling Point:

Water solubility

Page 3 of 6 Print Date 11/11/2011

Not applicable.

:

Storage	Periodically clean accumulation of the containers defined to the containers defined to the containers of the containers	may contain combustible or to hoods, ducts, and other surfac- nese materials. ry and tightly closed to avoid to n. Store in a cool dry place.	es to minimize
8. EXF	OSURE CONTROLS /	PERSONAL PROTECTION	1
Respiratory protection	: Under normal har	dling conditions a respirator n	nay not be required.
Eye/Face Protection	: Safety glasses wit	h side-shields.	
Hand protection	: Protective gloves.		
Skin and body protection	: Long sleeved clot	hing.	
Additional Protective Measures	: Safety shoes.		
General Hygiene Considerations		nce with good industrial hygie e breaks and at the end of wor	
Engineering measures		with appropriate exhaust vent st ventilation at machinery.	ilation. Provide
Exposure limit(s)			
9	PHYSICAL AND CHE	MICAL PROPERTIES	
Form	: Liquid	Evaporation rate	: Not established
Appearance	: Viscous, Liquid	Specific Gravity	: Not determined
Color	: RED	Bulk density	: Not applicable.
Odor	: Very faint	Vapor pressure	: Not determined
Melting point/range	: Not applicable	Vapor density	: Not determined
Delling Delati	Net applicable		

**10. STABILITY AND REACTIVITY** 

pH

: Not applicable

: Immiscible

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents. Avoid contact



## MATERIAL SAFETY DATA SHEET PX-21453-A TRANSPARENT RED PLASTISOL

Version Number 1.1 Revision Date 06/16/2003 Page 4 of 6 Print Date 11/11/2011

with acetal homopolymers and acetal copolymers during processing.

Hazardous decomposition<br/>products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen<br/>(NOx), hydrogen chloride (HCl), other hazardous materials, and<br/>smoke are all possible. Prolonged heating may result in product<br/>degradation. As a general rule of thumb, degradation begins to occur<br/>after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F),<br/>and within 5 minutes at 232 °C (450 °F).

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ		
	12. ECOLOGIC	AL INFORMATION			
Persistence and degrada	oility : Not readily bio	odegradable.			
Environmental Toxicity	: Environmenta whole.	: Environmental toxicity has not been established for this mixture as a whole.			
Bioaccumulation Potent	al : No data availa	: No data available.			
Additional advice	: No data availa	ıble.			
	13. DISPOSAL	CONSIDERATIONS			
Product Contaminated packaging	generator of w classification, applicable fed g : Recycling is p has the respon	vaste material has the re transportation and disp eral, state/provincial an referred when possible. sibility for proper wasten accordance with appli	l to disposal or incineration. Th sponsibility for proper waste osal in accordance with d local regulations. The generator of waste materia e classification, transportation cable federal, state/provincial		
		RT INFORMATION			
U.S. DOT Classification	: Refer to speci	fic regulation.			
ICAO/IATA	: Refer to specif	fic regulation.			
IMO / IMDG	: Refer to speci	fic regulation.			



# MATERIAL SAFETY DATA SHEET PX-21453-A TRANSPARENT RED PLASTISOL

Version Number 1.1 Revision Date 06/16/2003 Page 5 of 6 Print Date 11/11/2011

	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition 65	: WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Ext	remely Hazardous Substance
Not applicable	
SARA Title III Section 313 Tox	ic Chemicals:
Not applicable Canadian Regulations:	
WHMIS Classification	: Not controlled.
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS	: Listed.
China IECS	: Listed.
Clillia IEC5	: Not determined.
Europe EINECS	. Not determined.
	: Not determined.
Europe EINECS	
Europe EINECS Japan ENCS	: Not determined.



# MATERIAL SAFETY DATA SHEET PX-21453-A TRANSPARENT RED PLASTISOL

Version Number 1.1 Revision Date 06/16/2003 Page 6 of 6 Print Date *11/11/2011* 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.