## MATERIAL SAFETY DATA SHEET POLYMELT III 23-10 NATURAL

Version Number 1.0 Revision Date 06/25/2003 Page 1 of 6 Print Date 11/11/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	POLYMELT III 23-10 NATURAL
Product code	:	FO20005471
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This product has not been evaluated as a whole for health effects. Information provided on the health effects of this product is based on individual components. In addition, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Skin contact, Inhalation, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET POLYMELT III 23-10 NATURAL

Version Number 1.0 Revision Date 06/25/2003 Page 2 of 6 Print Date 11/11/2011

Inhalation	: Move to fresh air in case of accidental inhalation of vapors or fumes
	from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>No data available.</li> <li>No data available.</li> <li>No data available.</li> <li>No data available.</li> <li>carbon dioxide (CO2), water, foam, dry chemical.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Cool closed containers exposed to fire with water spray Do not allow run-off from fire fighting to enter drains or water courses</li> <li>Burning dry latex produces dense black smoke with the possibility of toxic vapors. Residual latex material contained in empty drums may</li> </ul>
	decompose when burned producing toxic or irritating fumes.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Ensure response personnel are properly protected (see section 8 for respiratory or other protection guidelines.) Use caution as floors may be slippery.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.
	7. HANDLING AND STORAGE

POLYONE CORPORATION



# MATERIAL SAFETY DATA SHEET POLYMELT III 23-10 NATURAL

sion Number 1.0 ision Date 06/25/2003		Page Print Date 11/11		
Handling	Prolonged heat settle during sto	Use only in area provided with appropriate exhaust ventilation. Prolonged heating may result in product degradation. Material may settle during storage. Careful mixing without introduction of air may be necessary before use.		
Storage	upright to preve	Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool place. Keep from freezing and temperature extremes.		
8. EXF	OSURE CONTROLS	/ PERSONAL PROTECTION		
Respiratory protection	areas of good g processing equi	A respirator is normally not required for routine handling of product in areas of good general ventilation and adequate local exhaust at processing equipment during routine operation. Airborne contaminant levels should be maintained below the occupational exposure guidelines.		
Eye/Face Protection		Safety glasses with side-shields. Wear goggles or face shield during operations that present a splash potential.		
Hand protection	: Impervious glo	ves such as rubber or PVC		
Skin and body protection	Where operatio	: Long sleeved shirts and long pants are adequate for normal handling. Where operations present a splash or spill potential, employees should wear chemically resistant clothing, boots, apron, gloves, and eye/face protection.		
Additional Protective Measures	: Safety shoes	Safety shoes		
General Hygiene Considerations		: Wash hands before breaks and immediately after handling the product Handle in accordance with good industrial hygiene and safety practices.		
Engineering measures		lation and/or appropriate respiratory protection may ary to minimize employee exposure to processing		
Exposure limit(s)				
There are no known hazardou	is components above re	gulatory thresholds in this product.		
9	PHYSICAL AND CH	IEMICAL PROPERTIES		
Form	: Liquid	Evaporation rate : Slower than Bu Acetate		
Appearance Color Odor Melting point/range	: Liquid : NO PIGMENT : Slight : Not applicable	Specific Gravity: Not determinedBulk density: Not applicable.Vapor pressure: Not establishedVapor density: Heavier than ai		
Boiling Point:	: Not applicable	pH : Not determined		

PolyOne

## MATERIAL SAFETY DATA SHEET POLYMELT III 23-10 NATURAL

Version Number 1.0 Revision Date 06/25/2003 Page 4 of 6 Print Date 11/11/2011

Water solubility	: Completely miscible	
10. STABILITY AND REACTIVITY		
Stability	: Stable.	
Hazardous Polymerization	: Will not occur.	
Conditions to avoid	: Extremes of temperature and direct sunlight. Keep from freezing.	
Incompatible Materials	: Acids, metal salts, and solvents	
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	
There are no known hazardous	components above regulatory thresholds in this product. <b>12. ECOLOGICAL INFORMATION</b>	
Persistence and degradability	: No data available.	
Environmental Toxicity	: No data available.	
Bioaccumulation Potential	: No data available.	
Additional advice	: No data available.	
	13. DISPOSAL CONSIDERATIONS	
Product	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste	

Contaminated packaging

### 14. TRANSPORT INFORMATION

and local regulations.

classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

: Recycling is preferred when possible. The generator of waste material

has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial

U.S. DOT Classification:Refer to specific regulation.ICAO/IATA:Refer to specific regulation.IMO / IMDG:Refer to specific regulation.

PolyOne.

## MATERIAL SAFETY DATA SHEET POLYMELT III 23-10 NATURAL

Version Number 1.0 Revision Date 06/25/2003 Page 5 of 6 Print Date 11/11/2011

	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition 65	: This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Ext	remely Hazardous Substance
Not applicable	
SARA Title III Section 313 Tox	tic Chemicals:
Not applicable Canadian Regulations:	
WHMIS Classification	: Not controlled.
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS	: Listed.
China IECS	: Listed.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Listed.
	: Listed.
Philippines PICCS	



# MATERIAL SAFETY DATA SHEET **POLYMELT III 23-10 NATURAL**

Version Number 1.0 Revision Date 06/25/2003 Page 6 of 6 Print Date 11/11/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.