

MATERIAL SAFETY DATA SHEET

AZ5100 DISPERSION

 Version Number 1.0
 Page 1 of 6

 Revision Date 08/13/2004
 Print Date 11/15/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION

8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone : Product Stewardship (770) 590-3500 x.3563

Emergency telephone : CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure

number or accident).

Product name : AZ5100 DISPERSION

Product code : FO200055 Chemical Name : Mixture CAS-No. : Mixture

Product Use : Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Azodicarbonamide	123-77-3	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

May release high amount of nitrogen if inadvertenly heated above 50°C (122°F) or stored incorrectly. Pressure inside the container can increase and cause its rupture. This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Eyes, Inhalation, Skin contact, Ingestion

Acute exposure

Inhalation : At process temperatures, product emissions may cause irritation.

Ingestion : May be harmful if swallowed. Eyes : May cause eye/skin irritation.

Skin : Experience shows no unusual dermatitis hazard from routine handling.

Chronic exposure : Refer to Section 11 for Toxicological Information.

Medical Conditions : None known.

Aggravated by Exposure:



MATERIAL SAFETY DATA SHEET

AZ5100 DISPERSION

Version Number 1.0 Page 2 of 6
Revision Date 08/13/2004 Print Date 11/15/2011

4. FIRST AID MEASURES

Inhalation : Remove to fresh air. If breathing is irregular or stopped, administer

artificial respiration. When symptoms persist or in all cases of doubt

seek medical advice.

Ingestion : Do not induce vomiting without medical advice. When symptoms

persist or in all cases of doubt seek medical advice.

Eyes : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. If eye irritation persists, seek medical attention.

Skin : Wash off with soap and plenty of water.

5. FIRE-FIGHTING MEASURES

Flash point : Greater than 200 °F (93 °C)

Flammable Limits

Upper explosion limit : No data available sower explosion limit : No data available Autoignition temperature : No data available Suitable extinguishing media : waterfoam.

Special Fire Fighting

Procedures

: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Cool closed containers exposed to fire with water spray. If inadvertent heating of product results in smoke production, spray immediately and thoroughly with water. May release high amount of nitrogen if inadvertenly heated above 50°C (122°F) or stored incorrectly. Pressure inside the container can increase and cause its

rupture.

Unusual Fire/Explosion

Hazards

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. May release high amount of nitrogen if inadvertenly heated above 50°C (122°F) or stored incorrectly. Pressure inside the container can increase and cause its runture.

increase and cause its rupture.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wear appropriate personal protection during cleanup, such as

impervious gloves, boots and coveralls.

Environmental precautions : Should not be released into the environment. The product should not

be allowed to enter drains, water courses or the soil.

Methods for cleaning up : Contain and collect spillage with non-combustible absorbent material,

(e.g. sand, earth, diatomaceus earth, vermiculite) and place in container for disposal according to local / national regulations (see

2/6



MATERIAL SAFETY DATA SHEET

AZ5100 DISPERSION

 Version Number 1.0
 Page 3 of 6

 Revision Date 08/13/2004
 Print Date 11/15/2011

section 13).

7. HANDLING AND STORAGE

Handling : Wear personal protective equipment. Take measures to prevent the

build up of electrostatic charge. Provide for appropriate exhaust

ventilation and dust collection at machinery.

Storage : Keep away from open flames, hot surfaces and sources of ignition.

Keep away from direct sunlight. Keep in a dry, cool place. May release high amount of nitrogen if inadvertenly heated above 50°C (122°F) or stored incorrectly. Pressure inside the container can

increase and cause its rupture.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators. Employees using respirators must be properly trained. Employers must follow applicable regulations such as OSHA 29 CFR 1910.134.

Eye/Face Protection : Safety glasses with side-shields.

Hand protection : Protective gloves.

Skin and body protection : Long sleeved shirts and long pants are adequate for normal handling.

Where operations present a splash or spill potential, employees should wear chemically resistant clothing, boots, apron, gloves, and eye/face

protection.

Additional Protective

Measures

When using, do not eat, drink or smoke.

General Hygiene

Considerations

: Do not breathe dust or spray mist. Handle in accordance with good

industrial hygiene and safety practices.

Engineering measures : Adequate ventilation and/or appropriate respiratory protection may

also be necessary to minimize employee exposure to processing

vapors.

Exposure limit(s)

9. PHYSICAL AND CHEMICAL PROPERTIES

: Not applicable Form : liquid Evaporation rate : Viscous liquid dispersion : Not determined Specific Gravity: Appearance : WHITE Bulk density : Not established Color Odor : Very faint Vapor pressure : Not determined



MATERIAL SAFETY DATA SHEET

AZ5100 DISPERSION

Version Number 1.0 Page 4 of 6
Revision Date 08/13/2004 Print Date 11/15/2011

Melting point/range : Not applicable Vapour density : Not determined Boiling Point: : Not applicable pH : Not determined

Water solubility : Negligible

10. STABILITY AND REACTIVITY

Stability : Stable.

Hazardous Polymerization : Will not occur.

Conditions to avoid : Heat, flames and sparks.

Incompatible Materials : Reacts with water or acids to form carbon dioxide (CO2)

Hazardous decomposition

products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

ammonia May release high amount of nitrogen if inadvertenly heated

above 50°C (122°F) or stored incorrectly. Pressure inside the

container can increase and cause its rupture.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ	
123-77-3	Azodicarbonamide	sensitizer	Respiratory system.	

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
123-77-3	Azodicarbonamide	LC50	200 mg/l	rat
		Oral LD50	> 6,400 mg/kg	rat
		Dermal LD50	> 2,000 mg/kg	rabbit

Additional Health Hazard Information:

Azodicarbonamide 123-77-3 Sensitizer to the respiratory system with repeated minimal inhalation. While no chronic health problems have been identified, individuals with respiratory problems should avoid inhalation exposure to this material.

12. ECOLOGICAL INFORMATION

Persistence and degradability : No data available

Environmental Toxicity : No data available



MATERIAL SAFETY DATA SHEET

AZ5100 DISPERSION

Version Number 1.0 Page 5 of 6
Revision Date 08/13/2004 Print Date 11/15/2011

Bioaccumulation Potential : No data available

Additional advice : No data available

13. DISPOSAL CONSIDERATIONS

Product : The generator of waste material has the responsibility for proper waste

classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

Contaminated packaging : Recycling is preferred when possible. The generator of waste material

has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial

and local regulations.

14. TRANSPORT INFORMATION

U.S. DOT Classification : Refer to specific regulation.

ICAO/IATA (air) : Refer to specific regulation.

IMO / IMDG (maritime) : Refer to specific regulation.

15. REGULATORY INFORMATION

US Regulations:

OSHA Status : Classified as hazardous based on components.

TSCA Status : All components of this product are listed on or exempt from the TSCA

Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Not applicable

California Proposition : This product does not contain a substance listed by California Prop 65.

65

SARA Title III Section 302 Extremely Hazardous Substance

Not applicable

SARA Title III Section 313 Toxic Chemicals:

Not applicable



MATERIAL SAFETY DATA SHEET

AZ5100 DISPERSION

 Version Number 1.0
 Page 6 of 6

 Revision Date 08/13/2004
 Print Date 11/15/2011

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Not applicable

WHMIS Classification : D2A

DSL : All components of this product are on the Canadian Domestic

Substances List (DSL) or are exempt.

National Inventories:

Australia AICS : Listed

China IECS : Listed

Europe EINECS : Listed

Japan ENCS : Not determined

Korea KECI : Listed

Philippines PICCS : Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.