

# MATERIAL SAFETY DATA SHEET ALICE BLUE ADDITIVE

Version Number 1.0 Revision Date 07/10/2003

Page 1 of 6 Print Date 11/11/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	ALICE BLUE ADDITIVE
Product code	:	FO20005551
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	30 - 60

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: May cause eye/skin irritation.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		





## MATERIAL SAFETY DATA SHEET ALICE BLUE ADDITIVE

Version Number 1.0 Revision Date 07/10/2003 Page 2 of 6 Print Date 11/11/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>No data available.</li> <li>No data available.</li> <li>Not applicable.</li> <li>Carbon dioxide blanket, dry powder, foam, water spray.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing



# MATERIAL SAFETY DATA SHEET ALICE BLUE ADDITIVE

ion Number 1.0 sion Date 07/10/2003					Print D	Page 3 ate 11/11/
	Pe	ume condensates may co eriodically clean hoods, ccumulation of these ma	ducts, an			
Storage		eep containers dry and t nd contamination. Store				absorption
8. E	XPOSURE	<b>CONTROLS / PERSO</b>	)NAL PF	OTECTIO	ON	
Respiratory protection	: U	Inder normal handling co	onditions	a respirator	r may not t	e required.
Eye/Face Protection	: Sa	afety glasses with side-s	shields.			
Hand protection	: P1	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: Sa	afety shoes.				
General Hygiene Considerations		andle in accordance with Vash hands before breaks				afety practic
Engineering measures		leat only in areas with ap ppropriate exhaust ventil			entilation.	Provide
Exposure limit(s)						
Components	Value	Exposure time	ne Exposure ty		e tvne	List:
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):	age	Lapose		ACGIH
Titanium dioxide	15 mg/m3	PEL:		Total d	lust.	OSHA Z
	9 PHYSI(	CAL AND CHEMICAI	I PROP	FRTIES		
Form	: Liqui	id I		Specific Gravity: Not deterBulk density: Not appliVapor pressure: Not deterVapor density: Not deter		established determined
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: BLU : Very : Not a : Not a	ous, Liquid S E I faint V applicable V	Bulk dens Vapor pre Vapor de	sity essure	: Not : Not	applicable. determined determined applicable.
Color Odor Melting point/range Boiling Point:	: BLU : Very : Not a : Not a : Immi	ous, Liquid S E I faint V applicable P iscible	Bulk dens Vapor pro Vapor des pH	sity essure nsity	: Not : Not	determined determined
Color Odor Melting point/range Boiling Point: Water solubility	: BLU : Very : Not a : Not a : Immi <b>10. S</b>	ous, Liquid S E I faint V applicable P iscible STABILITY AND REA	Bulk dens Vapor pro Vapor des pH	sity essure nsity	: Not : Not	determined determined
Color Odor Melting point/range Boiling Point:	: BLU : Very : Not a : Not a : Immi <b>10. S</b>	ous, Liquid S E I faint V applicable P iscible	Bulk dens Vapor pro Vapor des pH	sity essure nsity	: Not : Not	determined determined



## MATERIAL SAFETY DATA SHEET ALICE BLUE ADDITIVE

Version Number 1.0 Revision Date 07/10/2003 Page 4 of 6 Print Date *11/11/2011* 

Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C ( $350$ °F), after 10 minutes at 204 °C ( $400$ °F), and within 5 minutes at 232 °C ( $450$ °F).

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

	12. ECOLOGIO	CAL INFORMATION	Ň			
Persistence and degradab	ility : Not readily b	iodegradable.				
Environmental Toxicity	: Environmenta whole.	: Environmental toxicity has not been established for this mixture as a whole.				
Bioaccumulation Potentia	al : No data avail	: No data available.				
Additional advice	: No data avail	: No data available.				
	13. DISPOSAL	CONSIDERATIONS	5			
Product	generator of v classification	waste material has the 1	ed to disposal or incineration. The responsibility for proper waste posal in accordance with and local regulations.			
Contaminated packaging	has the response and disposal	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPO	RT INFORMATION				



### MATERIAL SAFETY DATA SHEET ALICE BLUE ADDITIVE

Version Number 1.0 Revision Date 07/10/2003 Page 5 of 6 Print Date 11/11/2011

U.S. DOT Classification	:	Refer to specific regulation.
ICAO/IATA	:	Refer to specific regulation.
IMO / IMDG	:	Refer to specific regulation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Extra	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	tic (	Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Releas	se Iı	nventory (NPRI)
Not applicable		
WHMIS Classification	:	D2B
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
-		



## MATERIAL SAFETY DATA SHEET ALICE BLUE ADDITIVE

Version Number 1.0 Revision Date 07/10/2003 Page 6 of 6 Print Date 11/11/2011

Japan ENCS	:	Not determined
Jupan Lites	•	1 of determined

Korea KECI : Not determined.

Philippines PICCS : Listed.

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.