

MATERIAL SAFETY DATA SHEET **DBX884 BLUE**

Version Number 1.0 Revision Date 07/14/2003

Page 1 of 7 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DBX884 BLUE
Product code	:	FO20005637
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Di(2-ethylhexyl)phthalate	117-81-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET **DBX884 BLUE**

Version Number 1.0 Revision Date 07/14/2003 Page 2 of 7 Print Date 11/11/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 No data available. No data available. Not applicable. Carbon dioxide blanket, dry powder, foam, water spray.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing



MATERIAL SAFETY DATA SHEET **DBX884 BLUE**

			Print [Page Date 11/11,
	Р		ain combustible or toxic res cts, and other surfaces to m ials.	
Storage		eep containers dry and tight and contamination. Store in	ntly closed to avoid moistur a cool dry place.	e absorption
8. E	XPOSURE	CONTROLS / PERSONA	AL PROTECTION	
Respiratory protection	: U	Inder normal handling cond	litions a respirator may not	be required.
Eye/Face Protection	: S	afety glasses with side-shie	elds.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		landle in accordance with g Vash hands before breaks a	ood industrial hygiene and a nd at the end of workday.	safety praction
Engineering measures		leat only in areas with appr ppropriate exhaust ventilati	opriate exhaust ventilation.	Provide
Exposure limit(s)				
	Value	Exposure time	Exposure type	List
Exposure limit(s) Components Di(2-ethylhexyl)phthal ate	Value 5 mg/m3	Exposure time PEL:	Exposure type Vapor.	List: OSHA Z
Di(2-ethylhexyl)phthal	5 mg/m3	*	Vapor.	
Components Di(2-ethylhexyl)phthal ate	5 mg/m3 9. PHYSIC	PEL: CAL AND CHEMICAL F	Vapor. PROPERTIES	OSHA Z
Components Di(2-ethylhexyl)phthal ate Form Appearance	5 mg/m3 9. PHYSIC : Liqu : Visco	PEL: CAL AND CHEMICAL F id Eva ous, Liquid Spa	Vapor. PROPERTIES aporation rate : No ecific Gravity : No	OSHA Z
Components Di(2-ethylhexyl)phthal ate Form Appearance Color	5 mg/m3 9. PHYSIC : Liqu : Visc : BLU	PEL: CAL AND CHEMICAL F id Eva ous, Liquid Spa E Bu	Vapor. PROPERTIES aporation rate : No ecific Gravity : No lk density : No	OSHA Z
Components Di(2-ethylhexyl)phthal ate Form Appearance Color Odor	5 mg/m3 9. PHYSIC : Liqu : Visc : BLU : Very	PEL: CAL AND CHEMICAL F id Eva ous, Liquid Spe E Bu faint Va	Vapor. PROPERTIES aporation rate : No cecific Gravity : No lk density : No por pressure : No	t established t determined t applicable. t determined
Components Di(2-ethylhexyl)phthal ate Form Appearance Color Odor Melting point/range	5 mg/m3 9. PHYSIC : Liqu : Visc : BLU : Very : Not a	PEL: CAL AND CHEMICAL F id Eva ous, Liquid Spe E Bu faint Va applicable Va	Vapor. PROPERTIES aporation rate : No ecific Gravity : No lk density : No por pressure : No por density : No	t established t determined t applicable. t determined t determined
Components Di(2-ethylhexyl)phthal ate Form Appearance Color Odor	5 mg/m3 9. PHYSIC : Liqu : Visco : BLU : Very : Not a : Not a	PEL: CAL AND CHEMICAL F id Eva ous, Liquid Spe E Bu faint Va	Vapor. PROPERTIES aporation rate : No ecific Gravity : No lk density : No por pressure : No por density : No	t established t determined t applicable. t determined t determined
Components Di(2-ethylhexyl)phthal ate Form Appearance Color Odor Melting point/range Boiling Point:	5 mg/m3 9. PHYSIC : Liqu : Visc : BLU : Very : Not a : Imm	PEL: CAL AND CHEMICAL F id Eva ous, Liquid Spa E Bu faint Va applicable Va applicable pH	Vapor. PROPERTIES aporation rate : No cecific Gravity : No lk density : No por pressure : No por density : No : No	t established t determined t applicable. t determined
Components Di(2-ethylhexyl)phthal ate Form Appearance Color Odor Melting point/range Boiling Point:	5 mg/m3 9. PHYSIC : Liqu : Visc : BLU : Very : Not a : Imm 10. S	PEL: CAL AND CHEMICAL F id Eva ous, Liquid Spa E Bu faint Va applicable Va applicable pH iscible	Vapor. PROPERTIES aporation rate : No cecific Gravity : No lk density : No por pressure : No por density : No : No	t established t determined t applicable. t determined t determined
Components Di(2-ethylhexyl)phthal ate Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	5 mg/m3 9. PHYSIC : Liqu : Visco : BLU : Very : Not a : Not a : Imm 10. S : S	PEL: CAL AND CHEMICAL F id Eva ous, Liquid Spa E Bu faint Va applicable Va applicable pH iscible STABILITY AND REAC	Vapor. PROPERTIES aporation rate : No cecific Gravity : No lk density : No por pressure : No por density : No : No	t established t determined t applicable. t determined t determined
Components Di(2-ethylhexyl)phthal ate Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	5 mg/m3 9. PHYSIC : Liqu : Visco : BLU : Very : Not a : Not a : Imm 10. S : S	PEL: CAL AND CHEMICAL F id Evi ous, Liquid Spa E Bu faint Va applicable Va applicable pH iscible STABILITY AND REAC table. Vill not occur.	Vapor. PROPERTIES aporation rate : No cecific Gravity : No lk density : No por pressure : No por density : No : No	OSHA Z t established t determined t applicable. t determined t determined t applicable.



MATERIAL SAFETY DATA SHEET **DBX884 BLUE**

Version Number 1.0 Revision Date 07/14/2003		Page 4 of 7 Print Date 11/11/2011
		decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
117-81-7	Di(2-ethylhexyl)phthalate	Systemic effects	Eyes, Respiratory system, Liver, central nervous system, Skin, digestive system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
117-81-7	Di(2-ethylhexyl)phthalate	Oral LD50	30 gm/kg	rat
		Dermal LD50	25 gm/kg	rabbit

Carcinogenicity:

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
117-81-7	Di(2-ethylhexyl)phthalate	no	no	2

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:



MATERIAL SAFETY DATA SHEET **DBX884 BLUE**

Version Number 1.0 Revision Date 07/14/2003

Page 5 of 7 Print Date 11/11/2011

Di(2-ethylhexyl)phthalate 117-81-7 There is sufficient evidence for the carcinogenicity of di (2-ethylhexyl) phthalate in experimental animals. Administered in the feed this chemical caused an increase incidence of liver cancer in male and female rats and mice. The relevance of this finding to humans is uncertain.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: No data available.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible, recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
	14. TRANSPORT INFORMATION
U.S. DOT Classification	14. TRANSPORT INFORMATION : Refer to specific regulation.
U.S. DOT Classification ICAO/IATA	
	: Refer to specific regulation.
ICAO/IATA	Refer to specific regulation.Refer to specific regulation.
ICAO/IATA	 Refer to specific regulation. Refer to specific regulation. Refer to specific regulation.
ICAO/IATA IMO / IMDG	 Refer to specific regulation. Refer to specific regulation. Refer to specific regulation.
ICAO/IATA IMO / IMDG US Regulations:	 Refer to specific regulation. Refer to specific regulation. Refer to specific regulation. 15. REGULATORY INFORMATION
ICAO/IATA IMO / IMDG US Regulations: OSHA Status	 Refer to specific regulation. Refer to specific regulation. Refer to specific regulation. 15. REGULATORY INFORMATION Classified as hazardous based on components. All components of this product are listed on or exempt from the TSCA Inventory.

5/7



MATERIAL SAFETY DATA SHEET **DBX884 BLUE**

Version Number 1.0 Revision Date 07/14/2003

Page 6 of 7 Print Date 11/11/2011

Di(2-ethylhexyl)ph	117-81-7	43.0738	100 lbs	232 LB
thalate				

California Proposition : WARNING! This product contains a chemical known to the State of California to cause cancer.

SARA Title III Section 302 Extremely Hazardous Substance

Not applicable

SARA Title III Section 313 Toxic Chemicals:

Chemical Name	CAS-No.	Weight %
DI(2-ETHYLHEXYL)PHTHALATE (DEHP)	117-81-7	43.07

Canadian Regulations:

National Pollutant Release Inventory (NPRI)	
---	--

Chemical Name	CAS-No.	Weight %	NPRI ID#
Di(2-ethylhexyl)phthalate	117-81-7	43.07	25
Zinc stearate	557-05-1	0.46	241

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.	
117-81-7	

DSL

: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.



MATERIAL SAFETY DATA SHEET **DBX884 BLUE**

Version Number 1.0 Revision Date 07/14/2003

Page 7 of 7 Print Date 11/11/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.