PolvOne

MATERIAL SAFETY DATA SHEET 187CGNSPL PANTONE(R) 187 C SIMULATION

Version Number 1.2 Revision Date 02/12/2007 Page 1 of 7 Print Date 11/26/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	187CGNSPL PANTONE(R) 187 C SIMULATION
Product code	:	FO20005754
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	0.1 - 1
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne

MATERIAL SAFETY DATA SHEET 187CGNSPL PANTONE(R) 187 C SIMULATION

Version Number 1.2 Revision Date 02/12/2007 Page 2 of 7 Print Date 11/26/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If exircitation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 No data available No data available Not applicable Carbon dioxide blanket, water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or th soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing



MATERIAL SAFETY DATA SHEET 187CGNSPL PANTONE(R) 187 C SIMULATION

Version Number 1.2 Revision Date 02/12/2007		Page 3 of 7 Print Date 11/26/2011
		fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.
8. EXPOS	SUF	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	: Long sleeved clothing.	
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
	20 mppcf	PEL:	Total dust.	Z3
	0.8 mg/m3	Time Weighted Average		Z3
		(TWA):		
	10 mg/m3	Time Weighted Average		MX OEL
		(TWA):		
	10 mg/m3	Time Weighted Average	Inhalable particulate.	MX OEL
		(TWA):		
	3 mg/m3	Time Weighted Average	Respirable dust.	MX OEL
		(TWA):		
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	20 mg/m3	Short Term Exposure Limit	as Ti	MX OEL
		(STEL):		

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance liquidViscous, liquid

Evaporation rate Specific Gravity: Not establishedNot determined



MATERIAL SAFETY DATA SHEET 187CGNSPL PANTONE(R) 187 C SIMULATION

Version Number 1.2 Revision Date 02/12/2007 Page 4 of 7 Print Date 11/26/2011

Color Odor Melting point/range Boiling Point: Water solubility	 RED Very faint Not applicable Not applicable Immiscible 	Bulk density Vapor pressure Vapour density pH	 Not applicable Not determined Not determined Not applicable 			
	10. STABILITY AN	D REACTIVITY				
Stability	: Stable.					
Hazardous Polymerization	: Will not occur.					
Conditions to avoid	: Keep away from or decomposition, do	xidizing agents and open f not overheat.	flame. To avoid thermal			
Incompatible Materials	-	strong acids and oxidizing olymers and acetal copoly				
Hazardous decomposition products	(NOx), hydrogen c smoke are all possi degradation. As a after one hour at 17	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).				

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
7631-86-9	Silica, amorphous	Oral	15,000	mouserat
		LD50Oral	mg/kg22,500	
		LD50	mg/kg	

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

	CAS-No.	Chemical Name	OSHA	IARC	NTP
--	---------	---------------	------	------	-----

PolyOne

MATERIAL SAFETY DATA SHEET 187CGNSPL PANTONE(R) 187 C SIMULATION

Version Number 1.2 Revision Date 02/12/2007 Page 5 of 7 Print Date 11/26/2011

13463-67-7 Т	Titanium dioxide	no	2B	no
2B - The component is po NTP Carcinogen Classific 1 - The component is kno	inogenic to humans. obably carcinogenic to hur ossibly carcinogenic to hun	ians. jen.		
	12. ECOLOGICA	AL INFORMATION		
Persistence and degradabi	lity : Not readily bio	degradable.		
Environmental Toxicity	: Environmental whole.	toxicity has not been	established for thi	s mixture as a
Bioaccumulation Potentia	l : No data availab	ble		
Additional advice	: No data availat	ble		
	13. DISPOSAL C	CONSIDERATIONS		
Product	generator of wa classification, t	e recycling is preferred aste material has the re- ransportation and disp ral, state/provincial ar	esponsibility for provident provident of the spectrum of the second and the secon	roper waste e with
Contaminated packaging	has the respons	eferred when possible ibility for proper wast accordance with appl ations.	e classification, tr	ansportation
	14. TRANSPOR	T INFORMATION		
U.S. DOT Classification	: Refer to specifi	c regulation.		
ICAO/IATA (air)	: Refer to specifi	c regulation.		
IMO / IMDG (maritime)	: Refer to specifi	c regulation.		
	15. REGULATO	RY INFORMATION		
US Regulations:				
OSHA Status	: Classified as ha	azardous based on con	nponents.	

PolyOne

MATERIAL SAFETY DATA SHEET 187CGNSPL PANTONE(R) 187 C SIMULATION

Version Number 1.2 Revision Date 02/12/2007 Page 6 of 7 Print Date 11/26/2011

Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight %	NPRI ID#
Phthalocyanine blue	147-14-8	10.00 - 30.00	71

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Not determined	
China IECS	: Not determined	
Europe EINECS	: Listed	
Japan ENCS	: Not determined	
Korea KECI	: Not determined	
Philippines PICCS	: Not determined	

16. OTHER INFORMATION

PolyOne

MATERIAL SAFETY DATA SHEET 187CGNSPL PANTONE(R) 187 C SIMULATION

Version Number 1.2 Revision Date 02/12/2007 Page 7 of 7 Print Date 11/26/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.