MATERIAL SAFETY DATA SHEET 3060 134 NATURAL FOAM LATEX

Version Number 1.8 Revision Date 03/30/2014 Page 1 of 7 Print Date 4/9/2014

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	3060 134 NATURAL FOAM LATEX
Product code	:	FO20005997
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Sulfur	7704-34-9	1 - 5
Extracts (petroleum), heavy naphthenic distillate solvent	64742-11-6	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This product has not been evaluated as a whole for health effects. Information provided on the health effects of this product is based on individual components. In addition, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Skin contact, Inhalation, Ingestion			
Acute exposure				
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.			
Ingestion	: May be harmful if swallowed.			
Eyes	: May cause eye and skin irritation.			
Skin				
Chronic exposure	: Refer to Section 11 for Toxicological Information.			

PolyOne.

MATERIAL SAFETY DATA SHEET 3060 134 NATURAL FOAM LATEX

Version Number 1.8 Revision Date 03/30/2014 Page 2 of 7 Print Date 4/9/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of vapors or fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Never give anything by mouth to an unconscious person. Seek medical attention if necessary. Do not induce vomiting without medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If en irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: no data available
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	 no data available no data available no data available Carbon dioxide (CO2), Water, Foam, Dry chemical.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or wate courses.
Unusual Fire/Explosion Hazards	 Burning dry latex produces dense black smoke with the possibility o toxic vapors. Residual latex material contained in empty drums ma decompose when burned producing toxic or irritating fumes. Carbo dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Ensure response personnel are properly protected (see section 8 for respiratory or other protection guidelines.) Use caution as floors ma be slippery.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil.

PolyOne.

MATERIAL SAFETY DATA SHEET 3060 134 NATURAL FOAM LATEX

Version Number 1.8 Revision Date 03/30/2014 Page 3 of 7 Print Date 4/9/2014

		binder, universal binder, sawdust). Sweep up and shovel into suitabl containers for disposal.
		7. HANDLING AND STORAGE
Handling	:	Use only in area provided with appropriate exhaust ventilation. Prolonged heating may result in product degradation. Material may settle during storage. Careful mixing without introduction of air may be necessary before use.
Storage	:	Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool place. Keep from freezing and temperature extremes.
8. EX	POSU	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	A respirator is normally not required for routine handling of product in areas of good general ventilation and adequate local exhaust at processing equipment during routine operation. Airborne contaminant levels should be maintained below the occupational exposure guidelines.
Eye/Face Protection	:	Safety glasses with side-shields Wear goggles or face shield during operations that present a splash potential.
Hand protection	:	Impervious gloves such as rubber or PVC
Skin and body protection	:	Long sleeved shirts and long pants are adequate for normal handling. Where operations present a splash or spill potential, employees should wear chemically resistant clothing, boots, apron, gloves, and eye/face protection.
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practices.
Engineering measures	:	Adequate ventilation and/or appropriate respiratory protection may also be necessary to minimize employee exposure to processing vapors.
Exposure limit(s)		

PolyOne

MATERIAL SAFETY DATA SHEET 3060 134 NATURAL FOAM LATEX

Version Number 1.8 Revision Date 03/30/2014 Page 4 of 7 Print Date 4/9/2014

Components	Value	Exposure ti	me	Exposure type	List:
Extracts (petroleum), heavy naphthenic distillate solvent	5 mg/m3	Time Weighted Average (TWA):		Mist.	ACGIH
	10 mg/m3	Short Term Expos (STEL):	ure Limit	Mist.	ACGIH
	9. PHYSIC	CAL AND CHEMI	CAL PROP	PERTIES	
Form	: liqui	d	Evapour		wer than Buty
Appearance	: liqui	d	Specific	110	t determined
Colour		PIGMENT	Bulk der		t applicable
Odour	: sligh	t	Vapour	pressure : No	t established
Melting point/range		pplicable	Vapour	density : He	avier than air.
Boiling Point:		established	pН	: No	t determined
Water solubility	: com	pletely miscible			
	10. 5	STABILITY AND	REACTIVI	TY	
Stability	: T	he product is stable	if stored and	l handled as prescribe	1.
Hazardous Polymerization	: Will not occur.				
Conditions to avoid	: Extremes of temperature and direct sunlight. Keep from freezing.				
Incompatible Materials	: Acids, metal salts, and solvents				
Hazardous decomposition products				onoxide (CO), oxides , and smoke are all po	
	11. TO	XICOLOGICAL	INFORMA'	ΓΙΟΝ	

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ	
7704-34-9	Sulfur	Irritant	Eyes, Skin, Respiratory	
			system.	

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
64742-11-6	Extracts (petroleum), heavy	no	1	no
	naphthenic distillate solvent			

P<u>olyOne</u>

MATERIAL SAFETY DATA SHEET 3060 134 NATURAL FOAM LATEX

Version Number 1.8 Revision Date 03/30/2014 Page 5 of 7 Print Date 4/9/2014

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

 $2\mathbf{B}$ - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

NS
NS
<u>'NS</u>
INS
NS
erred to disposal or incineration. The he responsibility for proper waste disposal in accordance with al and local regulations.
sible. The generator of waste r proper waste classification, cordance with applicable federal, ions.
ON
ION
components.
are listed on or exempt from the

blvUn<u>e</u>

MATERIAL SAFETY DATA SHEET 3060 134 NATURAL FOAM LATEX

Version Number 1.8 Revision Date 03/30/2014 Page 6 of 7 Print Date 4/9/2014

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

		14 OTHED INFORMATION
Philippines PICCS	:	Not determined
Korea KECI	:	Not determined
Japan ENCS	:	Not determined
Europe EINECS	:	Listed
China IECS	:	Not determined
Australia AICS	:	Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

PolyOne.

MATERIAL SAFETY DATA SHEET 3060 134 NATURAL FOAM LATEX

Version Number 1.8 Revision Date 03/30/2014 Page 7 of 7 Print Date 4/9/2014

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.