

## MATERIAL SAFETY DATA SHEET FK101SL MSM-SL RED

Version Number 1.1 Revision Date 06/17/2004

Page 1 of 6 Print Date 11/14/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone:Emergency telephone:number		Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	FK101SL MSM-SL RED
Product code	:	FO20006246
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Azodicarbonamide	123-77-3	1 - 5
Calcium carbonate	1317-65-3	5 - 10

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET FK101SL MSM-SL RED

Version Number 1.1 Revision Date 06/17/2004 Page 2 of 6 Print Date 11/14/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits	
Upper explosion limit	: No data available
sower explosion limit	: No data available
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	<ul> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing



## MATERIAL SAFETY DATA SHEET FK101SL MSM-SL RED

sion Number 1.1 ision Date 06/17/2004				Print D	Page 3 ( ate 11/14/2)
	Pe	ume condensates may eriodically clean hood ccumulation of these r	ls, ducts, and other s		
Storage		eep containers dry and contamination. Sto			absorption
8. E	XPOSURE	<b>CONTROLS / PERS</b>	SONAL PROTECT	TION	
Respiratory protection	: N	o personal respiratory	v protective equipme	ent normally r	equired.
Eye/Face Protection	: Sa	afety glasses with side	e-shields.		
Hand protection	: Pr	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: Sa	afety shoes.			
General Hygiene Considerations		andle in accordance w /ash hands before brea			afety practice.
Engineering measures		eat only in areas with ppropriate exhaust ver			Provide
Exposure limit(s)					
Components	Value	Exposure time	e Expos	sure type	List:
Calcium carbonate	5 mg/m3	PEL:		ole fraction.	OSHA Z1
	15 mg/m3	PEL:	Tota	al dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMIC	AL PROPERTIES	S	
	: liquio	4	Evaporation rate	· Not	established
Form			Specific Gravity:		determined
Form Appearance	· Visco				
Form Appearance Color	: Visco : RED		Bulk density	. INOL	applicable
Appearance		•	Bulk density Vapor pressure		applicable determined
Appearance Color	: RED : Very	•		: Not	
Appearance Color Odor	: RED : Very : Not a	faint applicable applicable	Vapor pressure	: Not : Not	determined

## 10. STABILITY AND REACTIVITY

- Stability : Stable.
- Hazardous Polymerization : Will not occur.

Conditions to avoid

: Keep away from oxidizing agents and open flame. To avoid thermal



# MATERIAL SAFETY DATA SHEET FK101SL MSM-SL RED

Version Number 1.1 Page 4 of 6 Revision Date 06/17/2004 Print Date 11/14/2011 decomposition, do not overheat. **Incompatible Materials** : Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing. Hazardous decomposition Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen : products (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
123-77-3	Azodicarbonamide	sensitizer	Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
123-77-3	Azodicarbonamide	LC50	200 mg/l	rat
		Oral LD50	> 6,400 mg/kg	rat
		Dermal LD50	> 2,000 mg/kg	rabbit

#### Additional Health Hazard Information:

Azodicarbonamide 123-77-3 Sensitizer to the respiratory system with repeated minimal inhalation. While no chronic health problems have been identified, individuals with respiratory problems should avoid inhalation exposure to this material.

	12. ECOLOGICAL INFORMATION				
Persistence and degradability	: Not readily biodegradable.				
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.				
<b>Bioaccumulation Potential</b>	: No data available				
Additional advice	: No data available				
	13. DISPOSAL CONSIDERATIONS				

4/6



## MATERIAL SAFETY DATA SHEET FK101SL MSM-SL RED

ion Number 1.1 sion Date 06/17/2004	Page 5 Print Date 11/14/.
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materi has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSC Inventory.
US. EPA CERCLA Hazardou	s Substances (40 CFR 302)
Not applicable	
California Proposition 65	: WARNING! This product contains a chemical known to the State o California to cause cancer.
SARA Title III Section 302 E	stremely Hazardous Substance
Not applicable	
SARA Title III Section 313 T	oxic Chemicals:
Not applicable Canadian Regulations:	
National Pollutant Rela	ase Inventory (NPRI) CAS-No. Weight % NPRI ID#



# MATERIAL SAFETY DATA SHEET FK101SL MSM-SL RED

Version Number 1.1 Revision Date 06/17/2004 Page 6 of 6 Print Date 11/14/2011

Chemical Name	CAS-N	0.	Weight %	NPRI ID#	
misc00031 - Misc Zinc Cpc	1's	Not Ava	ailable	0.18	241
WHMIS Classification	:	D2A			
DSL	:	All components of this product Substances List (DSL) or are ex		ne Canadian	Domestic
ational Inventories:					
Australia AICS	:	Listed			
China IECS	:	Not determined			
Europe EINECS	:	Listed			
Japan ENCS	:	Not determined			
Korea KECI	:	Listed			
Philippines PICCS	:	Not determined			

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.